

| Number | ID | Category | Endnote_ID | Reference |
|--------|----------|----------|------------|---|
| 1 | BIO12137 | BIO | 12137 | M. S. Vrahnakis, A. Kyriazopoulos, G. Fotiadis, A. Sidiropoulou and A. Dionisopoulou, 2005, Changes in components of floristic diversity in three adjacent rangeland types. (Grassland Science in Europe Volume 10), Estonian Grassland Society |
| 2 | BIO12431 | BIO | 12431 | C. D. Williams, M. Hayes, R. J. M. Donnell, R. Anderson, A. Bleasdale and M. J. Gormally, 2014, Factors affecting wetland ground beetle (Carabidae) assemblages: how important are habitats, conservation designations and management?, Insect Conservation and Diversity, 7, 206-222, |
| 3 | BIO12464 | BIO | 12464 | M. W. Wilson, S. Irwin, D. W. Norriss, S. F. Newton, K. Collins, T. C. Kelly and J. O'Halloran, 2009, The importance of pre-thicket conifer plantations for nesting Hen Harriers <i>Circus cyaneus</i> in Ireland, Ibis, 151, 332-343, |
| 4 | BIO12714 | BIO | 12714 | H. G. Zechmeister, I. Schmitzberger, B. Steurer, J. Peterseil and T. Wrbka, 2003, The influence of land-use practices and economics on plant species richness in meadows, Biological Conservation, 114, 165-177, |
| 5 | BIO12781 | BIO | 12781 | M. Zmihorski, T. Part, T. Gustafson and A. Berg, 2016, Effects of water level and grassland management on alpha and beta diversity of birds in restored wetlands, Journal of Applied Ecology, 53, 587-595, |
| 6 | BIO12793 | BIO | 12793 | K. Zografou, S. Sfenthourakis, A. Pullin and V. Kati, 2009, On the surrogate value of red-listed butterflies for butterflies and grasshoppers: a case study in Grammos site of Natura 2000, Greece, Journal of Insect Conservation, 13, 505-514, |
| 7 | BIO13242 | BIO | 13242 | D. Baines, 1988, The effects of improvement of upland, marginal grasslands on the distribution and density of breeding wading birds (Charadriiformes) in northern England, Biological Conservation, 45, 221-236, |
| 8 | BIO13493 | BIO | 13493 | S. Bengtsson-Lindsjo, M. Ihse and E. G. A. Olsson, 1991, Landscape patterns and grassland plant species diversity in the 20th century, The cultural landscape during 6000 years in southern Sweden, 388-396, Munksgaard; Ecological Bulletins, 41 |
| 9 | BIO14651 | BIO | 14651 | C. Cusell, A. Kooijman and L. P. M. Lamers, 2014, Nitrogen or phosphorus limitation in rich fens? - Edaphic differences explain contrasting results in vegetation development after fertilization, Plant and Soil, 384, 153-168, Kluwer Academic Publishers |
| 10 | BIO15298 | BIO | 15298 | L. Erdős, G. Kröel-Dulay, Z. Bátori, B. Kovács, C. Németh, P. J. Kiss and C. Tölgyesi, 2018, Habitat heterogeneity as a key to high conservation value in forest-grassland mosaics, Biological Conservation, 226, 72-80, Elsevier Ltd |
| 11 | BIO15438 | BIO | 15438 | T. Fartmann, S. Kämpfer, J. Brüggeshemke, M. Juchem, F. Klauer, S. Weking and F. Löffler, 2018, Landscape-scale effects of Christmas-tree plantations in an intensively used low-mountain landscape – Applying breeding bird assemblages as indicators, Ecological Indicators, 94, 409-419, Elsevier B.V. |
| 12 | BIO15500 | BIO | 15500 | M. Ferrer and M. Harte, 1997, Habitat selection by immature Spanish imperial eagles during the dispersal period, Journal of Applied Ecology, 34, 1359-1364, Blackwell Publishing Ltd |
| 13 | BIO15949 | BIO | 15949 | K. Gilhaus, S. Boch, M. Fischer, N. Hölzel, T. Kleinebecker, D. Prati, D. Rupprecht, B. Schmitt and V. H. Klaus, 2017, Grassland management in Germany: Effects on plant diversity and vegetation composition, Tuexenia, 37, 379-397, Floristisch - Soziologische Arbeitsgemeinschaft |
| 14 | BIO17533 | BIO | 17533 | U. G. Kormann, C. Scherber, T. Tscharncke, P. Batáry and V. Rösch, 2019, Connectedness of habitat fragments boosts conservation benefits for butterflies, but only in landscapes with little cropland, Landscape Ecology, 34, 1045-1056, Springer Netherlands |
| 15 | BIO19859 | BIO | 19859 | K. Poptcheva, P. Schwartz, A. Vogel, T. Kleinebecker and N. Hölzel, 2009, Changes in wet meadow vegetation after 20 years of different management in a field experiment (North-West Germany), Agriculture, Ecosystems and Environment, 134, 108-114, |

| | | | | |
|----|----------|-----|-------|--|
| 16 | BIO20119 | BIO | 20119 | U. M. Ratschker and M. Roth, 2000, Studies on ground dwelling spiders (Araneae) of agrarian habitat types in Northeast Germany: Ecological and nature conservation aspects, <i>Ekologia Bratislava</i> , 19, 213-225, |
| 17 | BIO58 | BIO | 58 | D. A. Beaumont, B. A. Griffith, R. M. Dunn, R. J. Orr, M. J. Rivero, B. Woodcock, R. Pywell and J. R. B. Tallowin, 2018, Creating productive diverse grassland for multi-ecosystem services: an example of agri-environment schemes policies driven by science in United Kingdom, <i>Agro Sur</i> , 46, 3-5, |
| 18 | BIO128 | BIO | 128 | I. Diaz-Forero, V. Kuusemets, M. Mand, A. Liivamagi, T. Kaart and J. Luig, 2013, Influence of local and landscape factors on bumblebees in semi-natural meadows: a multiple-scale study in a forested landscape, <i>Journal of Insect Conservation</i> , 17, 113-125, |
| 19 | BIO177 | BIO | 177 | M. Franzen and S. G. Nilsson, 2008, How can we preserve and restore species richness of pollinating insects on agricultural land?, <i>Ecography</i> , 31, 698-708, |
| 20 | BIO252 | BIO | 252 | A. Hudewenz, A. M. Klein, C. Scherber, L. Stanke, T. Tschardt, A. Vogel, A. Weigelt, W. W. Weisser and A. Ebeling, 2012, Herbivore and pollinator responses to grassland management intensity along experimental changes in plant species richness, <i>Biological Conservation</i> , 150, 42-52, |
| 21 | BIO305 | BIO | 305 | F. Kohler, J. Verhulst, E. Knop, F. Herzog and D. Kleijn, 2007, Indirect effects of grassland extensification schemes on pollinators in two contrasting European countries, <i>Biological Conservation</i> , 135, 302-307, |
| 22 | BIO310 | BIO | 310 | A. Kovacs-Hostyanszki, R. Foldesi, E. Mozes, A. Szirak, J. Fischer, J. Hanspach and A. Baldi, 2016, Conservation of pollinators in traditional agricultural landscapes - new challenges in Transylvania (Romania) posed by EU accession and recommendations for future research, <i>PLoS ONE</i> , 11, |
| 23 | BIO370 | BIO | 370 | G. Lye, K. Park, J. Osborne, J. Holland and D. Goulson, 2009, Assessing the value of Rural Stewardship schemes for providing foraging resources and nesting habitat for bumblebee queens (Hymenoptera: Apidae), <i>Biological Conservation</i> , 142, 2023-2032, |
| 24 | BIO403 | BIO | 403 | B. Meyer, F. Jauker and I. Steffan-Dewenter, 2009, Contrasting resource-dependent responses of hoverfly richness and density to landscape structure, <i>Basic and Applied Ecology</i> , 10, 178-186, |
| 25 | BIO413 | BIO | 413 | D. Moron, M. Lenda, P. Skorka, H. Szentgyorgyi, J. Settele and M. Woyciechowski, 2009, Wild pollinator communities are negatively affected by invasion of alien goldenrods in grassland landscapes, <i>Biological Conservation</i> , 142, 1322-1332, |
| 26 | BIO424 | BIO | 424 | J. Noordijk, 2009, Arthropods in linear elements: occurrence, behaviour and conservation management, <i>Arthropods in linear elements: occurrence, behaviour and conservation management</i> , 188, |
| 27 | BIO437 | BIO | 437 | K. A. Orford, P. J. Murray, I. P. Vaughan and J. Memmott, 2016, Modest enhancements to conventional grassland diversity improve the provision of pollination services, <i>Journal of Applied Ecology</i> , 53, 906-915, |
| 28 | BIO439 | BIO | 439 | J. L. Osborne, A. P. Martin, C. R. Shortall, A. D. Todd, D. Goulson, M. E. Knight, R. J. Hale and R. A. Sanderson, 2008, Quantifying and comparing bumblebee nest densities in gardens and countryside habitats. (Special Profile: Pollination and pollinators.), <i>Journal of Applied Ecology</i> , 45, 784-792, |
| 29 | BIO467 | BIO | 467 | O. Pellmyr, 1989, The cost of mutualism: interactions between <i>Trollius europaeus</i> and its pollinating parasites, <i>Oecologia</i> , 78, 53-59, |
| 30 | BIO496 | BIO | 496 | H. C. Prentice, M. Lonn, L. P. Lefkovitch and H. Runyeon, 1995, Associations between allele frequencies in <i>Festuca ovina</i> and habitat variation in the alvar grasslands on Baltic Island of Oland, <i>Journal of Ecology</i> , 83, 391-402, |
| 31 | BIO535 | BIO | 535 | M. Sarospataki, R. Bakos, A. Horvath, D. N. V. Horvath, D. Vaskor, E. Szita and F. Samu, 2016, The role of local and landscape level factors in determining bumblebee abundance and richness, <i>Acta Zoologica Academiae Scientiarum Hungaricae</i> , 62, 387-407, |

| | | | | |
|----|---------|-----|------|---|
| 32 | BIO569 | BIO | 569 | J. Smith, S. G. Potts, B. A. Woodcock and P. Eggleton, 2008, Can arable field margins be managed to enhance their biodiversity, conservation and functional value for soil macrofauna?, <i>Journal of Applied Ecology</i> , 45, 269-278, |
| 33 | BIO604 | BIO | 604 | M. Toivonen, I. Herzon and M. Kuussaari, 2015, Differing effects of fallow type and landscape structure on the occurrence of plants, pollinators and birds on environmental fallows in Finland, <i>Biological Conservation</i> , 181, 36-43, |
| 34 | BIO612 | BIO | 612 | T. Tschardtke, A. Gathmann and I. Steffan-Dewenter, 1998, Bioindication using trap-nesting bees and wasps and their natural enemies: community structure and interactions, <i>Journal of Applied Ecology</i> , 35, 708-719, |
| 35 | BIO643 | BIO | 643 | J. Wissman, T. Lennartsson and A. Berg, 2008, Is the grass always greener on the other side of the fence? <i>Primula veris</i> L. as an example of plant survival at different management intensities. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 27-38 many ref, Biodiversity and animal feed |
| 36 | BIO647 | BIO | 647 | B. A. Woodcock, J. Savage, J. M. Bullock, M. Nowakowski, R. Orr, J. R. B. Tallowin and R. F. Pywell, 2014, Enhancing floral resources for pollinators in productive agricultural grasslands, <i>Biological Conservation</i> , 171, 44-51, |
| 37 | BIO653 | BIO | 653 | M. Ziája, B. Denisow, M. Wrzesien and T. Wojcik, 2018, Availability of food resources for pollinators in three types of lowland meadows, <i>Journal of Apicultural Research</i> , 57, 467-478, |
| 38 | BIO659 | BIO | 659 | A. Baldi and T. Kisbenedek, 1997, Orthopteran assemblages as indicators of grassland naturalness in Hungary, <i>Agriculture, Ecosystems & Environment</i> , 66, 121-129, |
| 39 | BIO721 | BIO | 721 | D. Cheruiyot, C. A. O. Midega, J. Van den Berg, J. A. Pickett and Z. R. Khan, 2018, Suitability of brachiaria grass as a trap crop for management of <i>Chilo partellus</i> , <i>Entomologia Experimentalis et Applicata</i> , 166, 139-148, Blackwell Publishing Ltd |
| 40 | BIO853 | BIO | 853 | D. A. Beaumont, B. A. Griffith, R. M. Dunn, R. J. Orr, M. J. Rivero, B. Woodcock, R. Pywell and J. R. B. Tallowin, 2018, Creating productive diverse grassland for multi-ecosystem services: an example of agri-environment schemes policies driven by science in United Kingdom, <i>Agro Sur</i> , 46, 3-5, |
| 41 | BIO919 | BIO | 919 | E. Benizri and B. Amiaud, 2005, Relationship between plants and soil microbial communities in fertilized grasslands, <i>Soil Biology & Biochemistry</i> , 37, 2055-2064, |
| 42 | BIO955 | BIO | 955 | A. Bergamini, M. Peintinger, S. Fakheran, H. Moradi, B. Schmid and J. Joshi, 2009, Loss of habitat specialists despite conservation management in fen remnants 1995-2006, <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 11, 65-79, |
| 43 | BIO1047 | BIO | 1047 | G. Bieringer, K. P. Zülka, N. Milasowszky and N. Sauberer, 2013, Edge effect of a pine plantation reduces dry grassland invertebrate species richness. (Special Issue: European grasslands.), <i>Biodiversity and Conservation</i> , 22, 2269-2283, |
| 44 | BIO1069 | BIO | 1069 | J. Pritchard, J. Stevenson and A. Zawadzki, 2019, Increasingly allergenic airborne pollen revealed in sediment of Lake Burley Griffin, Canberra, <i>Journal of Urban Ecology</i> , 5, Oxford University Press |
| 45 | BIO1148 | BIO | 1148 | N. Bluthgen, C. F. Dormann, D. Prati, V. H. Klaus, T. Kleinebecker, N. Holz, F. Alt, S. Boch, S. Gockel, A. Hemp, J. Müller, J. Nieschulze, S. C. Renner, I. Schoning, U. Schumacher, S. A. Socher, K. Wells, K. Birkhofer, F. Buscot, Y. Oelmann, C. Rothenwohrer, C. Scherber, T. Tschardtke, C. N. Weiner, M. Fischer and E. K. V. Kalko, 2012, A quantitative index of land-use intensity in grasslands: integrating mowing, grazing and fertilization, <i>Basic and Applied Ecology</i> , 13, 207-220, |
| 46 | BIO1170 | BIO | 1170 | S. Boch, E. Allan, J. Y. Humbert, Y. Kurtogullari, M. Lessard-Therrien, J. Müller, D. Prati, N. S. Rieder, R. Arlettaz and M. Fischer, 2018, Direct and indirect effects of land use on bryophytes in grasslands, <i>Science of the Total Environment</i> , 644, 60-67, |

| | | | | |
|----|---------|-----|------|--|
| 47 | BIO1299 | BIO | 1299 | C. Boschi and B. Baur, 2007, Effects of management intensity on land snails in Swiss nutrient-poor pastures, <i>Agriculture, Ecosystems & Environment</i> , 120, 243-249, |
| 48 | BIO1374 | BIO | 1374 | M. Brambilla, E. Fulco, M. Gustin and C. Celada, 2013, Habitat preferences of the threatened Black-eared Wheatear <i>Oenanthe hispanica</i> in southern Italy, <i>Bird Study</i> , 60, 432-435, |
| 49 | BIO1421 | BIO | 1421 | V. Bretagnolle, A. Villers, L. Denonfoux, T. Cornulier, P. Inchausti and I. Badenhausser, 2011, Rapid recovery of a depleted population of Little Bustards <i>Tetrax tetrax</i> following provision of alfalfa through an agri-environment scheme, <i>Ibis</i> , 153, 4-13, |
| 50 | BIO1439 | BIO | 1439 | A. Britschgi, R. Spaar and R. Arlettaz, 2006, Impact of grassland farming intensification on the breeding ecology of an indicator insectivorous passerine, the Whinchat <i>Saxicola rubetra</i> : lessons for overall Alpine meadowland management, <i>Biological Conservation</i> , 130, 193-205, |
| 51 | BIO1489 | BIO | 1489 | A. K. Brunbjerg, T. T. Hoye, A. Eskildsen, B. Nygaard, C. F. Damgaard and R. Ejrnaes, 2017, The collapse of marsh fritillary (<i>Euphydryas aurinia</i>) populations associated with declining host plant abundance, <i>Biological Conservation</i> , 211, 117-124, |
| 52 | BIO1525 | BIO | 1525 | R. Bucher, C. Andres, M. F. Wedel, M. H. Entling and H. Nickel, 2016, Reprint of "biodiversity in low-intensity pastures, straw meadows, and fallows of a fen area - a multitrophic comparison". (Special Issue: Grazing in European open landscapes: how to reconcile sustainable land management and biodiversity conservation?), <i>Agriculture, Ecosystems & Environment</i> , 234, 58-64, |
| 53 | BIO1526 | BIO | 1526 | R. Bucher, C. Andres, M. F. Wedel, M. H. Entling and H. Nickel, 2016, Biodiversity in low-intensity pastures, straw meadows, and fallows of a fen area - a multitrophic comparison, <i>Agriculture, Ecosystems & Environment</i> , 219, 190-196, |
| 54 | BIO1621 | BIO | 1621 | M. Burst, S. Chauchard, J. L. Dupouey and B. Amiaud, 2017, Interactive effects of land-use change and distance-to-edge on the distribution of species in plant communities at the forest-grassland interface, <i>Journal of Vegetation Science</i> , 28, 515-526, |
| 55 | BIO1714 | BIO | 1714 | T. Campedelli, G. Londi, G. I. Gioia, A. G. Frassanito and G. T. Florenzano, 2015, Steppes vs. crops: is cohabitation for biodiversity possible? Lessons from a national park in southern Italy, <i>Agriculture, Ecosystems & Environment</i> , 213, 32-38, |
| 56 | BIO1990 | BIO | 1990 | A. Chiarucci, S. Maccherini, I. Bonini and V. d. Dominicis, 1998, Effects of nutrient addition on species diversity and ground cover of "serpentine" vegetation, <i>Plant Biosystems</i> , 132, 143-150, |
| 57 | BIO2002 | BIO | 2002 | M. N. Chiste, K. Mody, M. M. Gossner, N. K. Simons, G. Kohler, W. W. Weisser and N. Bluthgen, 2016, Losers, winners, and opportunists: how grassland land-use intensity affects orthopteran communities, <i>Ecosphere</i> , 7, |
| 58 | BIO2069 | BIO | 2069 | M. Cirebea, I. Rotar, F. Pacurar, R. Vidican, A. Plesa and A. Malinas, 2015, Influence of mineral fertilization with UAN on a natural meadow <i>Festuca rubra</i> with <i>Agrostis capillaris</i> , <i>Romanian Journal of Grassland and Forage Crops</i> , 11, 25-30, |
| 59 | BIO2154 | BIO | 2154 | M. Coman and A. Moisuc, 2012, Changes in floristic composition of grassland in Fibis, Timis county under the effect of fertilization, <i>Research Journal of Agricultural Science</i> , 44, 22-25, |
| 60 | BIO2204 | BIO | 2204 | J. Cop and K. Eler, 2017, Effect of cutting and fertilization on temporal differentiation of semi-natural grassland vegetation. (Grassland Science in Europe Volume 22), <i>Grassland resources for extensive farming systems in marginal lands: major drivers and future scenarios. Proceedings of the 19th Symposium of the European Grassland Federation</i> , Alghero, Italy, |
| 61 | BIO2205 | BIO | 2205 | J. Cop, K. Eler and M. Vidrih, 2010, Distinct response of two wet grassland communities to different management regimes. (Grassland Science in Europe, Volume 15), Mecke Druck und Verlag |

| | | | | |
|----|---------|-----|------|--|
| 62 | BIO2307 | BIO | 2307 | C. Cremene, G. Groza, L. Rakosy, A. A. Schileyko, A. Baur, A. Erhardt and B. Baur, 2005, Alterations of steppe-like grasslands in Eastern Europe: a threat to regional biodiversity hotspots, <i>Conservation Biology</i> , 19, 1606-1618, |
| 63 | BIO2812 | BIO | 2812 | E. Dorland, C. J. Stevens, C. Gaudnik, E. Corcket, S. Rotthier, K. Wotherspoon, M. Jokerud, V. Vandvik, M. B. Soons, M. M. Hefting, P. A. Aarrestad, D. Alard, M. Diekmann, C. Dupre, N. B. Dise, D. J. G. Gowing and R. Bobbink, 2013, Differential effects of oxidised and reduced nitrogen on vegetation and soil chemistry of species-rich acidic grasslands, <i>Water, Air, and Soil Pollution</i> , 224, |
| 64 | BIO3020 | BIO | 3020 | G. R. Edwards, J. Mitchley, S. Tarleton, F. M. Burch and G. P. Buckley, 2002, Grassland botanical composition after 13 years of fertilizer and cutting treatments. (Grassland Science in Europe Volume 7), <i>Proceedings of the 19th General Meeting of the European Grassland Federation</i> , La Rochelle, France, 27-30 May 2002; 2002 782-783 4 ref, Multi-function grasslands |
| 65 | BIO3059 | BIO | 3059 | W. T. Elberse, J. P. v. d. Bergh and J. G. P. Dirven, 1983, Effects of use and mineral supply on the botanical composition and yield of old grassland on heavy-clay soil, <i>Netherlands Journal of Agricultural Science</i> , 31, 63-88, |
| 66 | BIO3140 | BIO | 3140 | L. Erdos, C. Tolgyesi, Z. Batori, Y. A. Semenishchenkov and M. Magnes, 2017, The influence of forest/grassland proportion on the species composition, diversity and natural values of an eastern Austrian forest-steppe, <i>Russian Journal of Ecology</i> , 48, 350-357, |
| 67 | BIO3198 | BIO | 3198 | F. Essl and T. Dirnbock, 2012, What determines Orthoptera species distribution and richness in temperate semi-natural dry grassland remnants?, <i>Biodiversity and Conservation</i> , 21, 2525-2537, |
| 68 | BIO3528 | BIO | 3528 | M. Fothergill, D. A. Davies, C. T. Morgan, S. Jones and E. Rees, 2002, Changes in floristic diversity associated with reductions of fertilizer inputs and grazing to upland pasture. (Grassland Science in Europe Volume 7), <i>Proceedings of the 19th General Meeting of the European Grassland Federation</i> , La Rochelle, France, 27-30 May 2002; 2002 784-785 2 ref, Multi-function grasslands |
| 69 | BIO3582 | BIO | 3582 | M. Franzen and T. Ranius, 2004, Habitat associations and occupancy patterns of burnet moths (Zygaenidae) in semi-natural pastures in Sweden, <i>Entomologica Fennica</i> , 15, 91-101, |
| 70 | BIO3699 | BIO | 3699 | A. Galka, J. Zarzycki and M. Kopec, 2005, Effect of different fertilisation regimes on species composition and habitat in a long-term grassland experiment. (Grassland Science in Europe Volume 10), <i>Estonian Grassland Society</i> |
| 71 | BIO3741 | BIO | 3741 | R. Garcia, C. Valdes, R. Pelaez and A. Calleja, 2011, The impact of inorganic fertilizers on floristic composition of hay meadows in Cantabrian Mountains of Spain. (Grassland Science in Europe, Volume 16), <i>Agricultural Research and Education Center (AREC) Raumberg-Gumpenstein</i> |
| 72 | BIO3825 | BIO | 3825 | I. R. Geijzendorffer, R. P. O. Schulte, J. A. Finn and G. Purvis, 2008, The effect of reduced nitrogen application rates on the botanical diversity of agricultural grasslands, <i>Tearmann</i> , 6, 103-112, |
| 73 | BIO3982 | BIO | 3982 | A. Golawski and W. Meissner, 2008, The influence of territory characteristics and food supply on the breeding performance of the Red-backed Shrike (<i>Lanius collurio</i>) in an extensively farmed region of eastern Poland, <i>Ecological Research</i> , 23, 347-353, |
| 74 | BIO4157 | BIO | 4157 | A. Grill and D. F. R. Cleary, 2003, Diversity patterns in butterfly communities of the Greek nature reserve Dadia, <i>Biological Conservation</i> , 114, 427-436, |
| 75 | BIO4159 | BIO | 4159 | A. Grill, D. F. R. Cleary, C. Stettmer, M. Brau and J. Settele, 2008, A mowing experiment to evaluate the influence of management on the activity of host ants of <i>Maculinea</i> butterflies, <i>Journal of Insect Conservation</i> , 12, 617-627, |

| | | | | |
|----|---------|-----|------|--|
| 76 | BIO4579 | BIO | 4579 | M. Hejcman, M. Klaudivsova, J. Schellberg and D. Honsova, 2007, The Rengen Grassland Experiment: plant species composition after 64 years of fertilizer application, <i>Agriculture, Ecosystems & Environment</i> , 122, 259-266, |
| 77 | BIO4670 | BIO | 4670 | A. Hernandez-Esteban, M. L. Lopez-Diaz and G. Moreno, 2018, Sowing legume-rich pastures make compatible an increase in production with the conservation of plant diversity of Mediterranean dehesas, <i>Proceedings of the 4th European Agroforestry Conference, Agroforestry as Sustainable Land Use</i> , |
| 78 | BIO5175 | BIO | 5175 | M. Janisova, K. Hegedusova, P. Kral and I. Skodova, 2012, Ecology and distribution of <i>Tephrosia longifolia</i> subsp. <i>moravica</i> in relation to environmental variation at a micro-scale, <i>Biologia</i> , 67, 97-109, |
| 79 | BIO5326 | BIO | 5326 | D. Jones and R. J. Haggard, 1997, Impact of nitrogen and organic manures on yield, botanical composition and herbage quality of two contrasting grassland field margins, <i>Biological Agriculture & Horticulture</i> , 14, 107-123, |
| 80 | BIO5372 | BIO | 5372 | C. Joyce, 2001, The sensitivity of a species-rich flood-meadow plant community to fertilizer nitrogen: the Luznice river floodplain, Czech Republic, <i>Plant Ecology</i> , 155, 47-60, |
| 81 | BIO5420 | BIO | 5420 | P. Kacprzyk and T. Glab, 2017, Effect of ten years of mineral and organic fertilization on the herbage production of a mountain meadow, <i>Journal of Elementology</i> , 22, 219-233, |
| 82 | BIO5617 | BIO | 5617 | R. Kentie, C. Both, J. C. E. W. Hooijmeijer and T. Piersma, 2015, Management of modern agricultural landscapes increases nest predation rates in Black-tailed Godwits <i>Limosa limosa</i> , <i>Ibis</i> , 157, 614-625, |
| 83 | BIO5709 | BIO | 5709 | F. W. Kirkham, J. R. B. Tallowin, R. M. Dunn, A. Bhogal, B. J. Chambers and R. D. Bardgett, 2014, Ecologically sustainable fertility management for the maintenance of species-rich hay meadows: a 12-year fertilizer and lime experiment, <i>Journal of Applied Ecology</i> , 51, 152-161, |
| 84 | BIO5819 | BIO | 5819 | A. Klingler, R. Resch and E. M. Poetsch, 2018, Effects of grassland extensification on yield, forage quality and floristic diversity. (Grassland Science in Europe, Volume 23), Sustainable meat and milk production from grasslands. <i>Proceedings of the 27th General Meeting of the European Grassland Federation</i> , Cork, Ireland, |
| 85 | BIO5979 | BIO | 5979 | A. Korosi, I. Szentirmai, P. Batary, S. Kover, N. Orvosy and L. Peregovits, 2014, Effects of timing and frequency of mowing on the threatened scarce large blue butterfly - a fine-scale experiment, <i>Agriculture, Ecosystems & Environment</i> , 196, 24-33, |
| 86 | BIO6032 | BIO | 6032 | Z. Koukoura, A. Kyriazopoulos and K. Mantzanas, 2005, Effects of fertilization on floristic diversity and herbage production in a grazed natural rangeland. (Grassland Science in Europe Volume 10), Estonian Grassland Society |
| 87 | BIO6078 | BIO | 6078 | B. Kramberger and M. Kaligarić, 2008, Semi-natural grasslands: the effects of cutting frequency on long-term changes of floristic composition, <i>Polish Journal of Ecology</i> , 56, 33-43, |
| 88 | BIO6080 | BIO | 6080 | B. Kramberger, M. Podvrsnik, A. Gselman, V. Sustar, J. Kristl, M. Mursec, M. Lesnik and D. Skorjanc, 2015, The effects of cutting frequencies at equal fertiliser rates on bio-diverse permanent grassland: soil organic C and apparent N budget, <i>Agriculture, Ecosystems & Environment</i> , 212, 13-20, |
| 89 | BIO6321 | BIO | 6321 | P. Laiolo and J. L. Tella, 2006, Fate of unproductive and unattractive habitats: recent changes in Iberian steppes and their effects on endangered avifauna, <i>Environmental Conservation</i> , 33, 223-232, |
| 90 | BIO6693 | BIO | 6693 | J. Loos, P. D. Turtureanu, H. v. Wehrden, J. Hanspach, I. Dorresteyn, J. P. Frink and J. Fischer, 2015, Plant diversity in a changing agricultural landscape mosaic in Southern Transylvania (Romania), <i>Agriculture, Ecosystems & Environment</i> , 199, 350-357, |
| 91 | BIO6751 | BIO | 6751 | M. H. Losvik, 1993, Hay meadow communities in western Norway and relations between vegetation and environmental factors, <i>Nordic Journal of Botany</i> , 13, 195-206, |

| | | | | |
|-----|---------|-----|------|---|
| 92 | BIO7071 | BIO | 7071 | L. Marini, P. Fontana, M. Scotton and S. Klimek, 2008, Vascular plant and Orthoptera diversity in relation to grassland management and landscape composition in the European Alps, <i>Journal of Applied Ecology</i> , 45, 361-370, |
| 93 | BIO7074 | BIO | 7074 | L. Marini, M. Scotton, S. Klimek, J. Isselstein and A. Pecile, 2007, Effects of local factors on plant species richness and composition of Alpine meadows, <i>Agriculture, Ecosystems & Environment</i> , 119, 281-288, |
| 94 | BIO7075 | BIO | 7075 | L. Marini, M. Scotton, S. Klimek and A. Pecile, 2008, Patterns of plant species richness in Alpine hay meadows: local vs. landscape controls, <i>Basic and Applied Ecology</i> , 9, 365-372, |
| 95 | BIO7262 | BIO | 7262 | K. Maurer, A. Weyand, M. Fischer and J. Stocklin, 2006, Old cultural traditions, in addition to land use and topography, are shaping plant diversity of grasslands in the Alps, <i>Biological Conservation</i> , 130, 438-446, |
| 96 | BIO7713 | BIO | 7713 | F. Moreira, J. P. Silva, B. Estanque, J. M. Palmeirim, M. Lecoq, M. Pinto, D. Leitaó, I. Alonso, R. Pedroso, E. Santos, T. Catry, P. Silva, I. Henriques and A. Delgado, 2012, Mosaic-level inference of the impact of land cover changes in agricultural landscapes on biodiversity: a case-study with a threatened grassland bird, <i>PLoS ONE</i> , 7, |
| 97 | BIO7822 | BIO | 7822 | J. Mrkvicka and M. Vesela, 2002, Influence of fertilization rates on species composition, quality and yields of the meadow fodder, <i>Rostlinna Vyroba</i> , 48, 494-498, |
| 98 | BIO7856 | BIO | 7856 | I. B. Muller, C. Buhk, D. Lange, M. H. Entling and J. Schirmel, 2016, Contrasting effects of irrigation and fertilization on plant diversity in hay meadows, <i>Basic and Applied Ecology</i> , 17, 576-585, |
| 99 | BIO7935 | BIO | 7935 | L. Nadolna, J. Fatyga, M. Zyszkowska and A. Paszkiewicz-Jasinska, 2008, Limited utilization impact on productivity and floristic diversity of grasslands in the Sudeten mountains. (<i>Grassland Science in Europe</i> , Volume 13), <i>Proceedings of the 22nd General Meeting of the European Grassland Federation</i> , Uppsala, Sweden, 9-12 June 2008; 2008 995-997 2 ref, Biodiversity and animal feed |
| 100 | BIO8038 | BIO | 8038 | H. Nickel and J. Hildebrandt, 2003, Auchenorrhyncha communities as indicators of disturbance in grasslands (Insecta, Hemiptera) - a case study from the Elbe flood plains (northern Germany). (Special Issue: Biotic indicators for biodiversity and sustainable agriculture.), <i>Agriculture, Ecosystems & Environment</i> , 98, 183-199, |
| 101 | BIO8059 | BIO | 8059 | G. Niedrist, E. Tasser, C. Luth, J. Dalla Via and U. Tappeiner, 2009, Plant diversity declines with recent land use changes in European Alps, <i>Plant Ecology</i> , 202, 195-210, |
| 102 | BIO8138 | BIO | 8138 | J. Noordijk, A. P. Schaffers, T. Heijerman, P. Boer, M. Gleichman and K. V. Sykora, 2010, Effects of vegetation management by mowing on ground-dwelling arthropods, <i>Ecological Engineering</i> , 36, 740-750, |
| 103 | BIO8275 | BIO | 8275 | J. Oerlemans, W. O. v. Boberfeld and D. Wolf, 2007, Impact of long-term nutrient supply on plant species diversity in grassland: an experimental approach on conventionally used pastures, <i>Journal of Applied Botany and Food Quality</i> , 81, 151-157, |
| 104 | BIO8354 | BIO | 8354 | P. A. Olsson, C. Sjöholm and A. M. Odman, 2014, Soil disturbance favours threatened beetle species in sandy grasslands, <i>Journal of Insect Conservation</i> , 18, 827-835, |
| 105 | BIO8368 | BIO | 8368 | M. J. M. Oomes and H. Mooi, 1981, The effect of cutting and fertilizing on the floristic composition and production of an <i>Arrhenatherion elatioris</i> grassland, <i>Vegetatio</i> , 46, 233-239, |
| 106 | BIO8476 | BIO | 8476 | F. Pacurar, I. Rotar, A. Bogdan and R. Vidican, 2011, Research concerning the structure and functioning of low-input grassland systems, <i>Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj Napoca. Agriculture</i> , 68, 245-250, |
| 107 | BIO8478 | BIO | 8478 | F. Pacurar, I. Rotar, A. Bogdan and R. Vidican, 2012, The effect of mineral fertilization upon the floristical composition of the mountain grasslands, <i>Romanian Journal of Grassland and Forage Crops</i> , 6, 43-48, |

| | | | | |
|-----|----------|-----|-------|---|
| 108 | BIO8492 | BIO | 8492 | F. S. Pacurar, I. Rotar, A. D. Bogdan, R. M. Vidican and L. M. Dale, 2012, The influence of mineral and organic long-term fertilization upon the floristic composition of <i>Festuca rubra</i> L.- <i>Agrostis capillaris</i> L. grassland in Apuseni mountains, Romania, <i>Journal of Food, Agriculture & Environment</i> , 10, 866-879, |
| 109 | BIO8793 | BIO | 8793 | G. Peratoner, C. Florian, U. Figl, C. Klotz, S. Gottardi and A. Kasal, 2013, Effects of intensive management on the biomass composition of mountain meadows under recurrent drought. (<i>Grassland Science in Europe</i> , Volume 18), <i>Proceedings of the 17th Symposium of the European Grassland Federation</i> , Akureyri, Iceland, 23-26 June 2013; 2013 225-227 4 ref, The role of grasslands in a green future |
| 110 | BIO8930 | BIO | 8930 | L. Pfiffner, M. Ostermaier, S. Stoeckli and A. Muller, 2018, Wild bees respond complementarily to 'high-quality' perennial and annual habitats of organic farms in a complex landscape, <i>Journal of Insect Conservation</i> , 22, 551-562, |
| 111 | BIO9075 | BIO | 9075 | E. M. Poetsch, A. Blaschka and R. Resch, 2005, Impact of different management systems and location parameters on floristic diversity of mountainous grassland. (<i>Grassland Science in Europe</i> Volume 10), <i>Estonian Grassland Society</i> |
| 112 | BIO9080 | BIO | 9080 | P. Pokluda, D. Hauck and L. Cizek, 2012, Importance of marginal habitats for grassland diversity: fallows and overgrown tall-grass steppe as key habitats of endangered ground-beetle <i>Carabus hungaricus</i> , <i>Insect Conservation and Diversity</i> , 5, 27-36, |
| 113 | BIO9551 | BIO | 9551 | S. Ribeiro, J. P. Fernandes and M. D. Espirito-Santo, 2014, Diversity and floristic patterns of Mediterranean grasslands: the relative influence of environmental and land management factors, <i>Biodiversity and Conservation</i> , 23, 2903-2921, |
| 114 | BIO9814 | BIO | 9814 | I. Rotar, M. Cirebea, E. Pacurar, R. Vidican, A. Plesa and O. Ranta, 2017, Fertilization with UAN on a natural grassland dominated by <i>Festuca rubra</i> L. and <i>Agrostis capillaris</i> L. (<i>Grassland Science in Europe</i> Volume 22), <i>Grassland resources for extensive farming systems in marginal lands: major drivers and future scenarios. Proceedings of the 19th Symposium of the European Grassland Federation</i> , Alghero, Italy, |
| 115 | BIO9815 | BIO | 9815 | I. Rotar, M. Cirebea, F. Pacurar, R. Vidican, A. Malinas and O. Ranta, 2016, Mineral and organic fertilization influence on <i>Festuca rubra</i> - <i>Agrostis capillaris</i> natural meadow, <i>Romanian Journal of Grassland and Forage Crops</i> , 13, 39-46, |
| 116 | BIO9885 | BIO | 9885 | K. Rudmann-Maurer, A. Weyand, M. Fischer and J. Stocklin, 2008, The role of landuse and natural determinants for grassland vegetation composition in the Swiss Alps, <i>Basic and Applied Ecology</i> , 9, 494-503, |
| 117 | BIO10050 | BIO | 10050 | M. Sammul, K. Kull and A. Tamm, 2003, Clonal growth in a species-rich grassland: results of a 20-year fertilization experiment, <i>Folia Geobotanica</i> , 38, 1-20, |
| 118 | BIO10068 | BIO | 10068 | C. Samuil, V. Vintu, C. Sirbu and M. Stavarache, 2013, Influence of fertilizers on the biodiversity of semi-natural grassland in the Eastern Carpathians, <i>Notulae Botanicae, Horti Agrobotanici, Cluj Napoca</i> , 41, 195-200, |
| 119 | BIO10069 | BIO | 10069 | C. Samuil, V. Vintu and M. Stavarache, 2017, <i>Nardus stricta</i> L. and <i>Festuca rubra</i> L. meadow under management with organic inputs. (<i>Grassland Science in Europe</i> Volume 22), <i>Grassland resources for extensive farming systems in marginal lands: major drivers and future scenarios. Proceedings of the 19th Symposium of the European Grassland Federation</i> , Alghero, Italy, |
| 120 | BIO10112 | BIO | 10112 | A. Santangeli and A. Cardillo, 2012, Spring and summer habitat preferences of little bustard in an agro-pastoral area in Sardinia (Italy), <i>Italian Journal of Zoology</i> , 79, 329-336, |
| 121 | BIO10133 | BIO | 10133 | J. Santrucek, M. Svobodova and V. Brant, 2002, Changes of botanical composition of grass stands under different types of management, <i>Rostlinna Vyroba</i> , 48, 499-504, |

| | | | | |
|-----|----------|-----|-------|---|
| 122 | BIO10459 | BIO | 10459 | P. Sengl, M. Magnes, V. Wagner, L. Erdos and C. Berg, 2016, Only large and highly-connected semi-dry grasslands achieve plant conservation targets in an agricultural matrix, <i>Tuexenia</i> , 36, 167-190, |
| 123 | BIO10573 | BIO | 10573 | J. Silvertown, 1980, The dynamics of a grassland ecosystem: botanical equilibrium in the Park Grass Experiment, <i>Journal of Applied Ecology</i> , 17, 491-504, |
| 124 | BIO10774 | BIO | 10774 | S. A. Socher, D. Prati, S. Boch, J. Muller, H. Baumbach, S. Gockel, A. Hemp, I. Schoning, K. Wells, F. Buscot, E. K. V. Kalko, K. E. Linsenmair, E. D. Schulze, W. W. Weisser and M. Fischer, 2013, Interacting effects of fertilization, mowing and grazing on plant species diversity of 1500 grasslands in Germany differ between regions, <i>Basic and Applied Ecology</i> , 14, 126-136, |
| 125 | BIO10919 | BIO | 10919 | B. Stammel, K. Kiehl and J. Pfadenhauer, 2003, Alternative management on fens: response of vegetation to grazing and mowing, <i>Applied Vegetation Science</i> , 6, 245-254, |
| 126 | BIO10972 | BIO | 10972 | C. Stefanescu, J. Penuelas and I. Filella, 2005, Butterflies highlight the conservation value of hay meadows highly threatened by land-use changes in a protected Mediterranean area, <i>Biological Conservation</i> , 126, 234-246, |
| 127 | BIO11138 | BIO | 11138 | M. Stybnarova, J. Hakl, P. Micova, H. Karabcova, O. Latal, K. Fiala and J. Pozdissek, 2015, Species diversity and botanical composition of permanent grassland as a response to different grazing management practices, <i>Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis</i> , 63, 1201-1209, |
| 128 | BIO11139 | BIO | 11139 | M. Stybnarova, J. Pozdissek, O. Vencalek and P. Micova, 2012, Effect of fertilization and pasture management on species diversity and forage quality, <i>Vyzkum</i> , 34-50, |
| 129 | BIO11194 | BIO | 11194 | F. Susan and U. Ziliotto, 2008, Long-term effects of N, P and K fertilization on specific biodiversity in a permanent mountain meadow. (<i>Grassland Science in Europe</i> , Volume 13), <i>Proceedings of the 22nd General Meeting of the European Grassland Federation</i> , Uppsala, Sweden, 9-12 June 2008; 2008 943-945 2 ref, Biodiversity and animal feed |
| 130 | BIO11198 | BIO | 11198 | T. Susmelj, 2011, The impact of environmental factors on distribution of Scops Owl <i>Otus scops</i> in the wider area of Kras (SW Slovenia), <i>Acrocephalus</i> , 32, 11-28, |
| 131 | BIO11233 | BIO | 11233 | M. Svobodova, J. Santrucek and J. Urbanec, 2004, Succession changes of temporary grass stands on set-aside land, <i>Plant, Soil and Environment</i> , 50, 108-115, |
| 132 | BIO11348 | BIO | 11348 | J. R. B. Tallowin, R. E. N. Smith, J. Goodyear and J. A. Vickery, 2005, Spatial and structural uniformity of lowland agricultural grassland in England: a context for low biodiversity, <i>Grass and Forage Science</i> , 60, 225-236, |
| 133 | BIO11430 | BIO | 11430 | F. Teyssonneyre, C. Picon-Ccochard, R. Falcimagne and J. F. Soussana, 2002, Effects of elevated CO ₂ and cutting frequency on plant community structure in a temperate grassland, <i>Global Change Biology</i> , 8, 1034-1046, |
| 134 | BIO11700 | BIO | 11700 | J. T. Tsialtas, M. T. Kassioumi and D. S. Veresoglou, 2002, Fertilisation effects on species diversity in an upland grassland in Greece. (<i>Grassland Science in Europe</i> Volume 7), <i>Proceedings of the 19th General Meeting of the European Grassland Federation</i> , La Rochelle, France, 27-30 May 2002; 2002 854-855 5 ref, Multi-function grasslands |
| 135 | BIO12005 | BIO | 12005 | M. Vidrih, J. Cop, S. Trdan and K. Eler, 2009, Changes in floristic composition over three years of Ljubljana marsh grassland in relation to cutting and fertilising management, <i>Acta Agriculturae Slovenica</i> , 93, 193-199, |
| 136 | BIO12048 | BIO | 12048 | V. Vintu, C. Samuil, C. I. Popovici, C. Boureanu and M. Stavarache, 2014, Management of <i>Nardus stricta</i> L. and <i>Festuca rubra</i> L. grasslands in the Dorna Basin, <i>Lucrari Stiintifice, Universitatea de Stiinte Agricole Si Medicina Veterinara "Ion Ionescu de la Brad" Iasi, Seria Agronomie</i> , 57, 73-78, |

| | | | | |
|-----|-------------|---------|-------|--|
| 137 | BIO12049 | BIO | 12049 | V. Vintu, C. Samuil, C. I. Popovici, M. Stavarache and I. Muntianu, 2010, Management based on organic inputs of a <i>Nardus stricta</i> L. and <i>Festuca rubra</i> L. meadow from the Dorna Depression, <i>Lucrari Stiintifice, Universitatea de Stiinte Agricole Si Medicina Veterinara "Ion Ionescu de la Brad" Iasi, Seria Agronomie</i> , 53, 253-256, |
| 138 | BIO12051 | BIO | 12051 | V. Vintu, C. Samuil, C. Sarbu, G. Saghin and T. Iacob, 2008, The influence of grassland management on biodiversity in the mountainous region of NE Romania. (<i>Grassland Science in Europe</i> , Volume 13), <i>Proceedings of the 22nd General Meeting of the European Grassland Federation</i> , Uppsala, Sweden, 9-12 June 2008; 2008 183-185 4 ref, Biodiversity and animal feed |
| 139 | CULTURE630 | CULTURE | 630 | O. Bastian, C. Stein, G. Lupp, J. Behrens, C. Renner and K. Grunewald, 2015, The appreciation of nature and landscape by tourism service providers and visitors in the Ore Mountains (Germany), <i>Landscape Online</i> , 23-pp, |
| 140 | CULTURE2982 | CULTURE | 2982 | D. Gruehn and M. Roth, 2010, Landscape preference study of agricultural landscapes in Germany, <i>Special Issue: Work package descriptions and selected papers from the final conference of the Eucaland Project.</i> , 67-78, |
| 141 | CULTURE3637 | CULTURE | 3637 | J. K. S. Jacobsen and H. Tommervik, 2016, Leisure traveller perceptions of iconic coastal and fjord countryside areas: lush naturalness or remembrance of agricultural times past?, <i>Land Use Policy</i> , 54, 38-46, |
| 142 | CULTURE3824 | CULTURE | 3824 | X. Junge, B. Schupbach, T. Walter, B. Schmid and P. Lindemann-Matthies, 2015, Aesthetic quality of agricultural landscape elements in different seasonal stages in Switzerland, <i>Landscape and Urban Planning</i> , 133, 67-77, |
| 143 | CULTURE4534 | CULTURE | 4534 | P. Lindemann-Matthies, R. Briegel, B. Schupbach and X. Junge, 2010, Aesthetic preference for a Swiss alpine landscape: the impact of different agricultural land-use with different biodiversity, <i>Landscape and Urban Planning</i> , 98, 99-109, |
| 144 | CULTURE4930 | CULTURE | 4930 | E. S. Massoni, D. Varga, M. Saez and J. Pinto, 2016, Exploring aesthetic preferences in rural landscapes and the relationship with spatial pattern indices, <i>Journal of Landscape Ecology</i> , 9, 5-21, |
| 145 | CULTURE5601 | CULTURE | 5601 | S. Notaro, G. Grilli and A. Paletto, 2019, The role of emotions on tourists' willingness to pay for the Alpine landscape: a latent class approach, <i>Landscape Research</i> , 44, 743-756, |
| 146 | CULTURE5761 | CULTURE | 5761 | E. Oteros-Rozas, B. Martin-Lopez, N. Fagerholm, C. Bieling and T. Plieninger, 2018, Using social media photos to explore the relation between cultural ecosystem services and landscape features across five European sites, <i>Special Issue: Landscape indicators - monitoring of biodiversity and ecosystem services at landscape level.</i> , 94, 74-86, |
| 147 | CULTURE7074 | CULTURE | 7074 | B. Schupbach, A. Grunig and T. Walter, 2004, Grassland and landscape aesthetics, <i>Grassland Science in Europe Volume 9</i> , 186-188, |
| 148 | CULTURE7284 | CULTURE | 7284 | P. Sklenicka and K. Molnarova, 2010, Visual perception of habitats adopted for post-mining landscape rehabilitation, <i>Environmental Management</i> , 46, 424-435, |
| 149 | CULTURE7385 | CULTURE | 7385 | R. Soliva, J. Bolliger and M. Hunziker, 2010, Differences in preferences towards potential future landscapes in the Swiss Alps, <i>Landscape Research</i> , 35, 671-696, |
| 150 | CULTURE7448 | CULTURE | 7448 | J. Spulerova, F. Petrovic, P. Mederly, M. Mojses and Z. Izakovicova, 2018, Contribution of traditional farming to ecosystem services provision: case studies from Slovakia, <i>Land</i> , 7, 74, |
| 151 | CULTURE7619 | CULTURE | 7619 | D. Surova and T. Pinto-Correia, 2008, Landscape preferences in the cork oak Montado Region of Alentejo, Southern Portugal: searching for valuable landscape characteristics for different user groups, <i>Special issue: Landscape as a resource for regional and local economies</i> , 33, 311-330, |
| 152 | CULTURE7620 | CULTURE | 7620 | D. Surova, F. Ravera, N. Guiomar, R. M. Sastre and T. Pinto-Correia, 2018, Contributions of Iberian silvo-pastoral landscapes to the well-being of contemporary society, <i>Rangeland Ecology & Management</i> , 71, 560-570, |

| | | | | |
|-----|--------------|---------|-------|---|
| 153 | CULTURE8626 | CULTURE | 8626 | B. M. Zoderer, P. S. L. Stanghellini, E. Tasser, J. Walde, H. Wieser and U. Tappeiner, 2016, Exploring socio-cultural values of ecosystem service categories in the Central Alps: the influence of socio-demographic factors and landscape type, Special Issue: Social valuation of ecosystem services in mountain regions., 16, 2033-2044, |
| 154 | CULTURE11582 | CULTURE | 11582 | M. Getzner, B. Färber and C. Yamu, 2016, 2D versus 3D: The relevance of the mode of presentation for the economic valuation of an alpine landscape, Sustainability (Switzerland), 8, MDPI AG |
| 155 | CULTURE12861 | CULTURE | 12861 | H. P. King, J. Morris, A. Graves, R. B. Bradbury, J. McGinlay and J. M. Bullock, 2017, Biodiversity and cultural ecosystem benefits in lowland landscapes in southern England, Journal of Environmental Psychology, 53, 185-197, Academic Press |
| 156 | EROSION253 | EROSION | 253 | V. Alagna, M. Iovino, V. Bagarello, J. Mataix-Solera and L. Lichner, 2019, Alternative analysis of transient infiltration experiment to estimate soil water repellency, Hydrological Processes, 33, 661-674, |
| 157 | EROSION536 | EROSION | 536 | N. A. L. Archer, M. Bonell, N. Coles, A. M. MacDonald, C. A. Auton and R. Stevenson, 2013, Soil characteristics and landcover relationships on soil hydraulic conductivity at a hillslope scale: a view towards local flood management, Journal of Hydrology, 497, 208-222, |
| 158 | EROSION737 | EROSION | 737 | B. Badalikova and J. Bartlova, 2014, Effect of various compost doses on the soil infiltration capacity, Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis, 62, 849-858, |
| 159 | EROSION758 | EROSION | 758 | V. Bagarello, G. Baiamonte and M. Iovino, 2011, Comparing physical quality of forest and pasture soils in a sicilian watershed, Soil Science Society of America Journal, 75, 1958-1970, |
| 160 | EROSION953 | EROSION | 953 | M. T. Barral, E. Bujan, R. Devesa, M. L. Iglesias and M. Velasco-Molina, 2007, Comparison of the structural stability of pasture and cultivated soils. (Special issue: Spanish research on soil damage.), Science of the Total Environment, 378, 174-178, |
| 161 | EROSION1575 | EROSION | 1575 | H. Bormann and K. Klaassen, 2008, Seasonal and land use dependent variability of soil hydraulic and soil hydrological properties of two Northern German soils, Geoderma, 145, 295-302, |
| 162 | EROSION1722 | EROSION | 1722 | R. Brejea, 2010, Researches regarding the soil losses produced by erosion in the North Western Romania, Research Journal of Agricultural Science, 42, 27-32, |
| 163 | EROSION1725 | EROSION | 1725 | R. Brejea, C. Domuta, M. Sandor, C. Domuta and I. Borza, 2012, The influence of the crop system on soil and yield losses in the conditions of the eroded soils from Bihor, Natural Resources and Sustainable Development, 2, 21-26, |
| 164 | EROSION2292 | EROSION | 2292 | A. Ceballos, A. Cerdà and S. Schnabel, 2002, Runoff production and erosion processes on a dehesa in western Spain, Geographical Review, 92, 333-353, American Geographical Society |
| 165 | EROSION3099 | EROSION | 3099 | A. de Wit, 2001, Runoff controlling factors in various sized catchments in semi-arid Mediterranean environment in Spain, Nederlandse Geografische Studies, 201-203, |
| 166 | EROSION3302 | EROSION | 3302 | A. M. Dodocioiu, R. Mocanu and M. Susinski, 2011, The quantification of the soil erosion in the hilly zones from Moldavia and Oltenia, Research Journal of Agricultural Science, 43, 56-61, |
| 167 | EROSION3433 | EROSION | 3433 | P. Droogers, F. B. W. v. d. Meer and J. Bouma, 1997, Water accessibility to plant roots in different soil structures occurring in the same soil type, Plant and Soil, 188, 83-91, |
| 168 | EROSION4265 | EROSION | 4265 | M. A. Fullen, 1998, Effects of grass ley set-aside on runoff, erosion and organic matter levels in sandy soils in east Shropshire, UK, Soil & Tillage Research, 46, 41-49, |
| 169 | EROSION4269 | EROSION | 4269 | M. A. Fullen and C. A. Booth, 2006, Longterm grass ley set aside on sandy soils: a case study, Journal of Soil and Water Conservation, 61, 236-241, |
| 170 | EROSION5166 | EROSION | 5166 | A. Halabuk, 2006, Influence of different vegetation types on saturated hydraulic conductivity in alluvial topsoils, Biologia (Poland), 61, |

| | | | | |
|-----|--------------|---------|-------|---|
| 171 | EROSION5402 | EROSION | 5402 | S. Hejduk and K. Kasprzak, 2010, Specific features of water infiltration into soil with different management in winter and early spring period, <i>Journal of Hydrology and Hydromechanics</i> , 58, 175-180, |
| 172 | EROSION5674 | EROSION | 5674 | R. Horn, A. Mordhorst, H. Fleige, I. Zimmermann, B. Burbaum, M. Filipinski and E. Cordsen, 2019, Soil type and land use effects on tensorial properties of saturated hydraulic conductivity in northern Germany, <i>European Journal of Soil Science</i> , Blackwell Publishing Ltd |
| 173 | EROSION7477 | EROSION | 7477 | L. Lichner, T. Orfánus, K. Nováková, Š. Í. R. Miloslav and M. Tesař, 2007, The impact of vegetation on hydraulic conductivity of sandy soil, <i>Soil and Water Research</i> , 2, 59-66, |
| 174 | EROSION8065 | EROSION | 8065 | I. T. Marinov and T. Stankova, 2016, Water runoff and eroded soil from intensive precipitations on different land use types in South-Western Bulgaria, <i>Silva Balcanica</i> , 17, 5-19, |
| 175 | EROSION8184 | EROSION | 8184 | T. Masicek, F. Toman and M. Vicanova, 2012, Comparison of infiltration capacity of permanent grassland and arable land during the 2011 growing season, <i>Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis</i> , 60, 257-266, |
| 176 | EROSION9286 | EROSION | 9286 | A. N. Nunes, A. C. d. Almeida and C. O. A. Coelho, 2011, Impacts of land use and cover type on runoff and soil erosion in a marginal area of Portugal, <i>Applied Geography</i> , 31, 687-699, |
| 177 | EROSION9696 | EROSION | 9696 | G. Pardini, M. Gispert, M. Emran and S. Doni, 2017, Rainfall/runoff/erosion relationships and soil properties survey in abandoned shallow soils of NE Spain, <i>Journal of Soils and Sediments</i> , 17, 499-514, |
| 178 | EROSION10097 | EROSION | 10097 | V. Podrazsky, O. Holubik, J. Vopravil, T. Khel, W. K. Moser and H. Prknova, 2015, Effects of afforestation on soil structure formation in two climatic regions of the Czech Republic, <i>Journal of Forest Science</i> , 61, 225-234, |
| 179 | EROSION10179 | EROSION | 10179 | P. Porto, D. E. Walling and G. Callegari, 2009, Investigating the effects of afforestation on soil erosion and sediment mobilisation in two small catchments in southern Italy, <i>Catena</i> , 79, 181-188, |
| 180 | EROSION14163 | EROSION | 14163 | M. Zorn and B. Komac, 2011, The importance of measuring erosion processes on the example of Slovenia, <i>Hrvatski Geografski Glasnik</i> , 73, 19-34, |
| 181 | EROSION14171 | EROSION | 14171 | C. Zucca, A. Canu and F. Previtali, 2010, Soil degradation by land use change in an agropastoral area in Sardinia (Italy), <i>Catena</i> , 83, 46-54, |
| 182 | FEED24 | FEED | 24 | S. U. Larsen, H. Jorgensen, C. Bukh and J. K. Schjoerring, 2019, Green biorefining: effect of nitrogen fertilization on protein yield, protein extractability and amino acid composition of tall fescue biomass, <i>Industrial Crops and Products</i> , 130, 642-652, |
| 183 | FEED177 | FEED | 177 | A. Godlewska and G. A. Ciepiela, 2017, Effectiveness of fertilization of <i>Dactylis glomerata</i> and <i>Festulolium braunii</i> with nitrogen and the biostimulant Kelpak SL, <i>Romanian Agricultural Research</i> , 34, 197-206, |
| 184 | FEED244 | FEED | 244 | M. Bezdrob and A. Simic, 2017, Comparative value of dry matter yield of grasses and legumes of temporary grasslands under different cutting regime, <i>Radovi Poljoprivrednog Fakulteta Univerziteta u Sarajevu</i> , 62, 62-70, |
| 185 | FEED263 | FEED | 263 | J. A. Finn, M. Suter, E. Haughey, D. Hofer and A. Luscher, 2018, Greater gains in annual yields from increased plant diversity than losses from experimental drought in two temperate grasslands, <i>Agriculture, Ecosystems & Environment</i> , 258, 149-153, |
| 186 | FEED344 | FEED | 344 | A. Adamovics, R. Platea and I. Gulbe, 2018, Influence of nitrogen fertilizer on grass biomass yield and amount of energy gained per area unit, <i>Proceedings 17th International Scientific Conference "Engineering for Rural Development"</i> , |
| 187 | FEED352 | FEED | 352 | F. Castelli, E. Ceotto, L. Borrelli, G. Cabassi, A. Moschella and D. Fornara, 2017, No-till permanent meadow promotes soil carbon sequestration and nitrogen use efficiency at the expense of productivity, <i>Agronomy for Sustainable Development</i> , 37, |

| | | | | |
|-----|---------|------|-----|---|
| 188 | FEED439 | FEED | 439 | C. Guy, D. Hennessy, T. J. Gilliland, F. Coughlan and B. McCarthy, 2018, Perennial ryegrass ploidy and white clover: how do they affect sward performance? (Grassland Science in Europe, Volume 23), Sustainable meat and milk production from grasslands. Proceedings of the 27th General Meeting of the European Grassland Federation, Cork, Ireland, |
| 189 | FEED488 | FEED | 488 | U. Tamm, H. Meripold, S. Tamm and L. Edesi, 2018, The nutritive value of Alaska brome and tall fescue forage using different growing technologies. (Grassland Science in Europe, Volume 23), Sustainable meat and milk production from grasslands. Proceedings of the 27th General Meeting of the European Grassland Federation, Cork, Ireland, |
| 190 | FEED494 | FEED | 494 | M. Seelen, J. Isselstein, M. Benke and M. Kayser, 2018, Contribution of urine spots to yields and nitrogen efficiency in pastures with different nitrogen fertilisation. (Grassland Science in Europe, Volume 23), Sustainable meat and milk production from grasslands. Proceedings of the 27th General Meeting of the European Grassland Federation, Cork, Ireland, |
| 191 | FEED520 | FEED | 520 | M. A. Hurley, B. Garry, T. M. Boland and D. Hennessy, 2018, Effect of perennial ryegrass and white clover with perennial ryegrass forage on sward structure, in vivo dry matter digestibility and voluntary intake in individually housed sheep. (Grassland Science in Europe, Volume 23), Sustainable meat and milk production from grasslands. Proceedings of the 27th General Meeting of the European Grassland Federation, Cork, Ireland, |
| 192 | FEED532 | FEED | 532 | C. Grace, T. M. Boland, H. Sheridan, R. Fritch and M. B. Lynch, 2018, Dry matter production of multispecies and perennial ryegrass swards under actual and simulated grazing. (Grassland Science in Europe, Volume 23), Sustainable meat and milk production from grasslands. Proceedings of the 27th General Meeting of the European Grassland Federation, Cork, Ireland, |
| 193 | FEED694 | FEED | 694 | A. Ergon, L. Kirwan, M. A. Bleken, A. O. Skjelvag, R. P. Collins and O. A. Rognli, 2016, Species interactions in a grassland mixture under low nitrogen fertilization and two cutting frequencies: 1. Dry-matter yield and dynamics of species composition, Grass and Forage Science, 71, 667-682, |
| 194 | FEED717 | FEED | 717 | T. Glab, A. Zabinski and U. Sadowska, 2016, Tractor traffic and nitrogen fertilization affect the herbage production of the red clover/grass sward, Zemdirbyste, 103, 347-354, |
| 195 | FEED730 | FEED | 730 | G. Carlsson, L. M. Martensson, T. Prade, S. E. Svensson and E. S. Jensen, 2017, Perennial species mixtures for multifunctional production of biomass on marginal land, GCB Bioenergy, 9, 191-201, |
| 196 | FEED755 | FEED | 755 | E. Salomon, L. Rodhe and M. Sundberg, 2016, Fertilizing strategy and spreading technology for cattle slurry - grass yield and ammonia emissions. (Grassland Science in Europe, Volume 21), The multiple roles of grassland in the European bioeconomy. Proceedings of the 26th General Meeting of the European Grassland Federation, Trondheim, Norway, |
| 197 | FEED805 | FEED | 805 | C. Grace, T. M. Boland, R. Fritch, H. Sheridan and M. B. Lynch, 2016, The effect of grazing multispecies swards on lamb performance and herbage production. (Grassland Science in Europe, Volume 21), The multiple roles of grassland in the European bioeconomy. Proceedings of the 26th General Meeting of the European Grassland Federation, Trondheim, Norway, |
| 198 | FEED818 | FEED | 818 | A. Adamovics and I. Gutmane, 2016, Productivity and quality of multicomponent grass swards on three soil types. (Grassland Science in Europe, Volume 21), The multiple roles of grassland in the European bioeconomy. Proceedings of the 26th General Meeting of the European Grassland Federation, Trondheim, Norway, |
| 199 | FEED880 | FEED | 880 | P. Kacorzysk and T. Glab, 2017, Effect of ten years of mineral and organic fertilization on the herbage production of a mountain meadow, Journal of Elementology, 22, 219-233, |

| | | | | |
|-----|----------|------|------|---|
| 200 | FEED972 | FEED | 972 | H. Korevaar and R. Geerts, 2015, Long-term effects of nutrients on productivity and species-richness of grasslands: the Ossekampen Grassland Experiment, <i>Aspects of Applied Biology</i> , 128, 253-256, |
| 201 | FEED1003 | FEED | 1003 | C. Boureanu, M. Stavarache, C. Samuil and V. Vintu, 2016, Influence of fertilization on productivity and vegetation structure in simple mixtures of <i>Bromus inermis</i> Leyss. and <i>Onobrychis viciifolia</i> Scop, <i>Romanian Journal of Grassland and Forage Crops</i> , 14, 9-21, |
| 202 | FEED1028 | FEED | 1028 | A. Ergon, L. Kirwan, G. Fystro, M. A. Bleken, R. P. Collins and O. A. Rognli, 2017, Species interactions in a grassland mixture under low nitrogen fertilization and two cutting frequencies. II. Nutritional quality, <i>Grass and Forage Science</i> , 72, 333-342, |
| 203 | FEED1036 | FEED | 1036 | J. P. F. Almeida, C. S. C. Rebello-Andrade and A. M. Rodrigues, 2017, Feeding value of Portuguese Mediterranean annual-type rainfed pastures. (Grassland Science in Europe Volume 22), Grassland resources for extensive farming systems in marginal lands: major drivers and future scenarios. Proceedings of the 19th Symposium of the European Grassland Federation, Alghero, Italy, |
| 204 | FEED1075 | FEED | 1075 | I. Rotar, M. Cirebea, E. Pacurar, R. Vidican, A. Plesa and O. Ranta, 2017, Fertilization with UAN on a natural grassland dominated by <i>Festuca rubra</i> L. and <i>Agrostis capillaris</i> L. (Grassland Science in Europe Volume 22), Grassland resources for extensive farming systems in marginal lands: major drivers and future scenarios. Proceedings of the 19th Symposium of the European Grassland Federation, Alghero, Italy, |
| 205 | FEED1084 | FEED | 1084 | I. Hadjigeorgiou, E. Fortatos and T. Chatzigeorgiou, 2017, Renovating grazing lands on the Greek islands through the introduction of forage legumes. (Grassland Science in Europe Volume 22), Grassland resources for extensive farming systems in marginal lands: major drivers and future scenarios. Proceedings of the 19th Symposium of the European Grassland Federation, Alghero, Italy, |
| 206 | FEED1183 | FEED | 1183 | T. Reinsch, R. Loges, C. Kluss and F. Taube, 2018, Renovation and conversion of permanent grass-clover swards to pasture or crops: effects on annual N ₂ O emissions in the year after ploughing, <i>Soil & Tillage Research</i> , 175, 119-129, |
| 207 | FEED1224 | FEED | 1224 | N. v. Eekeren, M. Hoogsteen, J. Deru, J. d. Wit and E. Lantinga, 2015, White clover content and grassland productivity in simulated grazing systems. (Grassland Science in Europe, Volume 20), Wageningen Academic Publishers |
| 208 | FEED1239 | FEED | 1239 | A. Elgersma and K. Soegaard, 2015, Productivity and herbage quality in two-species grass-legume mixtures under cutting. (Grassland Science in Europe, Volume 20), Wageningen Academic Publishers |
| 209 | FEED1263 | FEED | 1263 | B. McCarthy, M. Dineen, C. Guy, F. Coughlan and T. Gilliland, 2015, The effect of tetraploid and diploid perennial ryegrass swards sown with and without clover on milk and herbage production. (Grassland Science in Europe, Volume 20), Wageningen Academic Publishers |
| 210 | FEED1309 | FEED | 1309 | M. Kulik, R. Baryla and D. Ciesielski, 2015, The effect of regeneration technology of sward and nitrogen fertilisation on yielding of postboggy meadow, <i>Electronic Journal of Polish Agricultural Universities</i> , 18, |
| 211 | FEED1316 | FEED | 1316 | D. Criste, G. Mihai, N. Sima, A. Botis, I. Medrea and B. Fagadar, 2015, Different fertilization systems in the Petrova ecosystem, Maramures County. Note 1: The evolution of forage production, <i>Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj Napoca. Animal Science and Biotechnologies</i> , 72, 148-152, |
| 212 | FEED1477 | FEED | 1477 | I. Rusinovci, S. Fetahu, D. Zeka, H. Bytyqi and S. Aliu, 2016, Yield and quality traits of some forage crops cultivated under agroecological conditions of Kosova, <i>Agriculture and Forestry</i> , 62, 111-118, |
| 213 | FEED1498 | FEED | 1498 | S. Alibegovic-Grbic, T. Krogstad, M. Bezdrob, M. Randelovic, N. Rajic, V. Rakic and A. Simic, 2016, Effect of different agrotechnical measures on forage yield, botanical composition and yield quality on grassland, <i>Radovi Poljoprivrednog Fakulteta Univerziteta u Sarajevu</i> , 61, 193-197, |

| | | | | |
|-----|----------|------|------|---|
| 214 | FEED1502 | FEED | 1502 | G. A. Re, C. Porqueddu, F. Sanna, L. Sulas, A. Franca, G. Piluzza and S. Bullitta, 2016, Effect of seed component ratios and cutting regime on the performances of annual ryegrass and burr medic mixtures, <i>African Journal of Agricultural Research</i> , 11, 2893-2902, |
| 215 | FEED1567 | FEED | 1567 | P. Ryant, P. Skarpa, L. Detvanova and L. Tausova, 2016, The effect of limestone and stabilized nitrogen fertilizers application on soil pH value and on the forage production of permanent grassland, <i>Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis</i> , 64, 1239-1244, |
| 216 | FEED1679 | FEED | 1679 | W. Bednarek, S. Dresler and P. Tkaczyk, 2015, Nitrogen fractions in timothy grass (<i>Phleum pratense</i> L.) fertilized with different doses of mineral fertilizers, <i>Journal of Elementology</i> , 20, 49-58, |
| 217 | FEED1742 | FEED | 1742 | B. Grygierzec, L. Luty and K. Musial, 2015, The efficiency of nitrogen and sulphur fertilization on yields and value of N:S ratio for <i>Lolium x boucheanum</i> , <i>Plant, Soil and Environment</i> , 61, 137-143, |
| 218 | FEED1894 | FEED | 1894 | J. Terlikowski and J. Barszczewski, 2015, The effectiveness of permanent grassland renovation under different soil and climatic conditions, <i>Journal of Research and Applications in Agricultural Engineering</i> , 60, 112-119, |
| 219 | FEED2345 | FEED | 2345 | Z. Bijelic, Z. Tomic, D. Ruzic-Muslic, V. Krnjaja, V. Mandic, S. Vuckovic and D. Niksic, 2014, Forage quality and energy content of perennial legume-grass mixtures at three level of N fertilization, <i>Biotechnology in Animal Husbandry</i> , 30, 539-547, |
| 220 | FEED2397 | FEED | 2397 | M. Egan, D. Enriquez-Hidalgo, T. Gilliland, M. B. Lynch and D. Hennessy, 2014, Grass only and grass-white clover (<i>Trifolium repens</i> L.) swards: herbage production and white clover performance. (Grassland Science in Europe, Volume 19), <i>Proceedings of the 25th General Meeting of the European Grassland Federation</i> , Aberystwyth, Wales, 7-11 September 2014; 2014 783-785 6 ref, EGF at 50 |
| 221 | FEED2399 | FEED | 2399 | D. Jamar, C. Clement, Y. Seutin, V. Planchon, M. Campion and D. Stilmant, 2014, Impact of plant diversity, with equal number of grass and legume species, on sward productivity and legume content under contrasted mowing management in a low input system. (Grassland Science in Europe, Volume 19), <i>Proceedings of the 25th General Meeting of the European Grassland Federation</i> , Aberystwyth, Wales, 7-11 September 2014; 2014 776-779 3 ref, EGF at 50 |
| 222 | FEED2406 | FEED | 2406 | R. P. Collins, R. Delagarde and S. Husse, 2014, Biomass production in multispecies and grass monoculture swards under cutting and rotational grazing. (Grassland Science in Europe, Volume 19), <i>Proceedings of the 25th General Meeting of the European Grassland Federation</i> , Aberystwyth, Wales, 7-11 September 2014; 2014 719-721 2 ref, EGF at 50 |
| 223 | FEED2447 | FEED | 2447 | V. Tilvikiene, Z. Kadziuliene, Z. Dabkevicius, L. Sarunaite, J. Slepetys, L. Pociene, A. Slepetiene and J. Cecevicene, 2014, The yield and variation of chemical composition of cocksfoot biomass after five years of digestate application. (Grassland Science in Europe, Volume 19), <i>Proceedings of the 25th General Meeting of the European Grassland Federation</i> , Aberystwyth, Wales, 7-11 September 2014; 2014 468-470 7 ref, EGF at 50 |
| 224 | FEED2455 | FEED | 2455 | M. Seither, 2014, Herbage yield and quality of a limestone grassland managed differently for 30 years. (Grassland Science in Europe, Volume 19), <i>Proceedings of the 25th General Meeting of the European Grassland Federation</i> , Aberystwyth, Wales, 7-11 September 2014; 2014 373-375 10 ref, EGF at 50 |
| 225 | FEED2479 | FEED | 2479 | M. Hoffstatter-Muncheberg, M. Merten, J. Isselstein, M. Kayser and N. Wrage-Monnig, 2014, Drought effects on herbage production of permanent grasslands in northern Germany. (Grassland Science in Europe, Volume 19), <i>Proceedings of the 25th General Meeting of the European Grassland Federation</i> , Aberystwyth, Wales, 7-11 September 2014; 2014 106-108 5 ref, EGF at 50 |
| 226 | FEED2512 | FEED | 2512 | Z. Kovacikova, V. Vargova and M. Michalec, 2012, Effects of different utilization of permanent grassland on landscape ecology, <i>Plant Production Research Center</i> |

| | | | | |
|-----|----------|------|------|--|
| 227 | FEED2556 | FEED | 2556 | B. Grygierzec, 2012, Productivity of selected grasses in mixtures with <i>Trifolium repens</i> L. at two levels of nitrogen fertilization, <i>Fragmenta Agronomica</i> , 29, 31-36, |
| 228 | FEED2690 | FEED | 2690 | G. A. Shah, P. W. G. G. Koerkamp, J. C. J. Groot and E. A. Lantinga, 2012, Improving the agro-environmental value of cattle straw manure, <i>Animal Production Technology. International Conference of Agricultural Engineering CIGR AgEng</i> , |
| 229 | FEED2786 | FEED | 2786 | O. J. Ovreas, S. Rivedal and S. L. Opstad, 2013, Extensive grassland systems in Western Norway - effect of N-fertilization, clover and sheep grazing intensity. (<i>Grassland Science in Europe</i> , Volume 18), <i>Proceedings of the 17th Symposium of the European Grassland Federation</i> , Akureyri, Iceland, 23-26 June 2013; 2013 478-489 2 ref, The role of grasslands in a green future |
| 230 | FEED2822 | FEED | 2822 | J. Barszczewski, T. Sakowski and Z. Wasilewski, 2013, Undersowing a permanent meadow with red clover and its effects. (<i>Grassland Science in Europe</i> , Volume 18), <i>Proceedings of the 17th Symposium of the European Grassland Federation</i> , Akureyri, Iceland, 23-26 June 2013; 2013 213-215 7 ref, The role of grasslands in a green future |
| 231 | FEED2846 | FEED | 2846 | J. d. Wit, N. v. Eekeren, J. P. Wagenaar and F. W. Smeding, 2013, Diverse grassland mixtures for higher yields and more stable sward quality. (<i>Grassland Science in Europe</i> , Volume 18), <i>Proceedings of the 17th Symposium of the European Grassland Federation</i> , Akureyri, Iceland, 23-26 June 2013; 2013 180-182 5 ref, The role of grasslands in a green future |
| 232 | FEED2848 | FEED | 2848 | P. Lattemae, H. Meripold, U. Tamm and S. Tamm, 2013, The effect of different fodder galega-grass mixtures and nitrogen fertilization on forage yield and chemical composition. (<i>Grassland Science in Europe</i> , Volume 18), <i>Proceedings of the 17th Symposium of the European Grassland Federation</i> , Akureyri, Iceland, 23-26 June 2013; 2013 168-170 3 ref, The role of grasslands in a green future |
| 233 | FEED2922 | FEED | 2922 | Y. Kozhouharov and V. Lingorski, 2011, Influence of mineral fertilization and ways of use on natural meadow of <i>Agrostis capillaris</i> - <i>Festuca fallax</i> type in the Rhodope Mountains (southern Bulgaria), <i>Banat's Journal of Biotechnology</i> , 2, 66-72, |
| 234 | FEED3089 | FEED | 3089 | Y. Kozhouharov and V. Lingorski, 2012, Dynamics of forage biomass accumulation in main phenophases of a natural meadow of <i>Agrostis capillaris</i> - <i>Festuca fallax</i> type in the Rhodope Mountains (Bulgaria), <i>Banat's Journal of Biotechnology</i> , 3, 37-41, |
| 235 | FEED3122 | FEED | 3122 | K. Soegaard and K. A. Nielsen, 2012, White and red clover in highly productive short-lasting grassland mixtures. (<i>Grassland Science in Europe</i> , Volume 17), <i>Polskie Towarzystwo Lakarskie (Polish Grassland Society)</i> |
| 236 | FEED3125 | FEED | 3125 | A. V. Saroka, 2012, Establishment and evaluation of the productivity of ryegrass-clover swards for grazing on Derno-Podzolic sandy loam soils in the Republic of Belarus. (<i>Grassland Science in Europe</i> , Volume 17), <i>Polskie Towarzystwo Lakarskie (Polish Grassland Society)</i> |
| 237 | FEED3140 | FEED | 3140 | Z. Tomic, Z. Bijelic, M. Zujovic, A. Simic, M. Kresovic, V. Mandic and N. Stanistic, 2012, The effect of nitrogen fertilization on quality and yield of grass-legume mixtures. (<i>Grassland Science in Europe</i> , Volume 17), <i>Polskie Towarzystwo Lakarskie (Polish Grassland Society)</i> |
| 238 | FEED3154 | FEED | 3154 | J. Baert, A. d. Vliegheer, S. v. Hulle, C. v. Waes and H. Muylle, 2012, Biomass yield and composition from semi-extensively cultivated perennial fodder grasses. (<i>Grassland Science in Europe</i> , Volume 17), <i>Polskie Towarzystwo Lakarskie (Polish Grassland Society)</i> |
| 239 | FEED3171 | FEED | 3171 | M. Elsaesser, 2012, Grassland renovation as a possibility for increasing nitrogen efficiency. (<i>Grassland Science in Europe</i> , Volume 17), <i>Polskie Towarzystwo Lakarskie (Polish Grassland Society)</i> |
| 240 | FEED3185 | FEED | 3185 | M. Janicka, B. Borawska-Jarmulowicz and G. Mastalerczuk, 2012, Development and growth of grass cultivars in pure stands and in meadow mixtures. (<i>Grassland Science in Europe</i> , Volume 17), <i>Polskie Towarzystwo Lakarskie (Polish Grassland Society)</i> |

| | | | | |
|-----|----------|------|------|--|
| 241 | FEED3189 | FEED | 3189 | V. Griffith, T. J. Gilliland, M. O'Donovan and M. McEvoy, 2012, Yield performance of binary mixtures of perennial ryegrass cultivars under simulated grazing. (Grassland Science in Europe, Volume 17), Polskie Towarzystwo Lakarskie (Polish Grassland Society) |
| 242 | FEED3241 | FEED | 3241 | M. Coman and A. Moisuc, 2012, The influence of mineral and organic-mineral fertilisation on the hayfield production from Banat (Romania) hill region, Research Journal of Agricultural Science, 44, 193-196, |
| 243 | FEED3262 | FEED | 3262 | Y. Kozhouharov and V. Lingorski, 2012, Influence of mineral fertilization on some biological and productive indicators of natural meadow of <i>Agrostis capillaris</i> - <i>Festuca fallax</i> type in the Rhodope Mountains (Southern Bulgaria), Biotechnology in Animal Husbandry, 28, 613-622, |
| 244 | FEED3265 | FEED | 3265 | J. Raus, P. Knot and F. Hrabe, 2012, Effect of fertilization and harvest frequency on floristic composition and yields of meadow stand, Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis, 60, 181-186, |
| 245 | FEED3298 | FEED | 3298 | M. A. Tod, T. Marusca, V. Mocanu and C. A. Ciopata, 2012, The researches concerning red clover overseeding of some perennial grassland on Brasov depression, Romanian Journal of Grassland and Forage Crops, 5, 89-103, |
| 246 | FEED3310 | FEED | 3310 | M. Hejcman, L. Strnad, P. Hejcmanova and V. Pavlu, 2012, Response of plant species composition, biomass production and biomass chemical properties to high N, P and K application rates in <i>Dactylis glomerata</i> - and <i>Festuca arundinacea</i> -dominated grassland, Grass and Forage Science, 67, 488-506, |
| 247 | FEED3317 | FEED | 3317 | D. Iancu, 2012, Researches on the influence of perennial legumes in increasing the efficiency of temporary meadow, Lucrari Stiintifice, Universitatea de Stiinte Agricole Si Medicina Veterinara "Ion Ionescu de la Brad" Iasi, Seria Horticultura, 55, 483-488, |
| 248 | FEED3397 | FEED | 3397 | M. R. Mosquera-Losada, D. Moran-Zuloaga and A. Rigueiro-Rodriguez, 2011, Effects of lime and sewage sludge on soil, pasture production, and tree growth in a six-year-old <i>Populus canadensis</i> Moench silvopastoral system, Journal of Plant Nutrition and Soil Science, 174, 145-153, |
| 249 | FEED3416 | FEED | 3416 | M. Stybnarova, J. Pozdisek and O. Latal, 2010, The effect of organic fertilizers and cutting frequency on yield and quality of permanent grasslands, NutriVet Ltd |
| 250 | FEED3418 | FEED | 3418 | P. Knot and F. Hrabe, 2010, The influence of extensive and intensive use of permanent meadow community on the quality of forage and qualitative production, NutriVet Ltd |
| 251 | FEED3476 | FEED | 3476 | J. Vasile, L. Cojocariu, S. Ciprian and L. Dacian, 2010, The dynamics of the dry matter production as a result of the mineral fertilizers application in a hayfield from Bistricioara basin, Analele Universitatii din Oradea, Fascicula: Ecotoxicologie, Zootehnie si Tehnologii de Industrie Alimentara, |
| 252 | FEED3490 | FEED | 3490 | O. Bochi-Brum, R. Garcia, R. Bodas, A. Calleja, S. Andres and S. Lopez, 2011, Nutritive value of herbage from mountain hay meadow managed under traditional and intensive harvest systems as affected by nitrogen fertilisation and time of cutting, Animal Production Science, 51, 549-556, |
| 253 | FEED3548 | FEED | 3548 | K. Stoeva and V. Vateva, 2010, Effect of organo-mineral fertilization on growth and development of perennial grass mixture, cultivated in Strandzha region, Agricultural Science and Technology, 2, 211-214, |
| 254 | FEED3615 | FEED | 3615 | A. Simic, S. Vasiljevic, S. Vuckovic, Z. Tomic, Z. Bjelic and V. Mandic, 2011, Herbage yield and botanical composition of grass-legume mixture at different time of establishment, Biotechnology in Animal Husbandry, 27, 1253-1260, |
| 255 | FEED3641 | FEED | 3641 | V. Pavlu, J. Schellberg and M. Hejcman, 2011, Cutting frequency vs. N application: effect of a 20-year management in <i>Lolio-Cynosuretum</i> grassland, Grass and Forage Science, 66, 501-515, |

| | | | | |
|-----|----------|------|------|--|
| 256 | FEED3655 | FEED | 3655 | F. Richter, R. Grass, M. Labriola, L. Buhle and M. Wachendorf, 2011, Growth and quality dynamics of semi-natural grassland in river flood plains. (Grassland Science in Europe, Volume 16), Agricultural Research and Education Center (AREC) Raumberg-Gumpenstein |
| 257 | FEED3660 | FEED | 3660 | E. Vasilev, 2011, Botanical composition, productivity and plant density of six-year-old birdsfoot trefoil swards. (Grassland Science in Europe, Volume 16), Agricultural Research and Education Center (AREC) Raumberg-Gumpenstein |
| 258 | FEED3849 | FEED | 3849 | G. L. Velthof, I. E. Hoving, J. Dolfing, A. Smit, P. J. Kuikman and O. Oenema, 2010, Method and timing of grassland renovation affects herbage yield, nitrate leaching, and nitrous oxide emission in intensively managed grasslands, Nutrient Cycling in Agroecosystems, 86, 401-412, |
| 259 | FEED3901 | FEED | 3901 | M. Hejcman, J. Schellberg and V. Pavlu, 2010, Long-term effects of cutting frequency and liming on soil chemical properties, biomass production and plant species composition of Lolio-Cynosuretum grassland after the cessation of fertilizer application, Applied Vegetation Science, 13, 257-269, |
| 260 | FEED3934 | FEED | 3934 | D. G. Laies and A. Moisuc, 2009, Comparative researches concerning the fertilisation effect on the yield of a abandoned agricultural land grassland and a permanent grassland from Gradinari (Caras Severin County), Research Journal of Agricultural Science, 41, 179-184, |
| 261 | FEED3980 | FEED | 3980 | M. Braun, H. Schmid, T. Grundler and K. J. Hulsbergen, 2010, Root-and-shoot growth and yield of different grass-clover mixtures, Plant Biosystems, 144, 414-419, |
| 262 | FEED4040 | FEED | 4040 | A. Johansen, 2010, Growth and quality of multispecies pastures harvested at a fixed sward height. (Grassland Science in Europe, Volume 15), Mecke Druck und Verlag |
| 263 | FEED4048 | FEED | 4048 | M. Kobes, K. Suchy, B. Vozenilkova and J. Frelich, 2010, The effect of different grazing systems on botanical composition, diversity and productivity of permanent pasture. (Grassland Science in Europe, Volume 15), Mecke Druck und Verlag |
| 264 | FEED4054 | FEED | 4054 | U. Petersen, J. Isselstein and N. Wrage, 2010, The effect of manipulated plant species diversity of semi-natural permanent grassland on forage production and quality. (Grassland Science in Europe, Volume 15), Mecke Druck und Verlag |
| 265 | FEED4076 | FEED | 4076 | V. Tilvikiene, Z. Kadziuliene and Z. Dabkevicius, 2010, The evaluation of tall fescue, cocksfoot and reed canary grass as energy crops for biogas production. (Grassland Science in Europe, Volume 15), Mecke Druck und Verlag |
| 266 | FEED4162 | FEED | 4162 | S. Alibegovic-Grbic, M. Bezdrob and H. Civic, 2010, Dry matter and protein yields of red clover, Italian ryegrass and their mixtures. (Grassland Science in Europe, Volume 15), Mecke Druck und Verlag |
| 267 | FEED4180 | FEED | 4180 | P. Nerusil, A. Kohoutek, P. Komarek and V. Odstrcilova, 2008, Effects of utilisation intensity and fertilization level on forage production and quality of permanent grassland on a fluvisoil, Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis, 56, 153-162, |
| 268 | FEED4242 | FEED | 4242 | A. J. Dale, A. S. Laidlaw, J. P. Frost, J. Bailey and C. S. Mayne, 2007, Opportunities to improve efficiency of use of animal manures with low input, alternative forages. (British Grassland Society Occasional Symposium No.38), Proceedings of the BGS/BES/BSAS Conference held at Keele University, Staffordshire, UK, 17-19 April, 2007; 2007 205-208 3 ref, High value grassland |
| 269 | FEED4362 | FEED | 4362 | E. Butkuvienė, 2008, The effect of sowing date, cover and catch crops on the productivity of resown pasture swards. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 84-86 5 ref, Biodiversity and animal feed |

| | | | | |
|-----|----------|------|------|--|
| 270 | FEED4365 | FEED | 4365 | H. J. Smit, S. Nepal, D. v. Vilsteren, I. M. Witkowska and A. Elgersma, 2008, Seasonally of productivity, botanical composition and N concentrations of four forage legume-grass mixtures under cutting. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 628-630 4 ref, Biodiversity and animal feed |
| 271 | FEED4374 | FEED | 4374 | A. Kohoutek, P. Komarek, P. Nerusil, V. Odstrcilova, F. Hrabec, L. Rosicka, P. Sramek, J. Kasparova, J. Gaisler, J. Fiala, J. Pozdissek, P. Micova, M. Svozilova and H. Jakesova, 2008, Effects of intensity of fertilization and cutting frequency on forage quality and diversity of permanent grassland in Central Europe in 2003-2007. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 595-597 1 ref, Biodiversity and animal feed |
| 272 | FEED4401 | FEED | 4401 | R. Butkute and N. Daugeliene, 2008, Study on long-term meadow productivity and botanical composition in response to different liming and fertilization. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 224-226 8 ref, Biodiversity and animal feed |
| 273 | FEED4413 | FEED | 4413 | B. Tonn and G. Briemle, 2008, Long-term effects of mulching on botanical composition, yield and nutrient budget of permanent grassland. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 180-182 3 ref, Biodiversity and animal feed |
| 274 | FEED4448 | FEED | 4448 | A. d. Vliegheer and L. Carlier, 2008, Potential of fodder legumes under intensive farming conditions in Flanders. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 236-238 2 ref, Biodiversity and animal feed |
| 275 | FEED4480 | FEED | 4480 | L. Nadolna, J. Fatyga, M. Zyszkowska and A. Paszkiewicz-Jasinska, 2008, Limited utilization impact on productivity and floristic diversity of grasslands in the Sudeten mountains. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 995-997 2 ref, Biodiversity and animal feed |
| 276 | FEED4491 | FEED | 4491 | P. Thomet, M. Stettier and M. Hadorn, 2008, Manipulating pasture grass growth by nitrogen fertilization. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 329-331 6 ref, Biodiversity and animal feed |
| 277 | FEED4506 | FEED | 4506 | F. Susan and U. Ziliotto, 2008, Long-term effects of N, P and K fertilization on specific biodiversity in a permanent mountain meadow. (Grassland Science in Europe, Volume 13), Proceedings of the 22nd General Meeting of the European Grassland Federation, Uppsala, Sweden, 9-12 June 2008; 2008 943-945 2 ref, Biodiversity and animal feed |
| 278 | FEED4508 | FEED | 4508 | A. Radkowski, 2006, Effect of mineral and organic fertilization on mountain meadows yield, Pastos, 36, 243-248, |
| 279 | FEED4525 | FEED | 4525 | O. B. Brum, S. Lopez, R. Garcia, S. Andres and A. Calleja, 2009, Influence of harvest season, cutting frequency and nitrogen fertilization of mountain meadows on yield, floristic composition and protein content of herbage, Revista Brasileira de Zootecnia, 38, 596-604, |
| 280 | FEED4537 | FEED | 4537 | D. Lazarevic, M. Stosic, Z. Dajic, D. Terzic and M. Cvetkovic, 2009, Productivity and quality of plant mass of meadow ass. Danthonietum calycinae depending on the fertilization and utilization time, Biotechnology in Animal Husbandry, 25, 133-142, |
| 281 | FEED4676 | FEED | 4676 | M. Vesela, J. Mrkvicka and Z. Hrevusova, 2009, Species development of meadow stand related to yield. (Grassland Science in Europe, Volume 14), Alternative functions of grassland. Proceedings of the 15th European Grassland Federation Symposium, Brno, Czech Republic, |

| | | | | |
|-----|----------|------|------|---|
| 282 | FEED4709 | FEED | 4709 | J. Cop, M. Vidrih and J. Hacin, 2009, Influence of cutting regime and fertilizer application on the botanical composition, yield and nutritive value of herbage of wet grasslands in Central Europe, <i>Grass and Forage Science</i> , 64, 454-465, |
| 283 | FEED4796 | FEED | 4796 | N. Rossignol, A. Bonis and J. B. Bouzille, 2007, Do sward quality and production depend more on grazing intensity or floristic composition? (<i>Grassland Science in Europe Volume 12</i>), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 173-176 8 ref, Permanent and temporary grassland |
| 284 | FEED4802 | FEED | 4802 | A. Baluch-Malecka and M. Olszewska, 2007, Efficiency of mineral fertilization of legume-grass mixtures under climatic conditions of the Olsztyn Lakeland. (<i>Grassland Science in Europe Volume 12</i>), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 150-153 9 ref, Permanent and temporary grassland |
| 285 | FEED4828 | FEED | 4828 | A. Kohoutek and J. Pozdissek, 2007, Simulation of grassland management when fodder is utilised by cattle and its environmental impacts in the Czech Republic. (<i>Grassland Science in Europe Volume 12</i>), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 536-539 9 ref, Permanent and temporary grassland |
| 286 | FEED4833 | FEED | 4833 | E. Butkuvienė and R. Butkute, 2007, The changes of sward botanical and chemical composition depending on pasture improvement measures. (<i>Grassland Science in Europe Volume 12</i>), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 118-121 8 ref, Permanent and temporary grassland |
| 287 | FEED4838 | FEED | 4838 | T. Marusca, V. Mocanu, V. Blaj and I. Hermenean, 2007, Systems for improvement of <i>Nardus stricta</i> subalpine grasslands from Carpathian Mountains. (<i>Grassland Science in Europe Volume 12</i>), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 94-97 3 ref, Permanent and temporary grassland |
| 288 | FEED4839 | FEED | 4839 | A. d. Vliegheer and L. Carlier, 2007, The effect of the age of grassland on yield, botanical composition and nitrate content in the soil under grazing conditions. (<i>Grassland Science in Europe Volume 12</i>), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 51-54 7 ref, Permanent and temporary grassland |
| 289 | FEED4846 | FEED | 4846 | N. Dragomir, I. Pet, C. Dragomir, E. Pet, S. Gaspar, L. Mihaescu, A. Sarbu, L. Gaman and I. Fratila, 2007, Research regarding the contribution of <i>Lotus corniculatus</i> L. to the increase of temporary grassland production and quality. (<i>Grassland Science in Europe Volume 12</i>), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 185-188 7 ref, Permanent and temporary grassland |
| 290 | FEED4847 | FEED | 4847 | A. Adamovich and O. Adamovicha, 2007, Forage quality dynamics and productivity of fodder galega-grass swards. (<i>Grassland Science in Europe Volume 12</i>), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 181-184 6 ref, Permanent and temporary grassland |
| 291 | FEED4863 | FEED | 4863 | D. Hennessy, M. O'Donovan, P. French and A. S. Laidlaw, 2008, Manipulation of herbage production by altering the pattern of applying nitrogen fertilizer, <i>Grass and Forage Science</i> , 63, 152-166, |
| 292 | FEED4874 | FEED | 4874 | J. Rzonca, M. Svozilova, P. Micova, M. Stybnarova and J. Pozdissek, 2007, Energy balance of various permanent grassland utilisation systems, <i>Scientia Agriculturae Bohemica</i> , 38, 58-63, |
| 293 | FEED4900 | FEED | 4900 | N. Sima, I. Rotar, R. Vidican and R. Sima, 2007, The evolution of the floristical composition and dry matter yield in a <i>Festuca rubra</i> mountain pasture as influenced by some technological inputs, <i>Notulae Botanicae, Horti Agrobotanici, Cluj Napoca</i> , 35, 72-76, |

| | | | | |
|-----|----------|------|------|---|
| 294 | FEED4972 | FEED | 4972 | A. J. Dale, C. S. Mayne, A. S. Laidlaw and C. P. Ferris, 2008, Effect of altering the grazing interval on growth and utilization of grass herbage and performance of dairy cows under rotational grazing, <i>Grass and Forage Science</i> , 63, 257-269, |
| 295 | FEED5003 | FEED | 5003 | E. Vasilev, 2008, Dry mass yield from sainfoin in binary mixtures with ryegrass and cocksfoot, <i>Options Mediterraneennes. Serie A, Seminaires Mediterraneens</i> , 79, 241-244, |
| 296 | FEED5007 | FEED | 5007 | N. Stagliano, G. Argenti and G. Gentili, 2008, Forage species for long duration artificial mixtures characterised by different complexity, <i>Options Mediterraneennes. Serie A, Seminaires Mediterraneens</i> , 79, 157-160, |
| 297 | FEED5134 | FEED | 5134 | J. M. Bullock, R. F. Pywell and K. J. Walker, 2007, Long-term enhancement of agricultural production by restoration of biodiversity, <i>Journal of Applied Ecology</i> , 44, 6-12, |
| 298 | FEED5150 | FEED | 5150 | J. W. Reijs, M. P. W. Sonneveld, P. Sorensen, R. L. M. Schils, J. C. J. Groot and E. A. Lantinga, 2007, Effects of different diets on utilization of nitrogen from cattle slurry applied to grassland on a sandy soil in The Netherlands, <i>Agriculture, Ecosystems & Environment</i> , 118, 65-79, |
| 299 | FEED5160 | FEED | 5160 | V. Lingorski, 2005, Yields structure of different grasslands for grazing production, <i>Bulgarian Journal of Agricultural Science</i> , 11, 431-435, |
| 300 | FEED5415 | FEED | 5415 | L. S. Pontes, P. Carrere, D. Andueza, F. Louault and J. F. Soussana, 2007, Seasonal productivity and nutritive value of temperate grasses found in semi-natural pastures in Europe: responses to cutting frequency and N supply, <i>Grass and Forage Science</i> , 62, 485-496, |
| 301 | FEED5464 | FEED | 5464 | D. Giambalvo, L. Stringi, C. Scarpello, C. Attardo, G. d. Miceli and G. Amato, 2005, Effect of defoliation management and plant arrangement on yield and N ₂ fixation of berseem-annual ryegrass mixture. (<i>Grassland Science in Europe Volume 10</i>), Estonian Grassland Society |
| 302 | FEED5471 | FEED | 5471 | B. Cupina, P. Eric, Krstic and S. Vuckovic, 2005, Effect of nitrogen fertilization on permanent grasslands productivity in the Vojvodina Province. (<i>Grassland Science in Europe Volume 10</i>), Estonian Grassland Society |
| 303 | FEED5473 | FEED | 5473 | M. Elsaesser, 2005, Performance of a reseeded grassland (Trisetum) in Germany. (<i>Grassland Science in Europe Volume 10</i>), Estonian Grassland Society |
| 304 | FEED5476 | FEED | 5476 | W. Opitz von Boberfeld and J. Oerlemans, 2005, Influence of long-term levelled nutrient supply on the biodiversity and forage quality of mowing pastures. (<i>Grassland Science in Europe Volume 10</i>), Estonian Grassland Society |
| 305 | FEED5478 | FEED | 5478 | R. Aavola, 2005, The yield potential of Estonian perennial ryegrass (<i>Lolium perenne</i> L.) cultivars at different mineral fertilisation levels and cutting frequencies. (<i>Grassland Science in Europe Volume 10</i>), Estonian Grassland Society |
| 306 | FEED5482 | FEED | 5482 | M. Papadimitriou, M. P. Zarovali and V. P. Papanastasis, 2005, Relationship between plant diversity and herbage production in Mediterranean grasslands. (<i>Grassland Science in Europe Volume 10</i>), Estonian Grassland Society |
| 307 | FEED5555 | FEED | 5555 | J. M. Pires, A. Fernandes, A. Bernardo, J. Pires and N. Moreira, 2005, Meadow management, hay yields and nutritive value in the Mediterranean mountain regions of the Northeast of Portugal. (Sustainable grazing, nutritional utilization and quality of sheep and goat products.), <i>Options Mediterraneennes. Serie A, Seminaires Mediterraneens</i> , 67, 67-73, |
| 308 | FEED5650 | FEED | 5650 | S. Vuckovic, B. Cupina, A. Simic, S. Prodanovic and T. Zivanovic, 2005, Effect of nitrogen fertilization and undersowing on yield and quality of <i>Cynosuretum cristati</i> -type meadows in hilly-mountainous grasslands in Serbia, <i>Journal of Central European Agriculture</i> , 6, 509-514, |
| 309 | FEED5665 | FEED | 5665 | M. Razec, I. Razec and V. Micu, 2006, Mineral nitrogen nutrition of <i>Festuca arundinacea</i> in mixtures with legume species. (<i>Grassland Science in Europe, Volume 11</i>), 414-416 4 ref, Sustainable grassland productivity |

| | | | | |
|-----|----------|------|------|--|
| 310 | FEED5666 | FEED | 5666 | I. Razec and M. Razec, 2006, The yield of grass-legume mixtures under different conditions of growth. (Grassland Science in Europe, Volume 11), 411-413 5 ref, Sustainable grassland productivity |
| 311 | FEED5717 | FEED | 5717 | O. Huguenin-Elie, R. Gago, C. Stutz, A. Luscher and W. Kessler, 2006, Long-term effects of fertilisation on herbage composition, yield and quality of an Arrhenatherion-type meadow. (Grassland Science in Europe, Volume 11), 550-552 3 ref, Sustainable grassland productivity |
| 312 | FEED5719 | FEED | 5719 | P. Carrere, L. Pontes, P. Fabre, D. Andueza, F. Louault and J. F. Soussana, 2006, The interspecific plant competition affects the production and the nutritive value of grassland species. (Grassland Science in Europe, Volume 11), 544-546 5 ref, Sustainable grassland productivity |
| 313 | FEED5730 | FEED | 5730 | M. Balan, I. Breazu, G. Oprea and C. Chiper, 2006, The impact of perennial forage legumes in simple mixtures with cocksfoot. (Grassland Science in Europe, Volume 11), 372-374 2 ref, Sustainable grassland productivity |
| 314 | FEED5736 | FEED | 5736 | L. Bommele, D. Reheul, I. Maes and N. v. Eekeren, 2006, White clover content in mixed swards installed in fields with different preceding crop. (Grassland Science in Europe, Volume 11), 336-338 1 ref, Sustainable grassland productivity |
| 315 | FEED5737 | FEED | 5737 | D. Zableckiene and B. Butkute, 2006, The yield and quality of mixed pastures established on hillslopes. (Grassland Science in Europe, Volume 11), 333-335 4 ref, Sustainable grassland productivity |
| 316 | FEED5748 | FEED | 5748 | Z. Gaile and J. Kopmanis, 2006, Qualitative changes of lucerne and mixed lucerne-timothy swards during the time of usage. (Grassland Science in Europe, Volume 11), 276-278 2 ref, Sustainable grassland productivity |
| 317 | FEED5749 | FEED | 5749 | Z. Nestic, Z. Tomic, S. Vuckovic and M. Zujovic, 2006, Yield and botanical composition of pure alfalfa and alfalfa-orchardgrass mixtures at different levels of nitrogen. (Grassland Science in Europe, Volume 11), 273-275 8 ref, Sustainable grassland productivity |
| 318 | FEED5758 | FEED | 5758 | L. Kadziulis and Z. Kadziuliene, 2006, Seasonal changes in biomass and composition of legume based swards under moderate and extensive grazing. (Grassland Science in Europe, Volume 11), 191-193 5 ref, Sustainable grassland productivity |
| 319 | FEED5764 | FEED | 5764 | I. Gutmane and A. Adamovics, 2006, Productivity aspects of Festulolium and Lolium x boucheanum cultivars. (Grassland Science in Europe, Volume 11), 155-157 4 ref, Sustainable grassland productivity |
| 320 | FEED5767 | FEED | 5767 | K. Bosnjak, M. Knezevic, J. Leto, M. Vranic, G. Perculija and H. Kutnjak, 2006, Productivity and sward composition of semi-natural pasture under different N fertilizing regimes. (Grassland Science in Europe, Volume 11), 83-85 6 ref, Sustainable grassland productivity |
| 321 | FEED5782 | FEED | 5782 | A. Barradas, J. P. Carneiro, H. Amante, A. M. Simoes, L. Olea and J. P. Almeida, 2006, Does the response of natural pastures to improvement techniques depend on soil fertility level? (Grassland Science in Europe, Volume 11), 101-103 6 ref, Sustainable grassland productivity |
| 322 | FEED5876 | FEED | 5876 | E. Kuusela, 2004, Annual and seasonal changes in production and composition of grazed clover-grass mixtures in organic farming, Agricultural and Food Science, 13, 309-325, |
| 323 | FEED5880 | FEED | 5880 | V. Lingorski, 2003, Yields allocation of grass monocultures and grass-legume mixture for hay production, Bulgarian Journal of Agricultural Science, 9, 65-68, |
| 324 | FEED5892 | FEED | 5892 | J. M. Pires, A. Fernandes, J. Pires and N. Moreira, 2004, Pasture improvement in the Mediterranean mountains of Northeastern Portugal: yield and botanical composition, Cahiers Options Mediterraneennes, 62, 457-461, |
| 325 | FEED5940 | FEED | 5940 | A. Kahmen, J. Perner, V. Audorff, W. Weisser and N. Buchmann, 2005, Effects of plant diversity, community composition and environmental parameters on productivity in montane European grasslands, Oecologia, 142, 606-615, |
| 326 | FEED6010 | FEED | 6010 | M. C. Caldeira, A. Hector, M. Loreau and J. S. Pereira, 2005, Species richness, temporal variability and resistance of biomass production in a Mediterranean grassland, Oikos, 110, 115-123, |

| | | | | |
|-----|----------|------|------|--|
| 327 | FEED6111 | FEED | 6111 | A. Kohoutek, P. Komarek, V. Odstrcilova and P. Nerusil, 2003, Ecosystem development of permanent, strip-seeded, and temporary grasslands over an eleven-year period. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 328 | FEED6159 | FEED | 6159 | N. Daugeliene and R. Skuodiene, 2004, Comparison of white clover/grass quality of permanent and temporary grasslands in Western Lithuania. (Grassland Science in Europe Volume 9), vdf Hochschulverlag AG an der ETH Zurich |
| 329 | FEED6170 | FEED | 6170 | I. Hadjigeorgiou, I. Pouloupoulou, G. Economou, N. Moustakas and G. Zervas, 2004, Improving productivity of grasslands in mountainous areas of Greece by 'conventional' or 'organic' farming practices. (Grassland Science in Europe Volume 9), vdf Hochschulverlag AG an der ETH Zurich |
| 330 | FEED6172 | FEED | 6172 | M. Bainok, 2004, Comparison of extensive, organic and conventional grassland farming methods. (Grassland Science in Europe Volume 9), vdf Hochschulverlag AG an der ETH Zurich |
| 331 | FEED6216 | FEED | 6216 | M. Balan, I. Breazu and G. Oprea, 2004, The productivity of cocksfoot and tall fescue in pure stand and simple mixtures with birdsfoot trefoil by varying nitrogen fertilisation. (Grassland Science in Europe Volume 9), vdf Hochschulverlag AG an der ETH Zurich |
| 332 | FEED6217 | FEED | 6217 | B. Deprez, R. Lambert, C. Decamps and A. Peeters, 2004, Production and quality of red clover (<i>Trifolium pratense</i>) and lucerne (<i>Medicago sativa</i>) in pure stand or in grass mixture in Belgium. (Grassland Science in Europe Volume 9), vdf Hochschulverlag AG an der ETH Zurich |
| 333 | FEED6218 | FEED | 6218 | I. Hadjigeorgiou and R. Thanopoulos, 2004, A comparative study of five sown 'grass-legume' mixtures and the indigenous vegetation when grown on a rain-fed mountain area of Greece. (Grassland Science in Europe Volume 9), vdf Hochschulverlag AG an der ETH Zurich |
| 334 | FEED6251 | FEED | 6251 | T. Lunnan, 2004, How does resowing of natural meadows affect yield, forage quality and botanical composition? (Grassland Science in Europe Volume 9), vdf Hochschulverlag AG an der ETH Zurich |
| 335 | FEED6253 | FEED | 6253 | M. Jorgensen, 2004, Effects of defoliation regimes on yield and fodder quality in permanent grassland and short-term leys. (Grassland Science in Europe Volume 9), vdf Hochschulverlag AG an der ETH Zurich |
| 336 | FEED6286 | FEED | 6286 | R. Vidican, I. Rotar and M. Rusu, 2003, The recovery of mineral-N applied to mixed stands of <i>Dactylis glomerata</i> L. and <i>Medicago sativa</i> L. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 337 | FEED6303 | FEED | 6303 | A. Adamovich and O. Adamovicha, 2003, Productivity and forage quality of <i>Festulolium</i> /legume mixed swards in response to cutting frequency. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 338 | FEED6337 | FEED | 6337 | Z. Kadziulienė, 2003, Different grazing regimes and sustainability of legume/grass swards. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 339 | FEED6340 | FEED | 6340 | S. Cassaniti, S. L. Cosentino, F. Gresta, V. Copani and G. Testa, 2003, Residual effects of agronomic treatments on a Mediterranean pasture environment. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 340 | FEED6344 | FEED | 6344 | D. Lazarevic, S. Mrfat-Vukelic, M. Stosic and B. Dinic, 2003, Potential of natural grasslands in mountainous and hilly areas of Serbia. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 341 | FEED6346 | FEED | 6346 | N. Daugeliene, 2003, Influence of ploughing and reseeding programmes on the herbage yield and botanical composition of three different permanent pasture swards. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 342 | FEED6375 | FEED | 6375 | J. C. v. Middelkoop, R. L. M. Schils and D. J. d. Boer, 2003, Effect of N surplus reduction on grassland production in a five-year field experiment. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |

| | | | | |
|-----|----------|------|------|---|
| 343 | FEED6377 | FEED | 6377 | M. Scotton, S. Macolino and U. Ziliotto, 2003, Effect of low rates of nitrogenous and phosphate fertilisation on the characteristics of a permanent meadow in Veneto mountain. 2. Quantitative aspects of yield. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 344 | FEED6506 | FEED | 6506 | R. Schils and P. Snijders, 2004, The combined effect of fertiliser nitrogen and phosphorus on herbage yield and changes in soil nutrients of a grass/clover and grass-only sward, Nutrient Cycling in Agroecosystems, 68, 165-179, |
| 345 | FEED6519 | FEED | 6519 | H. Trott, M. Wachendorf, B. Ingwersen and F. Taube, 2004, Performance and environmental effects of forage production on sandy soils. I. Impact of defoliation system and nitrogen input on performance and N balance of grassland, Grass and Forage Science, 59, 41-55, |
| 346 | FEED6538 | FEED | 6538 | K. Jankowski, J. Jodelka and R. Kolczarek, 1999, Effectiveness of permanent meadow foliar fertilisation with nitrogen, Electronic Journal of Polish Agricultural Universities, Agronomy, 2, 1-6, |
| 347 | FEED6551 | FEED | 6551 | J. Jancovic, L. Vozar, L. Jancovicova and S. Petrikova, 2004, Effect of fertilization renovation on the production capacity of permanent grassland, Plant, Soil and Environment, 50, 129-133, |
| 348 | FEED6659 | FEED | 6659 | M. R. Mosquera-Losada, A. Gonzalez-Rodriguez and A. Rigueiro Rodriguez, 2004, Fertilization with nitrogen and potassium on pastures in temperate areas, Journal of Range Management, 57, 280-290, |
| 349 | FEED6741 | FEED | 6741 | J. A. Carroll, S. J. M. Caporn, D. Johnson, M. D. Morecroft and J. A. Lee, 2003, The interactions between plant growth, vegetation structure and soil processes in semi-natural acidic and calcareous grasslands receiving long-term inputs of simulated pollutant nitrogen deposition, Environmental Pollution, 121, 363-376, |
| 350 | FEED6743 | FEED | 6743 | T. Baars, 2002, Reconciling scientific approaches for organic farming research. Part I: Reflection on research methods in organic grassland and animal production at the Louis Bolk Institute, The Netherlands. Part II: Effects of manure types and white clover (<i>Trifolium repens</i>) cultivars on the productivity of grass-clover mixtures grown on a humid sandy soil, Reconciling scientific approaches for organic farming research, Part II, Effects of manure types and white clover (<i>Trifolium repens</i>) cultivars on the productivity of grass-clover mixtures grown on a humid sandy soil; 2002, |
| 351 | FEED6750 | FEED | 6750 | F. Nevens and D. Reheul, 2003, Permanent grassland and 3-year leys alternating with 3 years of arable land: 31 years of comparison, European Journal of Agronomy, 19, 77-90, |
| 352 | FEED6806 | FEED | 6806 | T. A. Williams, D. R. Evans, I. Rhodes and M. T. Abberton, 2003, Long-term performance of white clover varieties grown with perennial ryegrass under rotational grazing by sheep with different nitrogen applications, Journal of Agricultural Science, 140, 151-159, |
| 353 | FEED6830 | FEED | 6830 | P. D'Ottavio and U. Ziliotto, 2003, Effect of different management on the production characteristics of mountain permanent meadows, Italian Journal of Animal Science, 2, 249-251, |
| 354 | FEED6930 | FEED | 6930 | T. A. Williams, M. T. Abberton, W. Thornley and I. Rhodes, 2001, Relationships between the yield of perennial ryegrass and of small-leaved white clover under cutting or continuous grazing by sheep, Grass and Forage Science, 56, 231-237, |
| 355 | FEED6987 | FEED | 6987 | J. Baert, A. Ghesquiere and E. v. Bockstaele, 2001, The effect of nitrogen rate and cutting frequency on dry matter yield in perennial ryegrass F2 populations, Department of Agricultural Science, University of Azores |
| 356 | FEED6992 | FEED | 6992 | J. Mrkvicka and M. Vesela, 2002, The influence of long-term fertilization on species diversity and yield potential of permanent meadow stand, Rostlinna Vyroba, 48, 69-75, |
| 357 | FEED7067 | FEED | 7067 | A. Bartmanski and Z. Mikolajczak, 2002, The crop obtained from Sudety mountain pasture depending on soil depth and level of mineral fertilization and liming, Animal Science Papers and Reports, 20, 105-115, |

| | | | | |
|-----|----------|------|------|--|
| 358 | FEED7140 | FEED | 7140 | C. E. Tziaila, D. Papakosta and D. S. Veresoglou, 2002, Effects of liming and N addition on vegetation productivity and species composition in three management systems. (Grassland Science in Europe Volume 7), Proceedings of the 19th General Meeting of the European Grassland Federation, La Rochelle, France, 27-30 May 2002; 2002 856-857 5 ref, Multi-function grasslands |
| 359 | FEED7180 | FEED | 7180 | A. S. Frenda, G. d. Miceli, C. Scarpello, M. Sarno and G. d. Vita, 2002, Effects of defoliation frequencies on yield performance of <i>Lolium multiflorum</i> and <i>Trifolium alexandrinum</i> in pure stands and association. (Grassland Science in Europe Volume 7), Proceedings of the 19th General Meeting of the European Grassland Federation, La Rochelle, France, 27-30 May 2002; 2002 408-409 3 ref, Multi-function grasslands |
| 360 | FEED7191 | FEED | 7191 | D. Gianelle, M. Scotton and U. Ziliotto, 2002, Effect of the extensification on a permanent meadow in a high productive environment: 2-production. (Grassland Science in Europe Volume 7), Proceedings of the 19th General Meeting of the European Grassland Federation, La Rochelle, France, 27-30 May 2002; 2002 788-789 2 ref, Multi-function grasslands |
| 361 | FEED7207 | FEED | 7207 | M. Elsaesser, 2002, Effects of application from diluted slurry on yields and botanical composition of herbaceous-rich permanent grassland. (Grassland Science in Europe Volume 7), Proceedings of the 19th General Meeting of the European Grassland Federation, La Rochelle, France, 27-30 May 2002; 2002 680-681 3 ref, Multi-function grasslands |
| 362 | FEED7211 | FEED | 7211 | I. Breazu, M. Balan, G. Oprea and M. Neagu, 2002, White clover contribution to nitrogen economy in grasslands yield and quality. (Grassland Science in Europe Volume 7), Proceedings of the 19th General Meeting of the European Grassland Federation, La Rochelle, France, 27-30 May 2002; 2002 666-667 3 ref, Multi-function grasslands |
| 363 | FEED7239 | FEED | 7239 | J. L. Tisserand, 2002, Productivity of some grasses and legume cultivation in pure stands or in mixture in the French Cote d'Or region. (Grassland Science in Europe Volume 7), Proceedings of the 19th General Meeting of the European Grassland Federation, La Rochelle, France, 27-30 May 2002; 2002 96-97 3 ref, Multi-function grasslands |
| 364 | FEED7291 | FEED | 7291 | M. Razec, I. Razec, C. Chipier and G. Oprea, 2002, Yield and quality forage improvement by N-use efficiency in grass-clover sward. (Grassland Science in Europe Volume 7), Proceedings of the 19th General Meeting of the European Grassland Federation, La Rochelle, France, 27-30 May 2002; 2002 154-155 4 ref, Multi-function grasslands |
| 365 | FEED7372 | FEED | 7372 | L. Ondrasek, J. Fiala, J. Jancovic, D. Rataj and F. Majernik, 2000, Relation of some soil biological and chemical characteristics to production indicators of three grassland types, Grassland and Mountain Agriculture Research Institute |
| 366 | FEED7665 | FEED | 7665 | T. Keating and P. O'Kiely, 2000, Comparison of old permanent grassland, <i>Lolium perenne</i> and <i>Lolium multiflorum</i> swards grown for silage: 3. Effects of varying fertiliser nitrogen application rate, Irish Journal of Agricultural and Food Research, 39, 35-53, |
| 367 | FEED7680 | FEED | 7680 | B. Kramberger and A. Gselman, 2000, Changes in the productivity and botanical composition of semi-natural grassland as a consequence of cutting frequency, Rostlinna Vyroba, 46, 325-330, |
| 368 | FEED7865 | FEED | 7865 | N. Gaborcik, 1998, Dry matter production at permanent and oversown grasslands in Slovakia, Lekarstwo w Polsce, 1, 93-97, |
| 369 | FEED7989 | FEED | 7989 | J. Schellberg, B. M. Moseler, W. Kuhbauch and I. F. Rademacher, 1999, Long-term effects of fertilizer on soil nutrient concentration, yield, forage quality and floristic composition of a hay meadow in the Eifel mountains, Germany, Grass and Forage Science, 54, 195-207, |
| 370 | FEED8011 | FEED | 8011 | M. Kasperczyk, 1999, Effect of meadows cutting frequency on the amount of dry mass yields and their abundance in total protein, Scientia Agriculturae Bohemica, 30, 143-147, |
| 371 | FEED8067 | FEED | 8067 | P. Lattemae and U. Tamm, 1997, Relations between yield and nutritive value of grass or grass-legume mixtures at different cutting regimes, Agraarteadus, 8, 66-80, |

| | | | | |
|-----|----------|------|------|--|
| 372 | FEED8193 | FEED | 8193 | J. Baert, D. Reheul and A. Ghesquiere, 1997, Yield and persistence of mixtures composed of diploid and tetraploid perennial ryegrass and of timothy and perennial ryegrass, Breeding for a multifunctional agriculture. Proceedings of the 21st Meeting of the Fodder Crops and Amenity Grasses Section of EUCARPIA, Kartause Ittingen, Switzerland, |
| 373 | FEED8348 | FEED | 8348 | R. J. Stevens and R. J. Laughlin, 1996, Effects of lime and nitrogen fertilizer on two sward types over a 10-year period, Journal of Agricultural Science, 127, 451-461, |
| 374 | FEED8448 | FEED | 8448 | R. C. Binnie, D. J. Kilpatrick and D. M. B. Chestnutt, 1997, Effect of altering the length of the regrowth interval in early, mid and late season on the productivity of grass swards, Journal of Agricultural Science, 128, 303-309, |
| 375 | FEED8524 | FEED | 8524 | A. Hopkins, T. M. Martyn and P. J. Bowling, 1997, Introduction of annual forage species (<i>Secale cereale</i> L. and <i>Lolium multiflorum</i> Lam.) into permanent swards: a technique to improve early season herbage production and nitrogen uptake, Biological Agriculture & Horticulture, 14, 95-105, |
| 376 | FEED8565 | FEED | 8565 | R. L. M. Schils, 1997, Effect of a spring application of nitrogen on the performance of perennial ryegrass-white clover swards at two sites in the Netherlands, Netherlands Journal of Agricultural Science, 45, 263-275, |
| 377 | FEED8636 | FEED | 8636 | A. Mazzanti, G. Lemaire and F. Gastal, 1989, Effect of nitrogen on herbage growth and intake by sheep in continuously grazed swards of tall fescue genotypes, Proceedings of the XVI International Grassland Congress, |
| 378 | FEED8643 | FEED | 8643 | C. Pfitzenmeyer and C. Longueval, 1989, Red clover-hybrid ryegrass associations. Results obtained from 1984 to 1987 in 4 French regions, Proceedings of the XVI International Grassland Congress, 627-628, |
| 379 | FEED8675 | FEED | 8675 | H. Bohus, 1989, Importance of productive grasslands in protected landscape regions, Proceedings of the XVI International Grassland Congress, |
| 380 | FEED8687 | FEED | 8687 | M. Espejo Diaz, J. Bernardo, I. Montero and L. Garcia Barreto, 1989, The influence of some factors on the production of Mediterranean pastures, Proceedings of the XVI International Grassland Congress, |
| 381 | FEED8688 | FEED | 8688 | L. Postiglione, F. Basso, F. Carone and E. d. Falco, 1989, Effect of fertilization on growth rate of a natural pasture in Southern Italy, Proceedings of the XVI International Grassland Congress, |
| 382 | FEED8692 | FEED | 8692 | P. Bullitta, S. Bullitta and P. P. Roggero, 1989, Agronomic methods to increase pastureland production in Mediterranean marginal areas, Proceedings of the XVI International Grassland Congress, |
| 383 | FEED8718 | FEED | 8718 | T. Banskzi, 1995, Results of ten-year N and P nutrition of irrigated poor alkali native <i>Festuca pseudovina</i> , Acta Agronomica Hungarica, 43, 75-85, |
| 384 | FEED8841 | FEED | 8841 | J. M. Estavillo, C. Gonzalez-Murua, G. Besga and M. Rodriguez, 1996, Effect of cow slurry N on herbage productivity, efficiency of N utilization and on white clover content in a natural sward in the Basque Country, Spain, Grass and Forage Science, 51, 1-7, |
| 385 | FEED8854 | FEED | 8854 | G. C. Elisseo, D. S. Veresoglou and A. P. Mamolos, 1995, Vegetation productivity and diversity of acid grasslands in northern Greece as influenced by winter rainfall and limiting nutrients, Acta Oecologica, 16, 687-702, |
| 386 | FEED8961 | FEED | 8961 | S. Bullitta, P. Motroni and L. Sulas, 1993, Plant response to fertilization and sheep grazing on rangeland in Sardinia, Rivista di Agronomia, 27, 67-72, |
| 387 | FEED8971 | FEED | 8971 | A. Hopkins and J. Gilbey, 1995, An evaluation of the performance of two white clover varieties and a resident white clover on an acid, permanent grassland clay soil, Plant Varieties & Seeds, 8, 65-72, |
| 388 | FEED8972 | FEED | 8972 | D. Badia, C. Marti and J. Terreros, 1994, Nutritional value of semi-arid pastures: influence of soil type and grass sowing, Agricultura Mediterranea, 124, 289-300, |
| 389 | FEED8996 | FEED | 8996 | H. Hakkola and P. Nykanen-Kurki, 1994, Effect of nitrogen fertilization and cutting time on the quality and variable costs of red clover and timothy herbage production, Grassland and society. Proceedings of the 15th General Meeting of the European Grassland Federation, |

| | | | | |
|-----|----------|------|------|--|
| 390 | FEED9007 | FEED | 9007 | I. Breazu, G. Oprea, C. Chipur and G. Panga, 1994, Contribution to the N supply in grassland of ten white clover varieties, Grassland and society. Proceedings of the 15th General Meeting of the European Grassland Federation, |
| 391 | FEED9014 | FEED | 9014 | A. Hopkins, P. J. Murray, P. J. Bowling, A. J. Rook and J. Johnson, 1995, Productivity and nitrogen uptake of ageing and newly sown swards of perennial ryegrass (<i>Lolium perenne</i> L.) at different sites and with different nitrogen fertilizer treatments, European Journal of Agronomy, 4, 65-75, |
| 392 | FEED9076 | FEED | 9076 | M. Jorgensen, I. Schjelderup and O. Junttila, 1994, Dry matter production and botanical composition of monocultures and mixtures of meadow fescue (<i>Festuca pratensis</i> Huds.) and timothy (<i>Phleum pratense</i> L.) in field experiments at three locations in northern Norway 1984-89, Norwegian Journal of Agricultural Sciences, 8, 291-299, |
| 393 | FEED9105 | FEED | 9105 | A. L. Nielsen and K. K. Debosz, 1994, Botanical composition, yield and herbage quality of swards of different age on organic meadowlands, Grassland and society. Proceedings of the 15th General Meeting of the European Grassland Federation, |
| 394 | FEED9171 | FEED | 9171 | J. Isselstein, 1993, Influence of slight shading, sward density and nitrogen fertilization on yield and nutritive value of <i>Lolium multiflorum</i> Lam, Journal of Agronomy and Crop Science, 170, 341-347, |
| 395 | FEED9245 | FEED | 9245 | F. W. Kirkham and R. J. Wilkins, 1994, The productivity and response to inorganic fertilizers of species-rich wetland hay meadows on the Somerset Moors: nitrogen response under hay cutting and aftermath grazing, Grass and Forage Science, 49, 152-162, |
| 396 | FEED9247 | FEED | 9247 | A. Mazzanti, G. Lemaire and F. Gastal, 1994, The effect of nitrogen fertilization upon the herbage production of tall fescue swards continuously grazed with sheep. 1. Herbage growth dynamics, Grass and Forage Science, 49, 111-120, |
| 397 | FEED9276 | FEED | 9276 | G. E. J. Fisher, L. J. Baker and D. A. Robertson, 1993, Effects of seed mixture, cutting/grazing and slurry on yield and composition of sown pastures, Grassland management and nature conservation: Proceedings of a joint meeting between the British Grassland Society and the British Ecological Society held at Leeds University, |
| 398 | FEED9330 | FEED | 9330 | J. Y. Chapot and J. Daval, 1992, Stimulation of legumes on a mountain permanent grassland by P, K, Ca, Mg fertilization with or without oversowing of white or red clover, Proceedings, second congress of the European Society for Agronomy, Warwick University, |
| 399 | FEED9363 | FEED | 9363 | A. Frycek, J. Kralovec and K. Prach, 1992, Long-term fertilizing of grassland: productivity and ecological aspects, Scientia Agriculturae Bohemoslovaca, 24, 255-265, |
| 400 | FEED9387 | FEED | 9387 | J. T. Douglas and C. E. Crawford, 1993, The response of a ryegrass sward to wheel traffic and applied nitrogen, Grass and Forage Science, 48, 91-100, |
| 401 | FEED9443 | FEED | 9443 | T. Banszki, 1991, Optimum NPK ratio of a planted grassland, Acta Agronomica Hungarica, 40, 79-85, |
| 402 | FEED9458 | FEED | 9458 | R. C. Binnie and D. M. B. Chestnutt, 1991, Effect of regrowth interval on the productivity of swards defoliated by cutting and grazing, Grass and Forage Science, 46, 343-350, |
| 403 | FEED9566 | FEED | 9566 | K. C. Tyson, E. A. Garwood, A. C. Armstrong and D. Scholefield, 1992, Effects of field drainage on the growth of herbage and the liveweight gain of grazing beef cattle, Grass and Forage Science, 47, 290-301, |
| 404 | FEED9585 | FEED | 9585 | T. Banszki, 1991, The effect of mowing-frequency, N-quantity and watering on irrigated stands, Acta Agronomica Hungarica, 40, 397-407, |
| 405 | FEED9697 | FEED | 9697 | J. Frame, 1991, Herbage production and quality of a range of secondary grass species at five rates of fertilizer nitrogen application, Grass and Forage Science, 46, 139-151, |

| | | | | |
|-----|----------|------|------|--|
| 406 | FEED9717 | FEED | 9717 | T. A. v. Dijk, J. Postmus and W. H. Prins, 1990, Long-term application of farmyard manure on grassland: effects on herbage yield and distribution of N and P in the soil profile, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, |
| 407 | FEED9729 | FEED | 9729 | K. Richter and A. Milimonka, 1990, Influence of sod seeding on the yield and botanical composition of swards on low-bog soil, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, |
| 408 | FEED9740 | FEED | 9740 | T. Banskzi, 1990, Growth dynamics of grasslands with various times of regeneration and rates of nitrogen, Acta Agronomica Hungarica, 39, 367-379, |
| 409 | FEED9745 | FEED | 9745 | J. Habovstiak, R. Holubek, V. Krajcovic and O. Tomka, 1990, Development of semi-natural grasslands under long-term fertilizing on slopes of the West Carpathians, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, |
| 410 | FEED9753 | FEED | 9753 | R. Chakarov, 1990, Improvement of degraded swards by direct oversowing, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, |
| 411 | FEED9757 | FEED | 9757 | S. Grudniewicz and G. Michna, 1990, The effectiveness of microelement dressing on the yield of permanent pasture, conditioned by the level of nitrogen doses in the highland conditions, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, |
| 412 | FEED9788 | FEED | 9788 | T. G. Common, E. A. Hunter, M. J. S. Floate, J. Eadie and J. Hodgson, 1991, The long-term effects of a range of pasture treatments applied to three semi-natural hill grassland communities. 1. Pasture production and botanical composition, Grass and Forage Science, 46, 239-251, |
| 413 | FEED9790 | FEED | 9790 | H. Menzi, H. Blum and J. Nosberger, 1991, Relationship between climatic factors and the dry matter production of swards of different composition at two altitudes, Grass and Forage Science, 46, 223-230, |
| 414 | FEED9792 | FEED | 9792 | N. Petrovski and N. Tsakova, 1990, Influence of the stage of growth of the first cut and the duration of the interval between cuts on the productivity of perennial legume/grass mixture, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, 391-394, |
| 415 | FEED9797 | FEED | 9797 | J. Filipek and M. Kasperczyk, 1990, Response of Dactylis glomerata and Lolium multiflorum to nitrogen fertilization in submontane conditions, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, |
| 416 | FEED9841 | FEED | 9841 | A. Parol and A. Selge, 1990, The productivity of cultivated pastures, their quality and effect on the dairy cows, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, 2, 120-124, |
| 417 | FEED9846 | FEED | 9846 | D. Prvulovic, P. Jovin and S. Djordjevic-Milosevic, 1990, Nutritive value of grass Trifolium repens mixtures and possibility of their use in meat production, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, 2, 79-81, |
| 418 | FEED9859 | FEED | 9859 | A. Bogovin, B. Pilipchuk and V. Kurgak, 1990, Specific characters of perennial grasses and their influence on sown stands productivity, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, |

| | | | | |
|-----|-----------|------|-------|---|
| 419 | FEED9874 | FEED | 9874 | A. Peeters, C. Hendrickx and J. Lambert, 1990, Value and productivity of couch (<i>Elymus repens</i>) meadows for hay and silage in comparison with other types of meadows, Soil grassland animal relationships. Proceedings of 13th general meeting of the European Grassland Federation, Banska Bystrica, Czechoslovakia, June, 2, 188-192, |
| 420 | FEED9923 | FEED | 9923 | N. J. Long and H. I. Gracey, 1990, Herbage production and nitrogen recovery from slurry injection and fertilizer nitrogen application, Grass and Forage Science, 45, 77-82, |
| 421 | FEED9925 | FEED | 9925 | A. Hopkins, J. Gilbey, C. Dibb, P. J. Bowling and P. J. Murray, 1990, Response of permanent and reseeded grassland to fertilizer nitrogen. 1. Herbage production and herbage quality, Grass and Forage Science, 45, 43-55, |
| 422 | FEED9980 | FEED | 9980 | F. Klimes, 1990, Effectiveness of phosphorus in the nutrition of grasslands, Rostlinna Vyroba, 36, 529-535, |
| 423 | FEED9981 | FEED | 9981 | J. Fiala, 1990, Effects of long-continued nitrogen fertilization of nutrient concentration in the soil and herbage of permanent grassland, Rostlinna Vyroba, 36, 519-528, |
| 424 | FEED9982 | FEED | 9982 | F. Turek and L. Kunc, 1990, Changes in some quantitative characteristics of pratocoenoses under different agroecological conditions at differential nutrition, Rostlinna Vyroba, 36, 509-518, |
| 425 | FEED9983 | FEED | 9983 | J. Lesak, 1990, Productivity of grasslands in the Bohemian-Moravian uplands, Rostlinna Vyroba, 36, 501-508, |
| 426 | FEED9984 | FEED | 9984 | J. Kralovec, A. Frycek, K. Toman and J. Balas, 1990, Changes in herbage output from grassland over twenty years, Rostlinna Vyroba, 36, 489-500, |
| 427 | FEED9996 | FEED | 9996 | S. A. Ellis, R. O. Clements and J. S. Bale, 1990, A comparison of the effects of sward improvement on invertebrates, sward establishment and herbage yield, Annals of Applied Biology, 116, 343-356, |
| 428 | FEED10001 | FEED | 10001 | D. R. Evans, T. A. Williams and S. A. Mason, 1990, Contribution of white clover varieties to total sward production under typical farm management, Grass and Forage Science, 45, 129-134, |
| 429 | FEED10022 | FEED | 10022 | J. P. Frost, R. J. Stevens and R. J. Laughlin, 1990, Effect of separation and acidification of cattle slurry on ammonia volatilization and on the efficiency of slurry nitrogen for herbage production, Journal of Agricultural Science, 115, 49-56, |
| 430 | FEED10031 | FEED | 10031 | T. Banskzi, 1990, Fertilization of grasses and mixed grasslands, Acta Agronomica Hungarica, 39, 95-100, |
| 431 | FEED10032 | FEED | 10032 | T. Banskzi, 1990, Fertilization of grasslands with various ratios of legumes, Acta Agronomica Hungarica, 39, 65-71, |
| 432 | FEED10053 | FEED | 10053 | J. R. B. Tallowin, F. W. Kirkham, S. K. E. Brookman and M. Patefield, 1990, Response of an old pasture to applied nitrogen under steady-state continuous grazing, Journal of Agricultural Science, 115, 179-194, |
| 433 | FEED10250 | FEED | 10250 | J. Frame and A. G. Boyd, 1987, The effect of strategic use of fertilizer nitrogen in spring and/or autumn on the productivity of a perennial ryegrass/white clover sward, Grass and Forage Science, 42, 429-438, |
| 434 | FEED10284 | FEED | 10284 | R. J. Stevens, R. J. Laughlin and H. J. Logan, 1987, Interaction between cow slurry and ¹⁵ N-labelled calcium nitrate as fertilisers for ryegrass production, Journal of the Science of Food and Agriculture, 41, 309-314, |
| 435 | FEED10332 | FEED | 10332 | H. G. v. d. Meer, R. B. Thompson, P. J. M. Snijders and J. H. Geurink, 1987, Utilization of nitrogen from injected and surface-spread cattle slurry applied to grassland, Animal manure on grassland and fodder crops. Fertilizer or waste ?; 1987. :47-71. 34 ref., Martinus Nijhoff |
| 436 | FEED10347 | FEED | 10347 | M. Daly, 1987, The effect of fertilizer inputs to permanent pasture and leys on sward production and sheep liveweight gain, Occasional Symposium, British Grassland Society, 21, 139-143, |
| 437 | FEED10390 | FEED | 10390 | E. A. Lantinga, J. A. Keuning, J. Groenwold and P. J. Deenen, 1987, Distribution of excreted nitrogen by grazing cattle and its effects on sward quality, herbage production and utilization, Animal manure on grassland and fodder crops, van der; Unwin, R J ; Dijk, T A van; Ennik, G C) ; 1987, |

| | | | | |
|-----|-----------|------|-------|---|
| 438 | FEED10408 | FEED | 10408 | A. S. Laidlaw and T. A. Stewart, 1987, Clover development in the sixth to ninth year of a grass/clover sward as affected by out-of-season management and spring fertilizer nitrogen application, <i>Research and Development in Agriculture</i> , 4, 155-160, |
| 439 | FEED10469 | FEED | 10469 | A. Rangeley and R. Bolton, 1986, Lime and major nutrient fertilizers required to establish a perennial ryegrass/white clover pasture on a non-calcareous gley in the Scottish uplands, <i>Grass and Forage Science</i> , 41, 323-332, |
| 440 | FEED10475 | FEED | 10475 | B. E. Frankow-Lindberg, 1986, Competition in field-sown swards of lucerne or red clover and timothy, <i>Swedish Journal of Agricultural Research</i> , 16, 119-128, |
| 441 | FEED10520 | FEED | 10520 | J. M. McBratney, 1987, Effect of fertilizer nitrogen on six-year-old red clover/perennial grass swards, <i>Grass and Forage Science</i> , 42, 147-152, |
| 442 | FEED10595 | FEED | 10595 | J. Frame, 1987, The effect of strategic fertilizer nitrogen and date of primary harvest on the productivity of a perennial ryegrass/white clover sward, <i>Grass and Forage Science</i> , 42, 33-42, |
| 443 | FEED10602 | FEED | 10602 | E. D. Williams, 1984, Some effects of fertilizer and frequency of defoliation on the botanical composition and yield of permanent grassland, <i>Grass and Forage Science</i> , 39, 311-315, |
| 444 | FEED10659 | FEED | 10659 | D. Wilman and P. A. Hollington, 1985, Effects of white clover and fertilizer nitrogen on herbage production and chemical composition and soil water, <i>Journal of Agricultural Science, UK</i> , 104, 453-467, |
| 445 | FEED10660 | FEED | 10660 | S. N. Adams, 1984, Some effects of lime, nitrogen and soluble and insoluble phosphate on the yield and mineral composition of established grassland, <i>Journal of Agricultural Science, UK</i> , 102, 219-226, |
| 446 | FEED10736 | FEED | 10736 | B. S. Linzell and D. S. Madge, 1986, Effects of pesticides and fertilizer on invertebrate populations of grass and wheat plots in Kent in relation to productivity and yield, <i>Grass and Forage Science</i> , 41, 159-174, |
| 447 | FEED10777 | FEED | 10777 | M. Hoogerkamp, 1984, The effect of earthworms (Lumbricidae) and "grass sickness" on the productivity of grassland, <i>Verslag, Centrum voor Agrobiologisch Onderzoek</i> ; 1984. (52):71pp. 98 ref., |
| 448 | FEED10810 | FEED | 10810 | M. Santa, 1984, Irrigation of grass - as important component of fodder resources, <i>Pol'nohospodarstvo</i> , 30, 1059-1067, |
| 449 | FEED10819 | FEED | 10819 | A. Smith and P. J. Allcock, 1985, The influence of species diversity on sward yield and quality, <i>Journal of Applied Ecology</i> , 22, 185-198, |
| 450 | FEED10991 | FEED | 10991 | S. A. Ellis, J. S. Bale, H. J. Atkinson and R. O. Clements, 1984, The influence of permanent pasture rejuvenation techniques and pesticide on the incidence of frit fly and yield, <i>Crop protection in northern Britain</i> , |
| 451 | FEED11100 | FEED | 11100 | G. P. Keane, 1982, The annual yield, and its distribution, of some grass cultivars and mixtures, <i>Irish Journal of Agricultural Research</i> , 21, 159-169, |
| 452 | FEED11149 | FEED | 11149 | R. Laissus, 1982, Effect of nitrogen on dry matter yield and clover content of a grass/clover sward, The efficiency of N utilization by grass and legume and on grass/clover swards, 50-56, |
| 453 | FEED11180 | FEED | 11180 | W. Breunig, K. Richter, W. Henkel and G. Schalitz, 1981, Sprinkling irrigation of forage plants under different site conditions in the GDR, <i>Proceedings of the XIV International Grassland Congress, held at Lexington, Kentucky, U.S.A., June</i> , 577-579, |
| 454 | FEED11210 | FEED | 11210 | H. I. Gracey, 1981, Cattle slurry as a source of nutrients for red clover: herbage production and clover contribution, <i>Grass and Forage Science</i> , 36, 291-295, |
| 455 | FEED11212 | FEED | 11212 | R. J. Haggard and N. R. W. Squires, 1982, Slot-seeding investigations. 1. Effect of level of nitrogen fertilizer and row spacing on establishment, herbage growth and quality of perennial ryegrass, <i>Grass and Forage Science</i> , 37, 107-113, |
| 456 | FEED11364 | FEED | 11364 | J. Ashworth, F. V. Widdowson, A. Penny, A. J. Gibbs, R. A. Hodgkinson and M. V. Hewitt, 1982, Results from an experiment on permanent grass evaluating the cumulative effects of aqueous urea, injected alone or with a nitrification inhibitor, with those of 'Nitro-Chalk', <i>Journal of Agricultural Science, UK</i> , 98, 141-154, |

| | | | | |
|-----|-----------|------|-------|---|
| 457 | FEED11416 | FEED | 11416 | R. C. Binnie, D. M. B. Chestnutt and J. C. Murdoch, 1980, The effect of time of initial defoliation and height of defoliation on the productivity of perennial ryegrass swards, <i>Grass and Forage Science</i> , 35, 267-273, |
| 458 | FEED11419 | FEED | 11419 | P. W. Bartholomew, D. L. Easson and D. M. B. Chestnutt, 1981, A comparison of methods of establishing perennial and Italian ryegrasses, <i>Grass and Forage Science</i> , 36, 75-80, |
| 459 | FEED11432 | FEED | 11432 | S. Pulli, 1980, Growth factors and management technique used in relation to the developmental rhythm and yield formation pattern of a pure grass stand, <i>Journal of the Scientific Agricultural Society of Finland</i> , 52, 281-330, |
| 460 | FEED11558 | FEED | 11558 | F. V. Widdowson, A. Penny and E. Bird, 1980, Results from the Rothamsted Reference Experiment. II. Yields of the crops and recoveries of N, P and K from manures and soil, 1971-75, Rothamsted Experimental Station Report for 1979, Part 2.; 1980. :63-75. 5 ref., |
| 461 | FEED11584 | FEED | 11584 | R. J. A. Jones and J. Tinsley, 1980, Hill land studies in the Grampian region of Scotland. 1. Effects of soil parent material, altitude and aspect on the herbage yields, composition and responses to fertilizer treatments in the Upper Don Basin, <i>Journal of Soil Science</i> , 31, 343-370, |
| 462 | FEED11862 | FEED | 11862 | A. Simić, J. Marković, S. Vučković, B. Stojanović, Z. Bijelić, V. Mandić and Z. Dželetović, 2019, The use of different N sources for the treatment of permanent grassland and effect on forage quality, <i>Emirates Journal of Food and Agriculture</i> , 31, 180-187, United Arab Emirates University |
| 463 | FEED12715 | FEED | 12715 | H. Meripõld, U. Tamm, S. Tamm, T. Võsa and L. Edesi, 2017, Fodder galega (<i>Galega orientalis</i> Lam) grass potential as a forage and bioenergy crop, <i>Agronomy Research</i> , 15, 1693-1699, Eesti Pollumajanduslikool |
| 464 | FEED13522 | FEED | 13522 | A. Adamovics, 2014, Productivity and yield quality of white clover - Grass mixed swards depending on cutting frequency, 1, 417-424, International Multidisciplinary Scientific Geoconference |
| 465 | FEED13988 | FEED | 13988 | D. L. Antille, N. J. Hoekstra, M. Ernfors, K. Richards and S. T. J. Lalor, 2013, Evaluation of calcium ammonium nitrate and urea-based fertilisers applied to grassland in Ireland, 5, 4329-4352, American Society of Agricultural and Biological Engineers |
| 466 | FEED14219 | FEED | 14219 | J. Walter, K. Grant, C. Beierkuhnlein, J. Kreyling, M. Weber and A. Jentsch, 2012, Increased rainfall variability reduces biomass and forage quality of temperate grassland largely independent of mowing frequency, <i>Agriculture, Ecosystems and Environment</i> , 148, 1-10, |
| 467 | FEED14492 | FEED | 14492 | T. A. Assaf, W. Beyschlag and J. Isselstein, 2011, The relationship between plant diversity and productivity in natural and in managed grasslands, <i>Applied Ecology and Environmental Research</i> , 9, 157-166, Corvinus University of Budapest |
| 468 | FEED14762 | FEED | 14762 | C. Marty, A. Pornon, N. Escaravage, P. Winterton and T. Lamaze, 2009, Complex interactions between a legume and two grasses in a subalpine meadow, <i>American Journal of Botany</i> , 96, 1814-1820, |
| 469 | FEED16836 | FEED | 16836 | R. Bobbink, 1991, Effects of nutrient enrichment in Dutch chalk grassland, <i>Journal of Applied Ecology</i> , 28, 28-41, |
| 470 | FEED16983 | FEED | 16983 | D. A. Davies, 1987, 1. Pasture production, quality and botanical composition, <i>The Journal of Agricultural Science</i> , 109, 231-241, |
| 471 | GHG53 | GHG | 53 | M. Abdalla, M. Jones, P. Smith and M. Williams, 2009, Nitrous oxide fluxes and denitrification sensitivity to temperature in Irish pasture soils, <i>Soil Use and Management</i> , 25, 376-388, |
| 472 | GHG55 | GHG | 55 | M. Abdalla, S. Kumar, M. Jones, J. Burke and M. Williams, 2011, Testing DNDC model for simulating soil respiration and assessing the effects of climate change on the CO ₂ gas flux from Irish agriculture, <i>Global and Planetary Change</i> , 78, 106-115, |
| 473 | GHG57 | GHG | 57 | M. Abdalla, M. Saunders, A. Hastings, M. Williams, P. Smith, B. Osborne, G. Lanigan and M. B. Jones, 2013, Simulating the impacts of land use in Northwest Europe on Net Ecosystem Exchange (NEE): the role of arable ecosystems, grasslands and forest plantations in climate change mitigation. (Special Issue: Soil as a source and sink for greenhouse gases.), <i>Science of the Total Environment</i> , 465, 325-336, |

| | | | | |
|-----|--------|-----|-----|--|
| 474 | GHG146 | GHG | 146 | V. Allard, J. F. Soussana, R. Falcimagne, P. Berbigier, J. M. Bonnefond, E. Ceschia, P. D'Hour, C. Henault, P. Laville, C. Martin and C. Pinares-Patino, 2007, The role of grazing management for the net biome productivity and greenhouse gas budget (CO ₂ , N ₂ O and CH ₄) of semi-natural grassland. (Special issue: The greenhouse gas balance of grasslands in Europe.), Agriculture, Ecosystems & Environment, 121, 47-58, |
| 475 | GHG298 | GHG | 298 | E. Attard, X. I. Roux, X. Charrier, O. Delfosse, N. Guillaumaud, G. Lemaire and S. Recous, 2016, Delayed and asymmetric responses of soil C pools and N fluxes to grassland/cropland conversions, Soil Biology & Biochemistry, 97, 31-39, |
| 476 | GHG404 | GHG | 404 | G. Barancikova, J. Makovnikova and J. Halas, 2016, Effect of land use change on soil organic carbon, Agriculture, 62, 10-18, |
| 477 | GHG496 | GHG | 496 | M. J. Bell, J. M. Cloy, C. F. E. Topp, B. C. Ball, A. Bagnall, R. M. Rees and D. R. Chadwick, 2016, Quantifying N ₂ O emissions from intensive grassland production: the role of synthetic fertilizer type, application rate, timing and nitrification inhibitors, Journal of Agricultural Science, 154, 812-827, |
| 478 | GHG564 | GHG | 564 | C. Beyer, H. Liebersbach and H. Hoper, 2015, Multiyear greenhouse gas flux measurements on a temperate fen soil used for cropland or grassland, Journal of Plant Nutrition and Soil Science, 178, 99-111, |
| 479 | GHG579 | GHG | 579 | T. Biegemann, R. Loges and F. Taube, 2013, The potential of carbon sequestration and N ₂ O emissions due to different sward ages after grassland re-sowing, Revitalising Grasslands to Sustain our Communities: Proceedings, 22nd International Grassland Congress, |
| 480 | GHG802 | GHG | 802 | C. Buchen, R. Well, M. Helfrich, R. Fuss, M. Kayser, A. Gensior, M. Benke and H. Flessa, 2017, Soil mineral N dynamics and N ₂ O emissions following grassland renewal, Agriculture, Ecosystems & Environment, 246, 325-342, |
| 481 | GHG829 | GHG | 829 | W. Burchill, D. Li, G. Lanigan, M. Williams and J. Humphreys, 2013, Nitrous oxide emissions from white clover based grassland used for dairy production. (Grassland Science in Europe, Volume 18), Proceedings of the 17th Symposium of the European Grassland Federation, Akureyri, Iceland, 23-26 June 2013; 2013 79-81 9 ref, The role of grasslands in a green future |
| 482 | GHG851 | GHG | 851 | K. A. Byrne, G. Kiely and P. Leahy, 2005, CO ₂ fluxes in adjacent new and permanent temperate grasslands, Agricultural and Forest Meteorology, 135, 82-92, |
| 483 | GHG909 | GHG | 909 | L. M. Cardenas, A. Bhogal, D. R. Chadwick, K. McGeough, T. Misselbrook, R. M. Rees, R. E. Thorman, C. J. Watson, J. R. Williams, K. A. Smith and S. Calvet, 2019, Nitrogen use efficiency and nitrous oxide emissions from five UK fertilised grasslands, Science of the Total Environment, 661, 696-710, |
| 484 | GHG913 | GHG | 913 | L. M. Cardenas, R. Thorman, N. Ashlee, M. Butler, D. Chadwick, B. Chambers, S. Cuttle, N. Donovan, H. Kingston, S. Lane, M. S. Dhanoa and D. Scholefield, 2010, Quantifying annual N ₂ O emission fluxes from grazed grassland under a range of inorganic fertiliser nitrogen inputs. (Special Issue: Estimation of nitrous oxide emission from ecosystems and its mitigation technologies.), Agriculture, Ecosystems & Environment, 136, 218-226, |
| 485 | GHG925 | GHG | 925 | R. Carolan and D. A. Fornara, 2016, Soil carbon cycling and storage along a chronosequence of re-seeded grasslands: do soil carbon stocks increase with grassland age?, Agriculture, Ecosystems & Environment, 218, 126-132, |
| 486 | GHG990 | GHG | 990 | D. R. Chadwick, L. M. Cardenas, M. S. Dhanoa, N. Donovan, T. Misselbrook, J. R. Williams, R. E. Thorman, K. L. McGeough, C. J. Watson, M. Bell, S. G. Anthony and R. M. Rees, 2018, The contribution of cattle urine and dung to nitrous oxide emissions: quantification of country specific emission factors and implications for national inventories, Science of the Total Environment, 635, 607-617, |

| | | | | |
|-----|---------|-----|------|--|
| 487 | GHG1023 | GHG | 1023 | H. Chen, S. Marhan, N. Billen and K. Stahr, 2009, Soil organic-carbon and total nitrogen stocks as affected by different land uses in Baden-Wurttemberg (southwest Germany). (Focus Issue: Carbon sequestration in soils under different land use.), <i>Journal of Plant Nutrition and Soil Science</i> , 172, 32-42, |
| 488 | GHG1214 | GHG | 1214 | S. Czobel, L. Horvath, P. Posa, J. Schellenberger, J. Skutai and O. Szirmai, 2017, Dependence of CO ₂ flux on the key abiotic and biotic parameters in semi-natural grasslands either traditionally grazed or excluded from grazing, <i>Applied Ecology and Environmental Research</i> , 15, 15-23, |
| 489 | GHG1364 | GHG | 1364 | K. E. Dobbie, I. P. McTaggart and K. A. Smith, 1999, Nitrous oxide emissions from intensive agricultural systems: variations between crops and seasons, key driving variables, and mean emission factors, <i>Journal of Geophysical Research</i> , 104, 891-26, |
| 490 | GHG1366 | GHG | 1366 | K. E. Dobbie and K. A. Smith, 2003, Nitrous oxide emission factors for agricultural soils in Great Britain: the impact of soil water-filled pore space and other controlling variables, <i>Global Change Biology</i> , 9, 204-218, |
| 491 | GHG1367 | GHG | 1367 | K. E. Dobbie and K. A. Smith, 2003, Impact of different forms of N fertilizer on N ₂ O emissions from intensive grassland, <i>Nutrient Cycling in Agroecosystems</i> , 67, 37-46, |
| 492 | GHG1381 | GHG | 1381 | A. Don, T. Scholten and E. D. Schulze, 2009, Conversion of cropland into grassland: implications for soil organic-carbon stocks in two soils with different texture. (Focus Issue: Carbon sequestration in soils under different land use.), <i>Journal of Plant Nutrition and Soil Science</i> , 172, 53-62, |
| 493 | GHG1429 | GHG | 1429 | V. Dubrovskis, A. Adamovics and I. Plume, 2009, Biogas production from reed canary grass and silage of mixed oats and barley, <i>Latvia University of Agriculture, Faculty of Engineering, Institute of Mechanics</i> |
| 494 | GHG1440 | GHG | 1440 | R. Duffkova, T. Kvitek and J. Voldrichova, 2005, Soil organic carbon and nitrogen characteristics in differently used grasslands at sites with drainage and without drainage, <i>Plant, Soil and Environment</i> , 51, 165-172, |
| 495 | GHG1692 | GHG | 1692 | H. Flessa, U. Wild, M. Klemisch and J. Pfadenhauer, 1998, Nitrous oxide and methane fluxes from organic soils under agriculture, <i>European Journal of Soil Science</i> , 49, 327-335, |
| 496 | GHG1725 | GHG | 1725 | D. A. Fornara, E. A. Wasson, P. Christie and C. J. Watson, 2016, Long-term nutrient fertilization and the carbon balance of permanent grassland: any evidence for sustainable intensification?, <i>Biogeosciences</i> , 13, 4975-4984, |
| 497 | GHG1730 | GHG | 1730 | D. Forster, M. D. Fraser, R. Rowe and N. P. McNamara, 2018, Does sward management affect carbon storage under upland permanent pasture? (Grassland Science in Europe, Volume 23), <i>Sustainable meat and milk production from grasslands. Proceedings of the 27th General Meeting of the European Grassland Federation</i> , Cork, Ireland, |
| 498 | GHG1959 | GHG | 1959 | S. Glatzel and K. Stahr, 2001, Methane and nitrous oxide exchange in differently fertilised grassland in southern Germany, <i>Plant and Soil</i> , 231, 21-35, |
| 499 | GHG2010 | GHG | 2010 | A. Goossens, A. d. Visscher, P. Boeckx and O. v. Cleemput, 2001, Two-year field study on the emission of N ₂ O from coarse and middle-textured Belgian soils with different land use, <i>Nutrient Cycling in Agroecosystems</i> , 60, 23-34, |
| 500 | GHG2071 | GHG | 2071 | A. S. Gregory, J. A. J. Dungait, C. W. Watts, R. Bol, E. R. Dixon, R. P. White and A. P. Whitmore, 2016, Long-term management changes topsoil and subsoil organic carbon and nitrogen dynamics in a temperate agricultural system, <i>European Journal of Soil Science</i> , 67, 421-430, |
| 501 | GHG2216 | GHG | 2216 | S. Hansen, M. E. Bernard, P. Rochette, J. K. Whalen and P. Dorsch, 2014, Nitrous oxide emissions from a fertile grassland in Western Norway following the application of inorganic and organic fertilizers, <i>Nutrient Cycling in Agroecosystems</i> , 98, 71-85, |

| | | | | |
|-----|---------|-----|------|--|
| 502 | GHG2234 | GHG | 2234 | Z. M. Harris, G. Alberti, M. Viger, J. R. Jenkins, R. Rowe, N. P. McNamara and G. Taylor, 2017, Land-use change to bioenergy: grassland to short rotation coppice willow has an improved carbon balance, <i>GCB Bioenergy</i> , 9, 469-484, |
| 503 | GHG2250 | GHG | 2250 | M. A. Harty, P. J. Forrester, C. J. Watson, K. L. McGeough, R. Carolan, C. Elliot, D. Krol, R. J. Laughlin, K. G. Richards and G. J. Lanigan, 2016, Reducing nitrous oxide emissions by changing N fertiliser use from calcium ammonium nitrate (CAN) to urea based formulations, <i>Science of the Total Environment</i> , 563, 576-586, |
| 504 | GHG2259 | GHG | 2259 | J. Hassink and J. J. Neeteson, 1991, Effect of grassland management on the amounts of soil organic N and C, <i>Netherlands Journal of Agricultural Science</i> , 39, 225-236, |
| 505 | GHG2330 | GHG | 2330 | M. Herbst, T. Friborg, R. Ringgaard and H. Soegaard, 2011, Catchment-wide atmospheric greenhouse gas exchange as influenced by land use diversity. (Special Section: HOBE.), <i>Vadose Zone Journal</i> , 10, 67-77, |
| 506 | GHG2333 | GHG | 2333 | S. Hermle, T. Anken, J. Leifeld and P. Weisskopf, 2008, The effect of the tillage system on soil organic carbon content under moist, cold-temperate conditions, <i>Soil & Tillage Research</i> , 98, 94-105, |
| 507 | GHG2461 | GHG | 2461 | L. Horvath, B. Grosz, A. Machon, Z. Tuba, Z. Nagy, S. Z. Czobel, J. Balogh, E. Peli, S. Z. Foti, T. Weidinger, K. Pinter and E. Fuhrer, 2010, Estimation of nitrous oxide emission from Hungarian semi-arid sandy and loess grasslands; effect of soil parameters, grazing, irrigation and use of fertilizer, <i>Agriculture, Ecosystems & Environment</i> , 139, 255-263, |
| 508 | GHG2530 | GHG | 2530 | B. P. Hyde, M. J. Hawkins, A. F. Fanning, D. Noonan, M. Ryan, P. O'Toole and O. T. Carton, 2006, Nitrous oxide emissions from a fertilized and grazed grassland in the South East of Ireland, <i>Nutrient Cycling in Agroecosystems</i> , 75, 187-200, |
| 509 | GHG2706 | GHG | 2706 | S. K. Jones, R. M. Rees, D. Kosmas, B. C. Ball and U. M. Skiba, 2006, Carbon sequestration in a temperate grassland; management and climatic controls, <i>Soil Use and Management</i> , 22, 132-142, |
| 510 | GHG2769 | GHG | 2769 | C. Kammann, L. Grunhage, C. Muller, S. Jacobi and H. J. Jager, 1998, Seasonal variability and mitigation options for N ₂ O emissions from differently managed grasslands, <i>Environmental Pollution</i> , 102, 179-186, |
| 511 | GHG3241 | GHG | 3241 | D. Li, G. Lanigan and J. Humphreys, 2011, Measured and simulated nitrous oxide emissions from ryegrass- and ryegrass/white clover-based grasslands in a moist temperate climate, <i>PLoS ONE</i> , 61, |
| 512 | GHG3261 | GHG | 3261 | D. Linsler, D. Geisseler, R. Loges, F. Taube and B. Ludwig, 2013, Temporal dynamics of soil organic matter composition and aggregate distribution in permanent grassland after a single tillage event in a temperate climate, <i>Soil & Tillage Research</i> , 126, 90-99, |
| 513 | GHG3647 | GHG | 3647 | L. Merbold, W. Eugster, J. Stieger, M. Zahniser, D. Nelson and N. Buchmann, 2014, Greenhouse gas budget (CO ₂ , CH ₄ and N ₂ O) of intensively managed grassland following restoration, <i>Global Change Biology</i> , 20, 1913-1928, |
| 514 | GHG3689 | GHG | 3689 | A. Miechowka, M. Gasiorek, A. Jozefowska and P. Zadrozny, 2012, Carbon stocks in little and Silesian beskids soils agricultural use, <i>Polish Journal of Soil Science</i> , 45, 185-195, |
| 515 | GHG3727 | GHG | 3727 | M. Mishurov and G. Kiely, 2010, Nitrous oxide flux dynamics of grassland undergoing afforestation, <i>Agriculture, Ecosystems & Environment</i> , 139, 59-65, |
| 516 | GHG3743 | GHG | 3743 | B. Mogge, E. A. Kaiser and J. C. Munch, 1999, Nitrous oxide emissions and denitrification N-losses from agricultural soils in the Bornhoved Lake region: influence of organic fertilizers and land-use, <i>Soil Biology & Biochemistry</i> , 31, 1245-1252, |
| 517 | GHG3763 | GHG | 3763 | F. Montane, P. Rovira and P. Casals, 2007, Shrub encroachment into mesic mountain grasslands in the Iberian peninsula: effects of plant quality and temperature on soil C and N stocks, <i>Global Biogeochemical Cycles</i> , 21, |

| | | | | |
|-----|---------|-----|------|--|
| 518 | GHG3813 | GHG | 3813 | L. G. d. I. Motte, E. Jerome, O. Mamadou, Y. Beckers, B. Bodson, B. Heinesch and M. Aubinet, 2016, Carbon balance of an intensively grazed permanent grassland in southern Belgium, <i>Agricultural and Forest Meteorology</i> , 228, 370-383, |
| 519 | GHG3821 | GHG | 3821 | C. W. Mueller and I. Koegel-Knabner, 2009, Soil organic carbon stocks, distribution, and composition affected by historic land use changes on adjacent sites, <i>Biology and Fertility of Soils</i> , 45, 347-359, |
| 520 | GHG3869 | GHG | 3869 | E. Nadal-Romero, I. Otal-Lain, T. Lasanta, P. Sanchez-Navarrete, P. Errea and E. Cammeraat, 2018, Woody encroachment and soil carbon stocks in subalpine areas in the Central Spanish Pyrenees, <i>Science of the Total Environment</i> , 636, 727-736, |
| 521 | GHG3879 | GHG | 3879 | M. Nagler, V. Fontana, G. J. Lair, A. Radtke, E. Tasser, S. Zerbe and U. Tappeiner, 2015, Different management of larch grasslands in the European Alps shows low impact on above- and belowground carbon stocks, <i>Agriculture, Ecosystems & Environment</i> , 213, 186-193, |
| 522 | GHG3900 | GHG | 3900 | M. Necpalova, I. Casey and J. Humphreys, 2013, Effect of ploughing and reseeded of permanent grassland on soil N, N leaching and nitrous oxide emissions from a clay-loam soil, <i>Nutrient Cycling in Agroecosystems</i> , 95, 305-317, |
| 523 | GHG3902 | GHG | 3902 | M. Necpalova, D. Li, G. Lanigan, I. A. Casey, E. Fitzgerald, W. Burchill and J. Humphreys, 2012, Changes in soil organic carbon in clay-loam soil following ploughing and reseeded of permanent grassland under moist temperate climatic conditions. (<i>Grassland Science in Europe</i> , Volume 17), Polskie Towarzystwo Lakarskie (Polish Grassland Society) |
| 524 | GHG4024 | GHG | 4024 | A. Nusse, D. Linsler, R. Loges, T. Reinsch, F. Taube and B. Ludwig, 2018, Effect of grassland harvesting frequency and N-fertilization on stocks and dynamics of soil organic matter in the temperate climate, <i>Archives of Agronomy and Soil Science</i> , 64, 1925-1931, |
| 525 | GHG4031 | GHG | 4031 | H. R. Oberholzer, J. Leifeld and J. Mayer, 2014, Changes in soil carbon and crop yield over 60 years in the Zurich Organic Fertilization Experiment, following land-use change from grassland to cropland, <i>Journal of Plant Nutrition and Soil Science</i> , 177, 696-704, |
| 526 | GHG4198 | GHG | 4198 | R. Papini, G. Valboa, F. Favilli and G. L'Abate, 2011, Influence of land use on organic carbon pool and chemical properties of Vertic Cambisols in central and southern Italy, <i>Agriculture, Ecosystems & Environment</i> , 140, 68-79, |
| 527 | GHG4301 | GHG | 4301 | G. Pellis, T. Chiti, A. Rey, J. C. Yuste, C. Trotta and D. Papale, 2019, The ecosystem carbon sink implications of mountain forest expansion into abandoned grazing land: the role of subsoil and climatic factors, <i>Science of the Total Environment</i> , 672, 106-120, |
| 528 | GHG4315 | GHG | 4315 | J. S. Pereira, J. A. Mateus, L. M. Aires, G. Pita, C. Pio, J. S. David, V. Andrade, J. Banza, T. S. David, T. A. Paco and A. Rodrigues, 2007, Net ecosystem carbon exchange in three contrasting Mediterranean ecosystems - the effect of drought, <i>Biogeosciences</i> , 4, 791-802, |
| 529 | GHG4413 | GHG | 4413 | C. Poeplau, D. Zopf, B. Greiner, R. Geerts, H. Korvaar, U. Thumm, A. Don, A. Heidkamp and H. Flessa, 2018, Why does mineral fertilization increase soil carbon stocks in temperate grasslands?, <i>Agriculture, Ecosystems & Environment</i> , 265, 144-155, |
| 530 | GHG4423 | GHG | 4423 | A. v. d. Pol-van Dasselaar, M. L. v. Beusichem and O. Oenema, 1997, Effects of grassland management on the emission of methane from intensively managed grasslands on peat soil, <i>Plant and Soil</i> , 189, 1-9, |
| 531 | GHG4449 | GHG | 4449 | L. Pospisilova, M. Habova, V. Vlcek, J. Jandak, L. Mensik and G. Barancikova, 2018, Carbon dynamic after conversion of permanent grassland into arable soil, <i>Agriculturae Conspectus Scientificus</i> , 83, 25-30, |
| 532 | GHG4479 | GHG | 4479 | A. K. Prescher, T. Grunwald and C. Bernhofer, 2010, Land use regulates carbon budgets in eastern Germany: from NEE to NBP, <i>Agricultural and Forest Meteorology</i> , 150, 1016-1025, |

| | | | | |
|-----|---------|-----|------|--|
| 533 | GHG4522 | GHG | 4522 | M. M. Pulleman, J. Six, N. v. Breemen and A. G. Jongmans, 2005, Soil organic matter distribution and microaggregate characteristics as affected by agricultural management and earthworm activity, <i>European Journal of Soil Science</i> , 56, 453-467, |
| 534 | GHG4548 | GHG | 4548 | R. Rafique, D. Hennessy and G. Kiely, 2011, Nitrous oxide emission from grazed grassland under different management systems, <i>Ecosystems</i> , 14, 563-582, |
| 535 | GHG4549 | GHG | 4549 | R. Rafique, M. Peichl, D. Hennessy and G. Kiely, 2011, Evaluating management effects on nitrous oxide emissions from grasslands using the process-based DeNitrification-DeComposition (DNDC) model, <i>Atmospheric Environment</i> , 45, 6029-6039, |
| 536 | GHG4584 | GHG | 4584 | J. Rasmussen, J. Eriksen, E. M. Hansen and B. T. Christensen, 2008, Carbon sequestration and residual effect of differently aged grass leys, <i>DJF Rapport</i> , Markbrug, 137, 40-43, |
| 537 | GHG4607 | GHG | 4607 | R. Rees, S. Jones, R. E. Thorman, I. McTaggart, B. Ball and U. Skiba, 2004, The effect of organic and mineral nitrogen fertilisers on emissions of NO ₂ and CH ₄ from cut grassland, Wageningen Academic Publishers |
| 538 | GHG4616 | GHG | 4616 | K. Regina, E. Syvasalo, A. Hannukkala and M. Esala, 2004, Fluxes of N ₂ O from farmed peat soils in Finland, <i>European Journal of Soil Science</i> , 55, 591-599, |
| 539 | GHG4620 | GHG | 4620 | A. Reijneveld, J. v. Wensem and O. Oenema, 2009, Soil organic carbon contents of agricultural land in the Netherlands between 1984 and 2004, <i>Geoderma</i> , 152, 231-238, |
| 540 | GHG4624 | GHG | 4624 | T. Reinsch, R. Loges, C. Kluss and F. Taube, 2018, Renovation and conversion of permanent grass-clover swards to pasture or crops: effects on annual N ₂ O emissions in the year after ploughing, <i>Soil & Tillage Research</i> , 175, 119-129, |
| 541 | GHG4691 | GHG | 4691 | A. C. Risch, M. F. Jurgensen, D. S. Page-Dumroese, O. Wildi and M. Schutz, 2008, Long-term development of above- and below-ground carbon stocks following land-use change in subalpine ecosystems of the Swiss National Park, <i>Canadian Journal of Forest Research</i> , 38, 1590-1602, |
| 542 | GHG4725 | GHG | 4725 | J. C. Rodriguez-Murillo, 2001, Organic carbon content under different types of land use and soil in peninsular Spain, <i>Biology and Fertility of Soils</i> , 33, 53-61, |
| 543 | GHG4746 | GHG | 4746 | P. F. A. M. Romkens, J. v. d. Plicht and J. Hassink, 1999, Soil organic matter dynamics after the conversion of arable land to pasture, <i>Biology and Fertility of Soils</i> , 28, 277-284, |
| 544 | GHG4931 | GHG | 4931 | K. Schelde, P. Cellier, T. Bertolini, T. Dalgaard, T. Weidinger, M. R. Theobald and J. E. Olesen, 2012, Spatial and temporal variability of nitrous oxide emissions in a mixed farming landscape of Denmark, <i>Biogeosciences</i> , 9, 2989-3002, |
| 545 | GHG4946 | GHG | 4946 | R. L. M. Schils, J. W. v. Groenigen, G. L. Velthof and P. J. Kuikman, 2008, Nitrous oxide emissions from multiple combined applications of fertiliser and cattle slurry to grassland, <i>Plant and Soil</i> , 310, 89-101, |
| 546 | GHG4947 | GHG | 4947 | R. L. M. Schils, J. W. v. Groenigen, G. L. Velthof and P. J. Kuikman, 2010, Fertilising practices to reduce nitrous oxide emissions from managed grasslands. (Grassland Science in Europe, Volume 15), Mecke Druck und Verlag |
| 547 | GHG4959 | GHG | 4959 | M. Schmeer, R. Loges, K. Dittert, M. Senbayram, R. Horn and F. Taube, 2014, Legume-based forage production systems reduce nitrous oxide emissions, <i>Soil & Tillage Research</i> , 143, 17-25, |
| 548 | GHG5043 | GHG | 5043 | S. Seremesic, V. Ciric, D. Milosev, J. Vasin and I. Djalovic, 2017, Changes in soil carbon stock under the wheat-based cropping systems at Vojvodina province of Serbia, <i>Archives of Agronomy and Soil Science</i> , 63, 388-402, |
| 549 | GHG5098 | GHG | 5098 | A. Shvaleva, F. Costa e Silva, J. M. Costa, A. Correia, M. Anderson, R. Lobo-do-Vale, D. Fangueiro, C. Bicho, J. S. Pereira, M. M. Chaves, U. Skiba and C. Cruz, 2014, Comparison of methane, nitrous oxide fluxes and CO ₂ respiration rates from a Mediterranean cork oak ecosystem and improved pasture, <i>Plant and Soil</i> , 374, 883-898, |

| | | | | |
|-----|---------|-----|------|---|
| 550 | GHG5167 | GHG | 5167 | U. Skiba, J. Drewer, Y. S. Tang, N. v. Dijk, C. Helfter, E. Nemitz, D. Famulari, J. N. Cape, S. K. Jones, M. Twigg, M. Pihlatie, T. Vesala, K. S. Larsen, M. S. Carter, P. Ambus, A. Ibrom, C. Beier, A. Hensen, A. Frumau, J. W. Erisman, N. Bruggemann, R. Gasche, K. Butterbach-Bahl, A. Neftel, C. Spirig and L. Horvath, 2009, Biosphere-atmosphere exchange of reactive nitrogen and greenhouse gases at the NitroEurope core flux measurement sites: measurement strategy and first data sets. (Special Issue: Reactive nitrogen in agroecosystems: integration with greenhouse gas interactions.), <i>Agriculture, Ecosystems & Environment</i> , 133, 139-149, |
| 551 | GHG5190 | GHG | 5190 | A. Slepeliene, J. Slepetyus, I. Liaudanskiene, V. Maryganova, F. Kavoliute and I. Kinderiene, 2008, The effect of land use on the soil carbon, total and extractable SOM. (Special issue: 50th anniversary of the Lithuanian Soil Science Society), <i>Zemes ukio Mokslai</i> , 15, 42-46, |
| 552 | GHG5205 | GHG | 5205 | K. A. Smith, K. E. Dobbie, R. Thorman, C. J. Watson, D. R. Chadwick, S. Yamulki and B. C. Ball, 2012, The effect of N fertilizer forms on nitrous oxide emissions from UK arable land and grassland, <i>Nutrient Cycling in Agroecosystems</i> , 93, 127-149, |
| 553 | GHG5263 | GHG | 5263 | M. V. Sorensen, R. Strimbeck, K. O. Nystuen, R. E. Kapas, B. J. Enquist and B. J. Graae, 2018, Draining the pool? Carbon storage and fluxes in three alpine plant communities, <i>Ecosystems</i> , 21, 316-330, |
| 554 | GHG5294 | GHG | 5294 | J. D. M. Speed, V. Martinsen, A. Myrsetrud, J. Mulder, O. Holand and G. Austrheim, 2014, Long-term increase in aboveground carbon stocks following exclusion of grazers and forest establishment in an alpine ecosystem, <i>Ecosystems</i> , 17, 1138-1150, |
| 555 | GHG5393 | GHG | 5393 | F. Stumpf, A. Keller, K. Schmidt, A. Mayr, A. Gubler and M. Schaepman, 2018, Spatio-temporal land use dynamics and soil organic carbon in Swiss agroecosystems, <i>Agriculture, Ecosystems & Environment</i> , 258, 129-142, |
| 556 | GHG5550 | GHG | 5550 | A. Thuille, N. Buchmann and E. D. Schulze, 2000, Carbon stocks and soil respiration rates during deforestation, grassland use and subsequent Norway spruce afforestation in the Southern Alps, Italy, <i>Tree Physiology</i> , 20, 849-857, |
| 557 | GHG5559 | GHG | 5559 | J. Tilsner, N. Wrage, J. Lauf and G. Gebauer, 2003, Emission of gaseous nitrogen oxides from an extensively managed grassland in NE Bavaria, Germany. I. Annual budgets of N_2O and NO_x emissions, <i>Biogeochemistry</i> , 63, 229-247, |
| 558 | GHG5686 | GHG | 5686 | M. A. Upson, P. J. Burgess and J. I. L. Morison, 2016, Soil carbon changes after establishing woodland and agroforestry trees in a grazed pasture, <i>Geoderma</i> , 283, 10-20, |
| 559 | GHG5761 | GHG | 5761 | G. L. Velthof, A. B. Brader and O. Oenema, 1996, Seasonal variations in nitrous oxide losses from managed grasslands in the Netherlands, <i>Plant and Soil</i> , 181, 263-274, |
| 560 | GHG5768 | GHG | 5768 | G. L. Velthof and J. Mosquera, 2011, The impact of slurry application technique on nitrous oxide emission from agricultural soils, <i>Agriculture, Ecosystems & Environment</i> , 140, 298-308, |
| 561 | GHG5769 | GHG | 5769 | G. L. Velthof and O. Oenema, 1993, Nitrous oxide emission from grasslands on sand, clay and peat soils in the Netherlands, <i>Non CO_2 greenhouse gases: Why and how to control? Proceedings of an international symposium</i> , Maastricht, Netherlands, |
| 562 | GHG5830 | GHG | 5830 | P. Virkajarvi, M. Maljanen, K. Saarijarvi, J. Haapala and P. J. Martikainen, 2010, N_2O emissions from boreal grass and grass - clover pasture soils, <i>Agriculture, Ecosystems & Environment</i> , 137, 59-67, |
| 563 | GHG5851 | GHG | 5851 | M. Volk, J. Enderle and S. Bassin, 2016, Subalpine grassland carbon balance during 7 years of increased atmospheric N deposition, <i>Biogeosciences</i> , 13, 3807-3817, |
| 564 | GHG5860 | GHG | 5860 | P. v. d. Vreken, A. Gobin, S. Baken, L. v. Holm, A. Verhasselt, E. Smolders and R. Merckx, 2016, Crop residue management and oxalate-extractable iron and aluminium explain long-term soil organic carbon sequestration and dynamics, <i>European Journal of Soil Science</i> , 67, 332-340, |

| | | | | |
|-----|----------|-----|-------|--|
| 565 | GHG5898 | GHG | 5898 | K. Walter, A. Don and H. Flessa, 2015, Net N ₂ O and CH ₄ soil fluxes of annual and perennial bioenergy crops in two central German regions, <i>Biomass and Bioenergy</i> , 81, 556-567, |
| 566 | GHG5911 | GHG | 5911 | S. E. Ward, S. M. Smart, H. Quirk, J. R. B. Tallwin, S. R. Mortimer, R. S. Shiel, A. Wilby and R. D. Bardgett, 2016, Legacy effects of grassland management on soil carbon to depth, <i>Global Change Biology</i> , 22, 2929-2938, |
| 567 | GHG5912 | GHG | 5912 | M. Warda, 2004, The effect of sward type on the content of organic matter in a peat-muck soil. (<i>Grassland Science in Europe Volume 9</i>), vdf Hochschulverlag AG an der ETH Zurich |
| 568 | GHG5941 | GHG | 5941 | J. Webb, P. J. Loveland, B. J. Chambers, R. Mitchell and T. Garwood, 2001, The impact of modern farming practices on soil fertility and quality in England and Wales, <i>Journal of Agricultural Science</i> , 137, 127-138, |
| 569 | GHG5990 | GHG | 5990 | M. Wiesmeier, R. Hubner, F. Barthold, P. Sporlein, U. Geuss, E. Hangen, A. Reischl, B. Schilling, M. v. Lutzow and I. Kogel-Knabner, 2013, Amount, distribution and driving factors of soil organic carbon and nitrogen in cropland and grassland soils of southeast Germany (Bavaria), <i>Agriculture, Ecosystems & Environment</i> , 176, 39-52, |
| 570 | GHG5997 | GHG | 5997 | M. Wiesmeier, P. Sporlein, U. Geuss, E. Hangen, S. Haug, A. Reischl, B. Schilling, M. v. Lutzow and I. Kogel-Knabner, 2012, Soil organic carbon stocks in southeast Germany (Bavaria) as affected by land use, soil type and sampling depth, <i>Global Change Biology</i> , 18, 2233-2245, |
| 571 | GHG6009 | GHG | 6009 | B. A. Willaarts, C. Oyonarte, M. Munoz-Rojas, J. J. Ibanez and P. A. Aguilera, 2016, Environmental factors controlling soil organic carbon stocks in two contrasting Mediterranean climatic areas of Southern Spain, <i>Land Degradation & Development</i> , 27, 603-611, |
| 572 | GHG6167 | GHG | 6167 | M. J. Zeeman, R. Hiller, A. K. Gilgen, P. Michna, P. Pluss, N. Buchmann and W. Eugster, 2010, Management and climate impacts on net CO ₂ fluxes and carbon budgets of three grasslands along an elevational gradient in Switzerland, <i>Agricultural and Forest Meteorology</i> , 150, 519-530, |
| 573 | GHG6185 | GHG | 6185 | M. Zhiyanski, M. Glushkova and L. Kirova, 2017, Quantitative and qualitative features of soil humus in mountain treeline ecosystems, <i>Silva Balcanica</i> , 18, 5-23, |
| 574 | GHG7526 | GHG | 7526 | D. A. Fornara, L. Banin and M. J. Crawley, 2013, Multi-nutrient vs. nitrogen-only effects on carbon sequestration in grassland soils, <i>Global Change Biology</i> , 19, 3848-3857, |
| 575 | GHG8216 | GHG | 8216 | S. K. Jones, R. M. Rees, U. M. Skiba and B. C. Ball, 2005, Greenhouse gas emissions from a managed grassland, <i>Global and Planetary Change</i> , 47, 201-211, |
| 576 | GHG8986 | GHG | 8986 | A. Miechówka, A. Józefowska, M. Gasiorek and P. Zadrozny, 2011, Organic carbon stocks in differently used agricultural soils of Cie{ogonek}zkowickie foothills, <i>Polish Journal of Soil Science</i> , 44, 11-17, |
| 577 | GHG9060 | GHG | 9060 | F. Morari, E. Lugato, A. Berti and L. Giardini, 2006, Long-term effects of recommended management practices on soil carbon changes and sequestration in north-eastern Italy, <i>Soil Use and Management</i> , 22, 71-81, |
| 578 | GHG9114 | GHG | 9114 | R. Murugan, R. Loges, F. Taube, A. Sradnick and R. G. Joergensen, 2014, Changes in Soil Microbial Biomass and Residual Indices as Ecological Indicators of Land Use Change in Temperate Permanent Grassland, <i>Microbial Ecology</i> , 67, 907-918, Springer New York LLC |
| 579 | GHG9155 | GHG | 9155 | R. Neger, A. Beylich and N. Fohrer, 2016, Long-term monitoring of soil quality changes in Northern Germany, <i>Geoderma Regional</i> , 7, 239-249, Elsevier B.V. |
| 580 | GHG10440 | GHG | 10440 | A. Van Dasselaaar and O. Oenema, 1995, Effects of grassland management on the emission of methane from grassland on peat soils, <i>Studies in Environmental Science</i> , 65, 577-580, |
| 581 | GHG10502 | GHG | 10502 | E. Varolo, D. Zanutelli, M. Tagliavini, S. Zerbe and L. Montagnani, 2015, Net ecosystem production in a Little Ice Age moraine: The role of plant functional traits, <i>Biogeosciences Discussions</i> , 12, 10271-10310, Copernicus GmbH |

| | | | | |
|-----|----------|-------|-----|--|
| 582 | WATER16 | WATER | 16 | A. Bhogal, D. V. Murphy, S. Fortune, M. A. Shepherd, D. J. Hatch, S. C. Jarvis, J. L. Gaunt and K. W. T. Goulding, 2000, Distribution of nitrogen pools in the soil profile of undisturbed and reseeded grasslands, <i>Biology and Fertility of Soils</i> , 30, 356-362, |
| 583 | WATER40 | WATER | 40 | T. A. v. Dijk, J. Postmus and W. H. Prins, 1990, Long-term application of farmyard manure on grassland: effects on herbage yield and distribution of N and P in the soil profile, <i>Mestoffen</i> , 29-32, |
| 584 | WATER48 | WATER | 48 | J. Prochazka, J. Pokorny, A. Vacha, K. Novotna and M. Kobesova, 2019, Land cover effect on water discharge, matter losses and surface temperature: results of 20 years monitoring in the Sumava Mts, <i>Ecological Engineering</i> , 127, 220-234, |
| 585 | WATER89 | WATER | 89 | T. B. Ramos, H. Darouich, M. C. Goncalves, D. Brito, M. A. C. Branco, J. C. Martins, M. L. Fernandes, F. P. Pires, M. Morais and R. Neves, 2018, An integrated analysis of the eutrophication process in the Enxoe reservoir within the DPSIR framework, <i>Water</i> , 10, |
| 586 | WATER130 | WATER | 130 | M. Stutter and S. Richards, 2018, A novel approach to evaluating relationships between soil test and runoff P at landscape scales by integrating farmer knowledge on soil drains, <i>Agriculture, Ecosystems & Environment</i> , 254, 179-190, |
| 587 | WATER132 | WATER | 132 | W. H. Prins, 1984, Limits to nitrogen fertilizer on grassland, <i>Netherlands Journal of Agricultural Science</i> , 32, 319-321, |
| 588 | WATER139 | WATER | 139 | J. Barszczewski, 2017, Diversified fertilization and its effect on yields and the content of mineral nitrogen forms in soil and ground water, <i>Journal of Research and Applications in Agricultural Engineering</i> , 62, 13-20, |
| 589 | WATER168 | WATER | 168 | L. v. Vooren, B. Reubens, S. Broekx, D. Reheul and K. Verheyen, 2018, Assessing the impact of grassland management extensification in temperate areas on multiple ecosystem services and biodiversity, <i>Agriculture, Ecosystems & Environment</i> , 267, 201-212, |
| 590 | WATER173 | WATER | 173 | A. Watros, P. Tkaczyk, H. Lipinska, W. Lipinski, J. Krzyszczak, P. Baranowski and M. S. Brodowska, 2019, Mineral nitrogen content in soils depending on land use and agronomic category, <i>Applied Ecology and Environmental Research</i> , 17, 5663-5675, |
| 591 | WATER218 | WATER | 218 | R. Loges, S. Mues, C. Kluss, T. Reinsch, H. Lorenz, J. Humphreys and F. Taube, 2018, Eco-efficient milk production in northern Germany inspired by the Irish rotational grazing system. (Grassland Science in Europe, Volume 23), Sustainable meat and milk production from grasslands. Proceedings of the 27th General Meeting of the European Grassland Federation, Cork, Ireland, |
| 592 | WATER238 | WATER | 238 | P. Formánek, K. Rejšek, V. Vranová and M. V. Marek, 2008, Bio-available amino acids and mineral nitrogen forms in soil of moderately mown and abandoned mountain meadows, <i>Amino Acids</i> , 34, 301-306, |
| 593 | WATER269 | WATER | 269 | J. Jonczak, 2014, Effect of land use on the carbon and nitrogen forms in humic horizons of stagnic luvisols, <i>Journal of Elementology</i> , 19, 1037-1048, Polish Society Magnesium Research |
| 594 | WATER385 | WATER | 385 | C. Buchen, R. Well, M. Helfrich, R. Fuss, M. Kayser, A. Gensior, M. Benke and H. Flessa, 2017, Soil mineral N dynamics and N ₂ O emissions following grassland renewal, <i>Agriculture, Ecosystems & Environment</i> , 246, 325-342, |
| 595 | WATER427 | WATER | 427 | H. Bilosova, B. Sarapatka, M. Styrova, P. Micova and M. Svozilova, 2017, Nitrogen leaching from grassland ecosystems managed with organic fertilizers at different stocking rates, <i>Archives of Agronomy and Soil Science</i> , 63, 1535-1545, |
| 596 | WATER442 | WATER | 442 | J. Fu, R. Gasche, N. Wang, H. Lu, K. Butterbach-Bahl and R. Kiese, 2017, Impacts of climate and management on water balance and nitrogen leaching from montane grassland soils of S-Germany, <i>Environmental Pollution</i> , 229, 119-131, |
| 597 | WATER443 | WATER | 443 | T. Reinsch, R. Loges, C. Kluss and F. Taube, 2018, Renovation and conversion of permanent grass-clover swards to pasture or crops: effects on annual N ₂ O emissions in the year after ploughing, <i>Soil & Tillage Research</i> , 175, 119-129, |

| | | | | |
|-----|-----------|-------|------|--|
| 598 | WATER572 | WATER | 572 | A. Bhogal, J. R. Williams, F. A. Nicholson, D. R. Chadwick, K. H. Chambers and B. J. Chambers, 2016, Mineralization of organic nitrogen from farm manure applications. (Special Issue: In memory of Professor Brian J. Chambers.), <i>Soil Use and Management</i> , 32, 32-43, |
| 599 | WATER618 | WATER | 618 | T. Buhlmann, C. Korner and E. Hiltbrunner, 2016, Shrub expansion of <i>Alnus viridis</i> drives former montane grassland into nitrogen saturation, <i>Ecosystems</i> , 19, 968-985, |
| 600 | WATER684 | WATER | 684 | P. E. Mellander, A. R. Melland, P. N. C. Murphy, D. P. Wall, G. Shortle and P. Jordan, 2014, Coupling of surface water and groundwater nitrate-N dynamics in two permeable agricultural catchments, <i>Journal of Agricultural Science</i> , 152, S107-S124, |
| 601 | WATER690 | WATER | 690 | A. Povilaitis, A. Sileika, J. Deelstra, K. Gaigalis and G. Baigys, 2014, Nitrogen losses from small agricultural catchments in Lithuania. (Special Issue: Nitrogen losses from agriculture in the Baltic Sea region.), <i>Agriculture, Ecosystems & Environment</i> , 198, 54-64, |
| 602 | WATER691 | WATER | 691 | M. Bechmann, 2014, Long-term monitoring of nitrogen in surface and subsurface runoff from small agricultural dominated catchments in Norway. (Special Issue: Nitrogen losses from agriculture in the Baltic Sea region.), <i>Agriculture, Ecosystems & Environment</i> , 198, 13-24, |
| 603 | WATER728 | WATER | 728 | K. G. Richards, M. M. R. Jahangir, M. Drennan, J. J. Lenahan, J. Connolly, C. Brophy and O. T. Carton, 2015, Effect of an agri-environmental measure on nitrate leaching from a beef farming system in Ireland, <i>Agriculture, Ecosystems & Environment</i> , 202, 17-24, |
| 604 | WATER887 | WATER | 887 | M. Tampere, K. Kauer, I. Keres, E. Loit, A. Selge, R. Viiralt and H. Raave, 2015, The effect of fertilizer and N application rate on nitrogen and potassium leaching in cut grassland, <i>Zemdirbyste</i> , 102, 381-388, |
| 605 | WATER895 | WATER | 895 | A. Nawrath, J. Elbl, A. Kintl, J. Zahora and J. Skladanka, 2013, The efficiency of nutrient utilization by permanent grassland in the Kamenicky locality, <i>Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis</i> , 61, 1799-1806, |
| 606 | WATER976 | WATER | 976 | E. Riedener, H. P. Rusterholz and B. Baur, 2014, Land-use abandonment owing to irrigation cessation affects the biodiversity of hay meadows in an arid mountain region, <i>Agriculture, Ecosystems & Environment</i> , 185, 144-152, |
| 607 | WATER1122 | WATER | 1122 | L. Ondrasek and J. Cunderlik, 2012, Changes in a range of biological, chemical and physical properties of soil in semi-natural grassland at application of organic and mineral fertilizers, <i>Plant Production Research Center</i> |
| 608 | WATER1253 | WATER | 1253 | M. Necpalova, I. Casey and J. Humphreys, 2013, Effect of ploughing and reseedling of permanent grassland on soil N, N leaching and nitrous oxide emissions from a clay-loam soil, <i>Nutrient Cycling in Agroecosystems</i> , 95, 305-317, |
| 609 | WATER1280 | WATER | 1280 | A. d. Vliegheer and C. v. Waes, 2013, Nitrate-N residue in the soil under a perennial ryegrass sward with and without white clover under cutting conditions. (<i>Grassland Science in Europe</i> , Volume 18), <i>Proceedings of the 17th Symposium of the European Grassland Federation</i> , Akureyri, Iceland, 23-26 June 2013; 2013 159-161 6 ref, The role of grasslands in a green future |
| 610 | WATER1453 | WATER | 1453 | M. Tampere, K. Kauer, I. Keres, T. Laidna, E. Loit, A. Parol, A. Selge, R. Viiralt and H. Raave, 2012, Reducing N and K leaching from grassland: slurry applied by spreading or injecting? (<i>Grassland Science in Europe</i> , Volume 17), <i>Polskie Towarzystwo Lakarskie (Polish Grassland Society)</i> |
| 611 | WATER1460 | WATER | 1460 | M. Necpalova, O. Fenton, I. Casey and J. Humphreys, 2012, N leaching to groundwater from dairy production involving grazing over the winter on a clay-loam soil, <i>Science of the Total Environment</i> , 432, 159-172, |

| | | | | |
|-----|-----------|-------|------|--|
| 612 | WATER1470 | WATER | 1470 | P. Jordan, A. R. Melland, P. E. Mellander, G. Shortle and D. Wall, 2012, The seasonality of phosphorus transfers from land to water: implications for trophic impacts and policy evaluation. (Climate change and macronutrient cycling along the atmospheric, terrestrial, freshwater and estuarine continuum - a special issue dedicated to Professor Colin Neal.), <i>Science of the Total Environment</i> , 434, 101-109, |
| 613 | WATER1527 | WATER | 1527 | J. Oenema, S. Burgers, K. Verloop, A. Hooijboer, L. Boumans and H. t. Berge, 2010, Multiscale effects of management, environmental conditions, and land use on nitrate leaching in dairy farms, <i>Journal of Environmental Quality</i> , 39, 2016-2028, |
| 614 | WATER1693 | WATER | 1693 | A. D. Bosch, M. Antunez and R. M. Poch, 2010, Runoff losses of dissolved carbon and nitrogen in mountain Mediterranean agro- and forest ecosystems, <i>Proceedings of the 19th World Congress of Soil Science: Soil solutions for a changing world</i> , Brisbane, Australia, |
| 615 | WATER1695 | WATER | 1695 | S. Dresler, W. Bednarek and P. Tkaczyk, 2011, Nitrate nitrogen in the soils of Eastern Poland as influenced by type of crop, nitrogen fertilisation and various organic fertilisers, <i>Journal of Central European Agriculture</i> , 12, 367-379, |
| 616 | WATER1702 | WATER | 1702 | M. Svozilova, H. Karabcova and J. Krhovjakova, 2010, Effect of organic fertilisation on the nitrogen leaching in the grassland of the Czech Republic, <i>Proceedings of the 19th World Congress of Soil Science: Soil solutions for a changing world</i> , Brisbane, Australia, |
| 617 | WATER1772 | WATER | 1772 | J. J. Schroder, F. B. T. Assinck, D. Uenk and G. L. Velthof, 2010, Nitrate leaching from cut grassland as affected by the substitution of slurry with nitrogen mineral fertilizer on two soil types, <i>Grass and Forage Science</i> , 65, 49-57, |
| 618 | WATER1803 | WATER | 1803 | R. Marzaioli, R. D'Ascoli, R. A. d. Pascale and F. A. Rutigliano, 2010, Soil quality in a Mediterranean area of Southern Italy as related to different land use types, <i>Applied Soil Ecology</i> , 44, 205-212, |
| 619 | WATER1808 | WATER | 1808 | G. L. Velthof, I. E. Hoving, J. Dolfing, A. Smit, P. J. Kuikman and O. Oenema, 2010, Method and timing of grassland renovation affects herbage yield, nitrate leaching, and nitrous oxide emission in intensively managed grasslands, <i>Nutrient Cycling in Agroecosystems</i> , 86, 401-412, |
| 620 | WATER1879 | WATER | 1879 | J. Verloop, J. Oenema, S. L. G. Burgers, H. F. M. Aarts and H. v. Keulen, 2010, P-equilibrium fertilization in an intensive dairy farming system: effects on soil-P status, crop yield and P leaching, <i>Nutrient Cycling in Agroecosystems</i> , 87, 369-382, |
| 621 | WATER1970 | WATER | 1970 | C. J. Watson and D. I. Matthews, 2008, A 10-year study of phosphorus balances and the impact of grazed grassland on total P redistribution within the soil profile, <i>European Journal of Soil Science</i> , 59, 1171-1176, |
| 622 | WATER2006 | WATER | 2006 | H. Korevaar and R. H. E. M. Geerts, 2007, Productivity, biodiversity and nitrate in groundwater of multifunctional grasslands. (British Grassland Society Occasional Symposium No.38), <i>Proceedings of the BGS/BES/BSAS Conference held at Keele University, Staffordshire, UK, 17-19 April, 2007</i> ; 2007 64-69 5 ref, High value grassland |
| 623 | WATER2049 | WATER | 2049 | D. Ballantine, D. E. Walling and G. J. L. Leeks, 2009, Mobilisation and transport of sediment-associated phosphorus by surface runoff, <i>Water, Air, and Soil Pollution</i> , 196, 311-320, |
| 624 | WATER2086 | WATER | 2086 | N. v. Eekeren, H. d. Boer, J. Bloem, T. Schouten, M. Rutgers, R. d. Goede and L. Brussaard, 2009, Soil biological quality of grassland fertilized with adjusted cattle manure slurries in comparison with organic and inorganic fertilizers, <i>Biology and Fertility of Soils</i> , 45, 595-608, |
| 625 | WATER2111 | WATER | 2111 | C. Ammann, C. Spirig, J. Leifeld and A. Neftel, 2009, Assessment of the nitrogen and carbon budget of two managed temperate grassland fields. (Special Issue: Reactive nitrogen in agroecosystems: integration with greenhouse gas interactions.), <i>Agriculture, Ecosystems & Environment</i> , 133, 150-162, |
| 626 | WATER2114 | WATER | 2114 | J. Vopravil, T. Khel, K. Voplakal and M. Cermakova, 2008, The impact of artificial drainage on water quality in two model areas in the Bohemian forest foothills, <i>Soil and Water Research</i> , 3, 138-154, |

| | | | | |
|-----|-----------|-------|------|--|
| 627 | WATER2160 | WATER | 2160 | A. Niczyporuk and H. Jankowska-Huflejt, 2009, The effect of use way of the catchment on the content of mineral nutrients in waters of small river. (Grassland Science in Europe, Volume 14), Alternative functions of grassland. Proceedings of the 15th European Grassland Federation Symposium, Brno, Czech Republic, |
| 628 | WATER2163 | WATER | 2163 | M. Kobes, J. Frelich, M. Slachta, B. Vozenilkova and K. Suchy, 2009, Botanical diversity and nitrate leaching with different styles of grassland management. (Grassland Science in Europe, Volume 14), Alternative functions of grassland. Proceedings of the 15th European Grassland Federation Symposium, Brno, Czech Republic, |
| 629 | WATER2214 | WATER | 2214 | R. Butkute, 2007, Leached ion concentrations depending on long-term meadow soil pH _{KCl} and fertilisation. (Grassland Science in Europe Volume 12), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 355-358 7 ref, Permanent and temporary grassland |
| 630 | WATER2217 | WATER | 2217 | I. Dufrasne, S. Meura, J. F. Cabaraux, L. Istasse and J. L. Hornick, 2007, Nitrogen balance and nitrate residues in pastures grazed by dairy cows and fertilised with mineral fertiliser, pig slurry or cattle compost. (Grassland Science in Europe Volume 12), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 343-346 4 ref, Permanent and temporary grassland |
| 631 | WATER2222 | WATER | 2222 | A. d. Vliegheer and L. Carlier, 2007, The effect of the age of grassland on yield, botanical composition and nitrate content in the soil under grazing conditions. (Grassland Science in Europe Volume 12), Proceedings of the 14th Symposium of the European Grassland Federation, Ghent, Belgium, 3-5 September 2007; 2007 51-54 7 ref, Permanent and temporary grassland |
| 632 | WATER2444 | WATER | 2444 | G. Kutra, K. Gaigalis and A. Smitiene, 2006, Land use influence on nitrogen leaching and options for pollution mitigation, Zemdirbyste, Mokslo Darbai, 93, 119-129, |
| 633 | WATER2459 | WATER | 2459 | H. F. M. t. Berge, S. L. G. E. Burgers, H. G. v. d. Meer, J. J. Schroder, J. R. v. d. Schoot and W. v. Dijk, 2007, Residual inorganic soil nitrogen in grass and maize on sandy soil, Environmental Pollution, 145, 22-30, |
| 634 | WATER2521 | WATER | 2521 | P. J. A. Withers, R. H. Hodgkinson, H. Adamson and G. Green, 2007, The impact of pasture improvement on phosphorus concentrations in soils and streams in an upland catchment in Northern England, Agriculture, Ecosystems & Environment, 122, 220-232, |
| 635 | WATER2580 | WATER | 2580 | G. Kutra, R. Aksomaitiene and A. Rackauskaite, 2007, Nitrogen concentration in open watercourses as a result of leaching from agricultural fields, Water Management Engineering, 18, 13-20, |
| 636 | WATER2593 | WATER | 2593 | R. A. Hodgkinson and P. J. A. Withers, 2007, Sourcing, transport and control of phosphorus loss in two English headwater catchments. (Special issue: Agriculture, Phosphorus, Eutrophication: a European Perspective.), Soil Use and Management, 23, 92-103, |
| 637 | WATER2612 | WATER | 2612 | A. Buciene, S. Antanaitis, A. Masauskiene and D. Simanskaite, 2007, Nitrogen and phosphorus losses with drainage runoff and field balance as a result of crop management, Communications in Soil Science and Plant Analysis, 38, 2177-2195, |
| 638 | WATER2648 | WATER | 2648 | R. Butkute and N. Daugeliene, 2005, Meadow productivity and nitrate leaching under different liming and fertilization. (Grassland Science in Europe Volume 10), Estonian Grassland Society |
| 639 | WATER2743 | WATER | 2743 | J. Verloop, L. J. M. Boumans, H. v. Keulen, J. Oenema, G. J. Hilhorst, H. F. M. Aarts and L. B. J. Sebek, 2006, Reducing nitrate leaching to groundwater in an intensive dairy farming system, Nutrient Cycling in Agroecosystems, 74, 59-74, |
| 640 | WATER2750 | WATER | 2750 | A. Rudzianskaite and S. Miseviciene, 2005, Nitrate nitrogen leaching in different agroecosystems (in karst zone and Middle Lithuania), Journal of Water and Land Development, 9, 123-133, |

| | | | | |
|-----|-----------|-------|------|--|
| 641 | WATER2798 | WATER | 2798 | F. T. d. Vries, E. Hoffland, N. v. Eekeren, L. Brussaard and J. Bloem, 2006, Fungal/bacterial ratios in grasslands with contrasting nitrogen management, <i>Soil Biology & Biochemistry</i> , 38, 2092-2103, |
| 642 | WATER2863 | WATER | 2863 | K. A. Leach, K. D. Allingham, J. S. Conway, K. W. T. Goulding and D. J. Hatch, 2004, Nitrogen management for profitable farming with minimal environmental impact: the challenge for mixed farms in the Cotswold Hills, England, <i>International Journal of Agricultural Sustainability</i> , 2, 21-32, |
| 643 | WATER2912 | WATER | 2912 | R. Duffkova, T. Kvitek and J. Voldrichova, 2005, Soil organic carbon and nitrogen characteristics in differently used grasslands at sites with drainage and without drainage, <i>Plant, Soil and Environment</i> , 51, 165-172, |
| 644 | WATER3052 | WATER | 3052 | A. d. Vliegheer, O. Grunert and L. Carlier, 2003, Cutting or grazing in autumn: effect on grass yield, grass quality and soil nitrate content. (Grassland Science in Europe Volume 8), Bulgarian Association for Grassland and Forage Production (BAGFP) |
| 645 | WATER3072 | WATER | 3072 | M. E. Bechmann, D. Berge, H. O. Eggestad and S. M. Vandsemb, 2005, Phosphorus transfer from agricultural areas and its impact on the eutrophication of lakes - two long-term integrated studies from Norway. (Nutrient mobility within river basins: a European perspective.), <i>Journal of Hydrology</i> , 304, 238-250, |
| 646 | WATER3129 | WATER | 3129 | F. Nevens and D. Rehuell, 2003, Effects of cutting or grazing grass swards on herbage yield, nitrogen uptake and residual soil nitrate at different levels of N fertilization, <i>Grass and Forage Science</i> , 58, 431-449, |
| 647 | WATER3149 | WATER | 3149 | M. Wachendorf, M. Buchter, H. Trott and F. Taube, 2004, Performance and environmental effects of forage production on sandy soils. II. Impact of defoliation system and nitrogen input on nitrate leaching losses, <i>Grass and Forage Science</i> , 59, 56-68, |
| 648 | WATER3242 | WATER | 3242 | J. C. Clement, G. Pinay and P. Marmonier, 2002, Seasonal dynamics of denitrification along topohydrosequences in three different riparian wetlands, <i>Journal of Environmental Quality</i> , 31, 1025-1037, |
| 649 | WATER3262 | WATER | 3262 | C. P. Beckwith, P. J. Lewis, A. G. Chalmers, M. A. Froment and K. A. Smith, 2002, Successive annual applications of organic manures for cut grass: short-term observations on utilization of manure nitrogen, <i>Grass and Forage Science</i> , 57, 191-202, |
| 650 | WATER3272 | WATER | 3272 | H. Rupp, K. Kalbitz and R. Meissner, 2002, Impact of land use changes in the Dromling fen area on nutrient fluxes to the groundwater. (IAHS Publication No. 273), Proceedings of an international symposium, Wageningen, Netherlands, October 2000; 2002 261-265 11 ref, Agricultural effects on ground and surface waters |
| 651 | WATER3288 | WATER | 3288 | K. D. Allingham, R. Cartwright, D. Donaghy, J. S. Conway, K. W. T. Goulding and S. C. Jarvis, 2002, Nitrate leaching losses and their control in a mixed farm system in the Cotswold Hills, England, <i>Soil Use and Management</i> , 18, 421-427, |
| 652 | WATER3400 | WATER | 3400 | S. d. Neve, I. Dieltjens, E. Moreels and G. Hofman, 2003, Measured and simulated nitrate leaching on an organic and a conventional mixed farm, <i>Biological Agriculture & Horticulture</i> , 21, 217-229, |
| 653 | WATER3520 | WATER | 3520 | C. Stopes, E. I. Lord, L. Philipps and L. Woodward, 2002, Nitrate leaching from organic farms and conventional farms following best practice, <i>Soil Use and Management</i> , 18, 256-263, |
| 654 | WATER3551 | WATER | 3551 | M. Buchter, M. Wachendorf and F. Taube, 2002, Nitrate leaching from permanent grassland on sandy soils - results from an integrated research project. (Grassland Science in Europe Volume 7), Proceedings of the 19th General Meeting of the European Grassland Federation, La Rochelle, France, 27-30 May 2002; 2002 668-669 3 ref, Multi-function grasslands |
| 655 | WATER3659 | WATER | 3659 | M. A. Shepherd, D. J. Hatch, S. C. Jarvis and A. Bhogal, 2001, Nitrate leaching from reseeded pasture, <i>Soil Use and Management</i> , 17, 97-105, |
| 656 | WATER3701 | WATER | 3701 | E. I. Lord, P. A. Johnson and J. R. Archer, 1999, Nitrate sensitive areas: a study of large scale control of nitrate loss in England, <i>Soil Use and Management</i> , 15, 201-207, |

| | | | | |
|-----|-----------|-------|------|--|
| 657 | WATER3703 | WATER | 3703 | R. J. Parkinson, P. Griffiths and A. L. Heathwaite, 2000, Transport of nitrogen in soil water following the application of animal manures to sloping grassland, <i>Hydrological Sciences Journal</i> , 45, 61-73, |
| 658 | WATER3722 | WATER | 3722 | C. J. Watson, C. Jordan, S. D. Lennox, R. V. Smith and R. W. J. Steen, 2000, Inorganic nitrogen in drainage water from grazed grassland in northern Ireland, <i>Journal of Environmental Quality</i> , 29, 225-232, |
| 659 | WATER3739 | WATER | 3739 | V. d. C. d. Billy, P. Reyes-Marchant, N. Lair and B. Valadas, 2000, Impact of agricultural practices on a small headwater stream: terrestrial and aquatic characteristics and self-purifying processes, <i>Hydrobiologia</i> , 421, 129-139, |
| 660 | WATER3751 | WATER | 3751 | C. Grignani and L. Zavattaro, 2000, A survey on actual agricultural practices and their effects on the mineral nitrogen concentration of the soil solution, <i>European Journal of Agronomy</i> , 12, 251-268, |
| 661 | WATER3766 | WATER | 3766 | L. Brown, D. Scholefield, E. C. Jewkes, N. Preedy, K. Wadge and M. Butler, 2000, The effect of sulphur application on the efficiency of nitrogen use in two contrasting grassland soils, <i>Journal of Agricultural Science</i> , 135, 131-138, |
| 662 | WATER3803 | WATER | 3803 | M. Neitzke, 1998, Changes in nitrogen supply along transects from farmland to calcareous grassland, <i>Zeitschrift fur Pflanzenernahrung und Bodenkunde</i> , 161, 639-646, |
| 663 | WATER3839 | WATER | 3839 | C. P. Webster, P. R. Poulton and K. W. T. Goulding, 1999, Nitrogen leaching from winter cereals grown as part of a 5-year ley-arable rotation, <i>European Journal of Agronomy</i> , 10, 99-109, |
| 664 | WATER3870 | WATER | 3870 | N. Takatert, J. M. Sanchez-Perez and M. Tremolieres, 1999, Spatial and temporal variations of nutrient concentration in the groundwater of a floodplain: effect of hydrology, vegetation and substrate, <i>Hydrological Processes</i> , 13, 1511-1526, |
| 665 | WATER4046 | WATER | 4046 | S. Moreau, G. Bertru and C. Buson, 1998, Seasonal and spatial trends of nitrogen and phosphorus loads to the upper catchment of the river Vilaine (Brittany): relationships with land use, <i>Hydrobiologia</i> , 373, 247-258, |
| 666 | WATER4121 | WATER | 4121 | R. Grant, A. Laubel, B. Kronvang, H. E. Andersen, L. M. Svendsen and A. Fuglsang, 1996, Loss of dissolved and particulate phosphorus from arable catchments by subsurface drainage, <i>Water Research</i> , 30, 2633-2642, |
| 667 | WATER4204 | WATER | 4204 | B. Stratmann and W. Kuhbauch, 1989, Limits for cattle slurry application on permanent grassland, <i>Proceedings of the XVI International Grassland Congress</i> , |
| 668 | WATER4217 | WATER | 4217 | J. M. Estavillo, M. Rodriguez and C. Gonzalez-Murua, 1996, Nitrogen losses by denitrification and leaching in grassland. The effect of cow slurry application, <i>Fertilizer Research</i> , 43, 197-201, |
| 669 | WATER4283 | WATER | 4283 | J. M. Estavillo, M. Rodriguez, M. Domingo, A. Munoz-Rueda and C. Gonzalez-Murua, 1994, Denitrification losses from a natural grassland in the Basque Country under organic and inorganic fertilization, <i>Plant and Soil</i> , 162, 19-29, |
| 670 | WATER4290 | WATER | 4290 | J. Magid, N. Christensen and E. Skop, 1994, Vegetation effects on soil solution composition and evapotranspiration - potential impacts of set-aside policies, <i>Agriculture, Ecosystems & Environment</i> , 49, 267-278, |
| 671 | WATER4379 | WATER | 4379 | J. A. Laws and B. F. Pain, 1994, Defining and evaluating grassland management systems associated with 4 contrasting nitrogen inputs, <i>Grassland and society. Proceedings of the 15th General Meeting of the European Grassland Federation</i> , |
| 672 | WATER4416 | WATER | 4416 | D. Barraclough, S. C. Jarvis, G. P. Davies and J. Williams, 1992, The relation between fertilizer nitrogen applications and nitrate leaching from grazed grassland, <i>Soil Use and Management</i> , 8, 51-56, |
| 673 | WATER4431 | WATER | 4431 | U. Thome, F. Paass and W. Kuhbach, 1992, Nitrate losses from grassland, treated with different amounts of cattle slurry, <i>Proceedings second congress of the European Society for Agronomy</i> , Warwick University, |
| 674 | WATER4459 | WATER | 4459 | B. Sapek and A. Sapek, 1993, The application of CREAMS model to forecasting the nitrate and chloride leaching from grassland, <i>Water Science and Technology</i> , 28, 649-658, |

| | | | | |
|-----|-----------|-------|------|---|
| 675 | WATER4508 | WATER | 4508 | W. P. Wadman and J. J. Neeteson, 1992, Nitrate leaching losses from organic manures - the Dutch experience, <i>Aspects of Applied Biology</i> , 30, 117-126, |
| 676 | WATER4521 | WATER | 4521 | D. Younie and C. A. Watson, 1992, Soil nitrate-N levels in organically and intensively managed grassland systems, <i>Aspects of Applied Biology</i> , 30, 235-238, |
| 677 | WATER4548 | WATER | 4548 | J. Magid and N. E. Nielsen, 1992, Seasonal variation in organic and inorganic phosphorus fractions of temperate-climate sandy soils, <i>Plant and Soil</i> , 144, 155-165, |
| 678 | WATER4579 | WATER | 4579 | S. T. Trudgill, T. P. Burt, A. L. Heathwaite and B. P. Arkell, 1991, Soil nitrate sources and nitrate leaching losses, Slapton, South Devon, <i>Soil Use and Management</i> , 7, 200-206, |
| 679 | WATER4601 | WATER | 4601 | C. G. E. M. v. Beek, F. A. M. Hettinga and R. Straatman, 1989, The effects of manure spreading and acid deposition upon groundwater quality at Vierlingsbeek, the Netherlands, <i>IAHS Publication</i> , 185, 155-162, |
| 680 | WATER4696 | WATER | 4696 | B. Reynolds, M. Hornung and S. Hughes, 1989, Chemistry of streams draining grassland and forest catchments at Plynlimon, mid-Wales, <i>Hydrological Sciences Journal</i> , 34, 667-686, |
| 681 | WATER4713 | WATER | 4713 | I. Rais, J. Kralovec and A. Kopta, 1990, Quality of surface waters in the pasture area, <i>Rostlinna Vyroba</i> , 36, 481-488, |
| 682 | WATER4716 | WATER | 4716 | A. M. Roberts, J. A. Hudson and G. Roberts, 1989, A comparison of nutrient losses following grassland improvement using two different techniques in an upland area of mid-Wales, <i>Soil Use and Management</i> , 5, 174-179, |
| 683 | WATER4807 | WATER | 4807 | M. Sherwood, 1986, Nitrate leaching following application of slurry and urine to field plots, <i>Efficient land use of sludge and manure</i> , |
| 684 | WATER4843 | WATER | 4843 | W. Sussmann, 1984, N_{min} -content of soils with different landuse and nitrate-concentrations within the interflow, <i>Recent investigations in the zone of aeration</i> , 2, 725-732, |
| 685 | WATER4855 | WATER | 4855 | R. A. Haigh and R. E. White, 1986, Nitrate leaching from a small, underdrained, grassland, clay catchment, <i>Soil Use and Management</i> , 2, 65-70, |
| 686 | WATER4941 | WATER | 4941 | C. P. Young, 1981, The distribution and movement of solutes derived from agricultural land in the principal aquifers of the United Kingdom, with particular reference to nitrate, <i>Water Science and Technology</i> , 13, 1137-1152, |
| 687 | WATER5004 | WATER | 5004 | S. R. Wellings and J. P. Bell, 1980, Movement of water and nitrate in the unsaturated zone of Upper Chalk near Winchester, Hants., England, <i>Journal of Hydrology</i> , 48, 119-136, |
| 688 | WATER5575 | WATER | 5575 | M. Kändler, K. Blechinger, C. Seidler, V. Pavlů, M. Šanda, T. Dostál, J. Krása, T. Vitvar and M. Štich, 2017, Impact of land use on water quality in the upper Nisa catchment in the Czech Republic and in Germany, <i>Science of the Total Environment</i> , 586, 1316-1325, Elsevier B.V. |
| 689 | WATER5799 | WATER | 5799 | S. Peukert, B. A. Griffith, P. J. Murray, C. J. A. Macleod and R. E. Brazier, 2016, Spatial variation in soil properties and diffuse losses between and within grassland fields with similar short-term management, <i>European Journal of Soil Science</i> , 67, 386-396, Blackwell Publishing Ltd |
| 690 | WATER5852 | WATER | 5852 | C. Mueller, R. Krieg, R. Merz and K. Knöller, 2016, Regional nitrogen dynamics in the TERENO Bode River catchment, Germany, as constrained by stable isotope patterns, <i>Isotopes in Environmental and Health Studies</i> , 52, 61-74, Taylor and Francis Ltd. |
| 691 | WATER6067 | WATER | 6067 | M. M. Parvage, B. Ulén and H. Kirchmann, 2015, Are horse paddocks threatening water quality through excess loading of nutrients?, <i>Journal of Environmental Management</i> , 147, 306-313, Academic Press |
| 692 | WATER6233 | WATER | 6233 | V. Alexandru, T. Pistorius, J. Schaller, I. Sandric and R. Drobot, 2014, Investigating the correlation between agri-environmental measures and groundwater nitrate concentration using a geo-statistical approach, 1, 429-439, <i>International Multidisciplinary Scientific Geoconference</i> |

| | | | | |
|-----|-----------|-------|------|---|
| 693 | WATER8226 | WATER | 8226 | P. J. A. Withers, R. M. Dils and R. A. Hodgkinson, 1999, Transfer of phosphorus from small agricultural basins with variable soil types and land use, 41-50, |
| 694 | WATER8837 | WATER | 8837 | R. H. Thorn, 1986, Factors Affecting the Leaching of Nitrate to Groundwater in the Republic of Ireland, Irish Geography, 19, 23-32, |
| 695 | WATER8880 | WATER | 8880 | H. M. Keller and T. Strobel, 1982, Water and nutrient discharge during snowmelt in subalpine areas (Switzerland), Hydrological aspects of alpine and high-mountain areas. Proc. Exeter symposium, July 1982, 331-341, IAHS Publication 138 |
| 696 | WATER8883 | WATER | 8883 | W. H. Prins, G. J. G. Rauw and J. Postmus, 1981, Very high applications of nitrogen fertilizer on grassland and residual effects in the following season, Fertilizer Research, 2, 309-327, Martinus Nijhoff/Dr. W. Junk Publishers |